

# ListOfErrors

List of all errors present in the httpd source.



This is a work in progress!

Message	Source	Description
AH00001: unable to create or access scoreboard \"%s\" (name-based shared memory failure), fname	./server/scoreboard.c:186	
AH00002: Fatal error: unable to create global pool "for use by the scoreboard"	./server/scoreboard.c:211	
AH00003: Fatal error: Invalid Scoreboard path %s"	./server/scoreboard.c:222	
AH00004: Unable to create or access scoreboard "(anonymous shared memory failure)"	./server/scoreboard.c:233	
AH00005: Fatal error: shared scoreboard too small for child!"	./server/scoreboard.c:261	
AH00006: core_filter: sendfile_nonblocking: "this should never happen"	./server/core_filters.c:843	
AH00007: LOG_PREFIXuser '%s' set cookie: %s", r->user, rfc2109	./server/util_cookies.c:58	
AH00008: LOG_PREFIXuser '%s' set cookie2: %s", r->user, rfc2965	./server/util_cookies.c:100	
AH00009: LOG_PREFIXuser '%s' removed cookie: %s", r->user, rfc2109	./server/util_cookies.c:128	
AH00010: LOG_PREFIXuser '%s' removed cookie2: %s", r->user, rfc2965	./server/util_cookies.c:156	
AH00011: LOG_PREFIXclient submitted cookie '%s' more than once: %s", v.name, r->uri	./server/util_cookies.c:259	
AH00012: %s: %s", ap_server_argv0, error	./server/main.c:483	
AH00013: "Pre-configuration failed"	./server/main.c:635	
AH00014: "Configuration check failed"	./server/main.c:653	
AH00015: "Unable to open logs"	./server/main.c:692	
AH00016: "Configuration Failed"	./server/main.c:698	
AH00017: "Pre-configuration failed, exiting"	./server/main.c:735	
AH00018: "Configuration check failed, exiting"	./server/main.c:754	
AH00019: "Unable to open logs, exiting"	./server/main.c:761	
AH00020: "Configuration Failed, exiting"	./server/main.c:767	
AH00021: Invalid options were specified when creating the %s mutex"	./server/util_mutex.c:375	
AH00022: Can't create mutex of unknown type %s", type	./server/util_mutex.c:382	
AH00023: Couldn't create the %s mutex %s%s%s", type	./server/util_mutex.c:389	
AH00024: Couldn't set permissions on the %s mutex; "check User and Group directives"	./server/util_mutex.c:399	
AH00025: configuration error: couldn't %s: %s", phase, r->uri	./server/request.c:102	
AH00026: found %%%2f (encoded '/') in URI "(decoded=%s)", returning 404"	./server/request.c:137	
AH00027: Buggy authn provider failed to set user for %s"	./server/request.c:238	
AH00028: Buggy authn provider failed to set user for %s"	./server/request.c:273	
AH00029: Module bug? Request filename is missing for URI %s"	./server/request.c:561	
AH00030: Module bug? Request filename path %s is invalid or "or not absolute for uri %s"	./server/request.c:574	
AH00031: access to %s failed; stat of %s' failed."	./server/request.c:686	
AH00032: Symbolic link not allowed "or link target not accessible: %s"	./server/request.c:695	
AH00033: dir_walk error, path_info %s is not relative "to the filename path %s for uri %s"	./server/request.c:765	
AH00034: dir_walk error, could not determine the root "path of filename %s%s for uri %s"	./server/request.c:832	
AH00035: access to %s denied because search "permissions are missing on a component "of the path", r->uri	./server/request.c:1096	
AH00036: access to %s failed", r->uri	./server/request.c:1107	
AH00037: Symbolic link not allowed "or link target not accessible: %s"	./server/request.c:1129	
AH00038: Forbidden: %s doesn't point to "a file or directory"	./server/request.c:1146	
AH00039: Failed to evaluate <If > condition: %s"	./server/request.c:1682	
AH00040: apr_xlate_open() failed"	./server/util_ebcdic.c:37	
AH00041: apr_xlate_open() failed"	./server/util_ebcdic.c:44	
AH00042: apr_MD5InitEBCDIC() failed"	./server/util_ebcdic.c:51	
AH00043: apr_base64init_ebcdic() failed"	./server/util_ebcdic.c:58	
AH00044: apr_SHA1InitEBCDIC() failed"	./server/util_ebcdic.c:65	
AH00045: child process %" APR_PID_T_FMT still did not exit, "sending a SIGTERM"	./server/mpm_unix.c:140	
AH00046: child process %" APR_PID_T_FMT still did not exit, "sending a SIGKILL"	./server/mpm_unix.c:150	
AH00047: could not make child process %" APR_PID_T_FMT exit, "attempting to continue anyway"	./server/mpm_unix.c:165	

AH00048: cannot send signal %d to pid %ld (non-child or "already dead)", sig, (long)pid	./server/mpm_unix.c:340	
AH00049: refusing to send signal %d to pid %ld outside "process group", sig, (long)pid	./server/mpm_unix.c:360	
AH00050: Child %" APR_PID_T_FMT returned a Fatal error... Apache is exiting!"	./server/mpm_unix.c:391	
AH00051: child pid %ld exit signal %s (%d), "possible coredump in %s"	./server/mpm_unix.c:414	
AH00052: child pid %ld exit signal %s (%d)"	./server/mpm_unix.c:422	
AH00053: write pipe_of_death"	./server/mpm_unix.c:496	
AH00054: get socket to connect to listener"	./server/mpm_unix.c:537	
AH00055: set timeout on socket to connect to listener"	./server/mpm_unix.c:551	
AH00056: connect to listener on %pl", lp->bind_addr	./server/mpm_unix.c:570	
AH00057: sending signal to server"	./server/mpm_unix.c:639	
AH00058: Error retrieving pid file %s", ap_pid_fname	./server/mpm_unix.c:658	
AH00059: Remove it before continuing if it is corrupted."	./server/mpm_unix.c:660	
AH00060: seg fault or similar nasty error detected "in the parent process"	./server/mpm_unix.c:851	
AH00061: "sigaction(SIGSEGV)"	./server/mpm_unix.c:893	
AH00062: "sigaction(SIGBUS)"	./server/mpm_unix.c:896	
AH00063: "sigaction(SIGABORT)"	./server/mpm_unix.c:900	
AH00064: "sigaction(SIGABRT)"	./server/mpm_unix.c:904	
AH00065: "sigaction(SIGILL)"	./server/mpm_unix.c:908	
AH00066: "sigaction(SIGFPE)"	./server/mpm_unix.c:912	
AH00067: make_sock: for address %pl, apr_socket_opt_set: (SO_REUSEADDR)"	./server/listen.c:59	
AH00068: make_sock: for address %pl, apr_socket_opt_set: (SO_KEEPALIVE)"	./server/listen.c:69	
AH00069: make_sock: for address %pl, apr_socket_opt_set: "(IPv6_V6ONLY)"	./server/listen.c:80	
AH00070: make_sock: failed to set <a href="#">SendBufferSize</a> for "address %pl, using default"	./server/listen.c:112	
AH00071: make_sock: failed to set <a href="#">ReceiveBufferSize</a> for "address %pl, using default"	./server/listen.c:122	
AH00072: make_sock: could not bind to address %pl"	./server/listen.c:135	
AH00073: make_sock: unable to listen for connections "on address %pl"	./server/listen.c:143	
AH00074: make_sock: for address %pl, apr_socket_opt_set: (SO_REUSEADDR)"	./server/listen.c:164	
AH00075: Failed to enable the '%s' Accept Filter"	./server/listen.c:219	
AH00076: Failed to enable APR_TCP_DEFER_ACCEPT"	./server/listen.c:226	
AH00077: alloc_listener: failed to set up sockaddr for %s"	./server/listen.c:285	
AH00078: alloc_listener: failed to get a socket for %s"	./server/listen.c:323	
AH00079: unable to control socket non-blocking status"	./server/listen.c:501	
AH00080: a content filter was added without a request: %s", frec->name	./server/util_filter.c:297	
AH00081: a protocol filter was added without a request: %s", frec->name	./server/util_filter.c:307	
AH00082: an unknown filter was not added: %s", name	./server/util_filter.c:404	
AH00083: ap_pass_brigade returned %d", rv	./server/util_filter.c:556	
AH00085: "Invalid -E error log file %s"	./server/log.c:251	
AH00086: %s: could not open error log file %s."	./server/log.c:258	
AH00087: unable to replace stderr with error log file"	./server/log.c:291	
AH00088: %s", description	./server/log.c:300	
AH00089: Couldn't start <a href="#">ErrorLog</a> process '%s'."	./server/log.c:390	
AH00090: %s: Invalid error log path %s."	./server/log.c:424	
AH00091: %s: could not open error log file %s."	./server/log.c:432	
AH00092: unable to replace stderr with error_log"	./server/log.c:483	
AH00093: unable to replace stderr with /dev/null"	./server/log.c:513	
AH00094: Command line: '%s'", result	./server/log.c:1388	
AH00095: failed to remove PID file %s", fname	./server/log.c:1400	
AH00096: removed PID file %s (pid=%" APR_PID_T_FMT ")"	./server/log.c:1404	
AH00097: "Invalid PID file path %s, ignoring.", filename	./server/log.c:1427	
AH00098: pid file %s overwritten – Unclean "shutdown of previous Apache run?"	./server/log.c:1441	
AH00099: could not create %s", fname	./server/log.c:1451	
AH00100: %s: could not log pid to file %s"	./server/log.c:1453	
AH00101: "Invalid PID file path %s, ignoring.", filename	./server/log.c:1480	
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="7c90ea74-bc31-44b5-8479-9f5ef2e90bd6"><ac:plain-text-body><![CDATA[	AH00102: [%s] file %s, line %d, assertion \"%s\" failed"	./server/log.c:1515
		]]></ac:plain-text-body></ac:structured-macro>

AH00103: piped_log_spawn: unable to setup child process '%s': %s"	./server/log.c:1553		
AH00104: unable to start piped log program '%s': %s"	./server/log.c:1581		
AH00105: can't query MPM state; not restarting "piped log program '%s'"	./server/log.c:1606		
AH00106: piped log program '%s' failed unexpectedly"	./server/log.c:1612		
AH00107: piped_log_maintenance: unable to respawn '%s': %s"	./server/log.c:1619		
AH00108: Couldn't start piped log process '%s'."	./server/log.c:1712		
AH00109: ap_get_server_name: Invalid UCN Option somehow"	./server/core.c:982		
AH00110: ap_get_server_port: Invalid UCN Option somehow"	./server/core.c:1045		
AH00111: Config variable \${%s} is not defined"	./server/core.c:1227		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="3c8eb767-767c-48d6-8d24-3ea5ad0643b2"><ac:plain-text-body><![CDATA[	AH00112: Warning: [DocumentRoot] [%s] does not exist"	./server/core.c:1425	]]></ac:plain-text-body></ac:structured-macro>
AH00113: cannot use a full URL in a 401 <b>ErrorDocument</b> "directive — ignoring!"	./server/core.c:1490		
AH00114: Useless use of <b>AllowOverride</b> in line %d of %s."	./server/core.c:1592		
AH00115: Useless use of <b>AllowOverrideList</b> in line %d of %s."	./server/core.c:1663		
AH00116: Discarding unrecognized directive '%s' in <b>AllowOverrideList</b> ."	./server/core.c:1683		
AH00117: Ignoring deprecated use of <b>DefaultType</b> in line %d of %s."	./server/core.c:1795		
AH00118: %s not supported on this platform", cmd->cmd->name	./server/core.c:3382		
AH00119: Limiting internal redirects to very low numbers may "cause normal requests to fail."	./server/core.c:3440		
AH00120: Limiting the subrequest depth to a very low level may" cause normal requests to fail."	./server/core.c:3454		
AH00121: r->uri = %s", r->uri ? r->uri : "(unexpectedly NULL)"	./server/core.c:3469		
AH00122: redirected from r->uri = %s"	./server/core.c:3475		
AH00123: subrequested from r->uri = %s"	./server/core.c:3482		
AH00124: Request exceeded the limit of %d internal "redirects due to probable configuration error. "Use 'LimitInternalRecursion' to increase the "limit if necessary. Use 'LogLevel debug' to get "a backtrace.", rlimit	./server/core.c:3510		
AH00125: Request exceeded the limit of %d subrequest "nesting levels due to probable configuration "error. Use 'LimitInternalRecursion' to increase "the limit if necessary. Use 'LogLevel debug' to "get a backtrace.", slimit	./server/core.c:3530		
AH00126: Invalid URI in request %s", r->the_request	./server/core.c:4091		
AH00127: Cannot map %s to file", r->the_request	./server/core.c:4122		
AH00128: File does not exist: %s", r->filename	./server/core.c:4222		
AH00129: Attempt to serve directory: %s", r->filename	./server/core.c:4231		
AH00130: File does not exist: %s"	./server/core.c:4240		
AH00131: This resource does not accept the %s method."	./server/core.c:4260		
AH00132: file permissions deny server access: %s", r->filename	./server/core.c:4273		
AH00133: default_handler: ap_pass_brigade returned %i"	./server/core.c:4315		
AH00134: Invalid method in request %s - possible attempt to establish SSL connection on non-SSL port", r->the_request	./server/core.c:4330		
AH00135: Invalid method in request %s", r->the_request	./server/core.c:4333		
AH00136: Server MUST relinquish startup privileges before "accepting connections. Please ensure mod_unixd "or other system security module is loaded."	./server/core.c:4428		
AH00137: apr_socket_addr_get(APR_LOCAL)"	./server/core.c:4549		
AH00138: apr_socket_addr_get(APR_REMOTE)"	./server/core.c:4558		
AH00139: apr_socket_opt_set(APR_TCP_NODELAY)"	./server/core.c:4592		
AH00140: apr_socket_timeout_set"	./server/core.c:4605		
AH00141: Could not initialize random number generator"	./server/core.c:4687		
AH00142: gprof: error creating directory %s", dir	./server/mpm/prefork/prefork.c:178		
AH00143: "%s", msg	./server/mpm/prefork/prefork.c:238		
AH00144: "%s", msg	./server/mpm/prefork/prefork.c:242		
AH00145: "%s", msg	./server/mpm/prefork/prefork.c:256		
AH00146: "%s", msg	./server/mpm/prefork/prefork.c:263		
AH00147: "sigaction(SIGTERM)"	./server/mpm/prefork/prefork.c:405		
AH00148: sigaction(" AP_SIG_GRACEFUL_STOP_STRING ")"	./server/mpm/prefork/prefork.c:408		
AH00149: "sigaction(SIGINT)"	./server/mpm/prefork/prefork.c:413		
AH00150: "sigaction(SIGXCPU)"	./server/mpm/prefork/prefork.c:418		
AH00151: "sigaction(SIGXFSZ)"	./server/mpm/prefork/prefork.c:426		

AH00152: "sigaction(SIGPIPE)"	./server/mpm/prefork/prefork.c:431	
AH00153: "sigaction(SIGHUP)"	./server/mpm/prefork/prefork.c:441	
AH00154: "sigaction(" AP_SIG_GRACEFUL_STRING ")")	./server/mpm/prefork/prefork.c:443	
AH00155: Couldn't initialize cross-process lock in child "(%s) (%s)"	./server/mpm/prefork/prefork.c:531	
AH00156: Couldn't create pollset in child; check system or user limits"	./server/mpm/prefork/prefork.c:552	
AH00157: Couldn't add listener to pollset; check system or user limits"	./server/mpm/prefork/prefork.c:567	
AH00158: "apr_pollset_poll: (listen)"	./server/mpm/prefork/prefork.c:642	
AH00159: "fork: Unable to fork new process"	./server/mpm/prefork/prefork.c:753	
AH00160: "processor unbind failed"	./server/mpm/prefork/prefork.c:779	
AH00161: server reached <a href="#">MaxRequestWorkers</a> setting, consider" raising the <a href="#">MaxRequestWorkers</a> setting"	./server/mpm/prefork/prefork.c:878	
AH00162: server seems busy, (you may need "to increase <a href="#">StartServers</a> , or Min /MaxSpareServers), "spawning %d children, there are %d idle, and "%d total children", retained->idle_spawn_rate	./server/mpm/prefork/prefork.c:887	
AH00163: %s configured – resuming normal operations"	./server/mpm/prefork/prefork.c:979	
AH00164: Server built: %s", ap_get_server_built()	./server/mpm/prefork/prefork.c:982	
AH00165: Accept mutex: %s (default: %s)"	./server/mpm/prefork/prefork.c:985	
AH00166: Ignoring fatal error in child of previous "generation (pid %ld)."	./server/mpm/prefork/prefork.c:1021	
AH00167: long lost child came home! (pid %ld)", (long)pid.pid	./server/mpm/prefork/prefork.c:1059	
AH00168: "killpg SIGTERM"	./server/mpm/prefork/prefork.c:1094	
AH00169: caught SIGTERM, shutting down"	./server/mpm/prefork/prefork.c:1101	
AH00170: caught " AP_SIG_GRACEFUL_STOP_STRING ", shutting down gracefully"	./server/mpm/prefork/prefork.c:1135	
AH00171: Graceful restart requested, doing restart"	./server/mpm/prefork/prefork.c:1188	
AH00172: "killpg SIGHUP"	./server/mpm/prefork/prefork.c:1216	
AH00173: SIGHUP received. Attempting to restart"	./server/mpm/prefork/prefork.c:1220	
AH00174: apr_proc_detach failed"	./server/mpm/prefork/prefork.c:1298	
AH00175: WARNING: <a href="#">ServerLimit</a> of %d exceeds compile-time "limit of", server_limit	./server/mpm/prefork/prefork.c:1330	
AH00176: <a href="#">ServerLimit</a> of %d exceeds compile-time limit "of %d, decreasing to match"	./server/mpm/prefork/prefork.c:1337	
AH00177: WARNING: <a href="#">ServerLimit</a> of %d not allowed, "increasing to 1.", server_limit	./server/mpm/prefork/prefork.c:1346	
AH00178: <a href="#">ServerLimit</a> of %d not allowed, increasing to 1"	./server/mpm/prefork/prefork.c:1350	
AH00179: changing <a href="#">ServerLimit</a> to %d from original value of %d "not allowed during restart"	./server/mpm/prefork/prefork.c:1365	
AH00180: WARNING: <a href="#">MaxRequestWorkers</a> of %d exceeds <a href="#">ServerLimit</a> "value of", ap_daemons_limit	./server/mpm/prefork/prefork.c:1374	
AH00181: <a href="#">MaxRequestWorkers</a> of %d exceeds <a href="#">ServerLimit</a> value "of %d, decreasing to match"	./server/mpm/prefork/prefork.c:1384	
AH00182: WARNING: <a href="#">MaxRequestWorkers</a> of %d not allowed, "increasing to 1.", ap_daemons_limit	./server/mpm/prefork/prefork.c:1393	
AH00183: <a href="#">MaxRequestWorkers</a> of %d not allowed, increasing to 1"	./server/mpm/prefork/prefork.c:1397	
AH00184: WARNING: <a href="#">StartServers</a> of %d not allowed, "increasing to 1.", ap_daemons_to_start	./server/mpm/prefork/prefork.c:1407	
AH00185: <a href="#">StartServers</a> of %d not allowed, increasing to 1"	./server/mpm/prefork/prefork.c:1411	
AH00186: WARNING: <a href="#">MinSpareServers</a> of %d not allowed, "increasing to 1", ap_daemons_min_free	./server/mpm/prefork/prefork.c:1420	
AH00187: <a href="#">MinSpareServers</a> of %d not allowed, increasing to 1"	./server/mpm/prefork/prefork.c:1428	
AH00188: <a href="#">MaxClients</a> is deprecated, use <a href="#">MaxRequestWorkers</a> "instead."	./server/mpm/prefork/prefork.c:1499	
AH00189: unable to create shutdown semaphore, exiting"	./server/mpm/mpmt_os2/mpmt_os2_child.c:120	
AH00190: scoreboard not readable in child, exiting"	./server/mpm/mpmt_os2/mpmt_os2_child.c:130	
AH00191: accept mutex couldn't be accessed in child, exiting"	./server/mpm/mpmt_os2/mpmt_os2_child.c:142	
AH00192: child pid not found in scoreboard, exiting"	./server/mpm/mpmt_os2/mpmt_os2_child.c:151	
AH00193: unable to create work queue, exiting"	./server/mpm/mpmt_os2/mpmt_os2_child.c:165	
AH00194: apr_socket_accept"	./server/mpm/mpmt_os2/mpmt_os2_child.c:238	
AH00195: caught exception in worker thread, initiating child shutdown pid=%d", getpid()	./server/mpm/mpmt_os2/mpmt_os2_child.c:322	
AH00196: unable to open work queue, exiting"	./server/mpm/mpmt_os2/mpmt_os2_child.c:373	
AH00197: unable to open work queue in maintenance thread"	./server/mpm/mpmt_os2/mpmt_os2_child.c:427	
AH00198: "sigaction(SIGTERM)"	./server/mpm/mpmt_os2/mpmt_os2_child.c:482	
AH00199: "sigaction(SIGHUP)"	./server/mpm/mpmt_os2/mpmt_os2_child.c:487	
AH00200: no listening sockets available, shutting down"	./server/mpm/mpmt_os2/mpmt_os2.c:164	
AH00201: caught SIGTERM, shutting down"	./server/mpm/mpmt_os2/mpmt_os2.c:177	
AH00202: no listening sockets available, shutting down"	./server/mpm/mpmt_os2/mpmt_os2.c:204	

AH00203: failure allocating shared memory, shutting down"	./server/mpm/mpmt_os2/mpmt_os2.c:220	
AH00204: failure creating accept mutex, shutting down"	./server/mpm/mpmt_os2/mpmt_os2.c:237	
AH00205: unable to allocate shared memory for scoreboard , exiting"	./server/mpm/mpmt_os2/mpmt_os2.c:252	
AH00206: %s configured – resuming normal operations"	./server/mpm/mpmt_os2/mpmt_os2.c:261	
AH00207: Server built: %s", ap_get_server_built())	./server/mpm/mpmt_os2/mpmt_os2.c:264	
AH00208: error spawning child, slot %d", slot	./server/mpm/mpmt_os2/mpmt_os2.c:342	
AH00209: "sigaction(SIGTERM)"	./server/mpm/mpmt_os2/mpmt_os2.c:385	
AH00210: "sigaction(SIGINT)"	./server/mpm/mpmt_os2/mpmt_os2.c:388	
AH00211: "sigaction(SIGHUP)"	./server/mpm/mpmt_os2/mpmt_os2.c:393	
AH00212: "sigaction(SIGUSR1)"	./server/mpm/mpmt_os2/mpmt_os2.c:395	
AH00213: WARNING: <b>StartServers</b> of %d not allowed, "increasing to 1.", ap_daemons_to_start	./server/mpm/mpmt_os2/mpmt_os2.c:495	
AH00214: <b>StartServers</b> of %d not allowed, increasing to 1"	./server/mpm/mpmt_os2/mpmt_os2.c:499	
AH00215: WARNING: <b>MinSpareThreads</b> of %d not allowed, "increasing to 1", ap_min_spare_threads	./server/mpm/mpmt_os2/mpmt_os2.c:508	
AH00216: <b>MinSpareThreads</b> of %d not allowed, increasing to 1"	./server/mpm/mpmt_os2/mpmt_os2.c:516	
AH00217: select() failed on listen socket"	./server/mpm/netware/mpm_netware.c:408	
AH00218: apr_socket_accept: giving up."	./server/mpm/netware/mpm_netware.c:507	
AH00219: apr_socket_accept: (client socket)"	./server/mpm/netware/mpm_netware.c:514	
AH00220: server reached <b>MaxRequestWorkers</b> setting, consider" raising the <b>MaxRequestWorkers</b> setting"	./server/mpm/netware/mpm_netware.c:683	
AH00221: server seems busy, (you may need "to increase <b>StartServers</b> , or Min/MaxSpareServers), "spawning %d children, there are %d idle, and "%d total children", idle_spawn_rate	./server/mpm/netware/mpm_netware.c:692	
AH00222: no listening sockets available, shutting down"	./server/mpm/netware/mpm_netware.c:833	
AH00223: no listening sockets available, shutting down"	./server/mpm/netware/mpm_netware.c:873	
AH00224: %s configured – resuming normal operations"	./server/mpm/netware/mpm_netware.c:913	
AH00225: Server built: %s", ap_get_server_built())	./server/mpm/netware/mpm_netware.c:916	
AH00226: caught SIGTERM, shutting down"	./server/mpm/netware/mpm_netware.c:941	
AH00227: Graceful restart requested, doing restart"	./server/mpm/netware/mpm_netware.c:961	
AH00228: WARNING: <b>MaxThreads</b> of %d exceeds compile-time "limit of", ap_threads_limit	./server/mpm/netware/mpm_netware.c:1021	
AH00229: <b>MaxThreads</b> of %d exceeds compile-time limit "of %d, decreasing to match"	./server/mpm/netware/mpm_netware.c:1033	
AH00230: "WARNING: <b>MaxThreads</b> of %d not allowed, "increasing to 1.", ap_threads_limit	./server/mpm/netware/mpm_netware.c:1043	
AH00231: WARNING: <b>StartThreads</b> of %d not allowed, "increasing to 1.", ap_threads_to_start	./server/mpm/netware/mpm_netware.c:1058	
AH00232: <b>StartThreads</b> of %d not allowed, increasing to 1"	./server/mpm/netware/mpm_netware.c:1062	
AH00233: WARNING: <b>MinSpareThreads</b> of %d not allowed, "increasing to 1", ap_threads_min_free	./server/mpm/netware/mpm_netware.c:1071	
AH00234: <b>MinSpareThreads</b> of %d not allowed, increasing to 1"	./server/mpm/netware/mpm_netware.c:1079	
AH00235: simple_setup_workers: apr_thread_pool_create with %d threads failed"	./server/mpm/simple/simple_run.c:62	
AH00236: simple_setup_workers: apr_socket_opt_set(APR_SO_NONBLOCK = 1) failed on %p!"	./server/mpm/simple/simple_run.c:92	
AH00237: simple_setup_workers: apr_pollcb_add failed on %p!"	./server/mpm/simple/simple_run.c:100	
AH00238: simple_single_child_hack: simple_setup_listeners failed"	./server/mpm/simple/simple_run.c:239	
AH00239: simple_setup_privs: ap_run_drop_privileges failed"	./server/mpm/simple/simple_run.c:249	
AH00240: simple_setup_pollcb: apr_pollcb_create failed for all possible backends!"	./server/mpm/simple/simple_run.c:272	
AH00241: simple_child_loop: simple_setup_workers failed"	./server/mpm/simple/simple_run.c:295	
AH00242: simple_child_loop: simple_setup_sockets failed"	./server/mpm/simple/simple_run.c:302	
AH00243: simple_main_loop: simple_setup_workers failed"	./server/mpm/simple/simple_run.c:329	
AH00244: simple_main_loop: simple_setup_timers failed"	./server/mpm/simple/simple_run.c:336	
AH00245: simple_spawn_child: Unable to fork new process"	./server/mpm/simple/simple_children.c:76	
AH00246: simple_core_init_once: apr_thread_mutex_create failed."	./server/mpm/simple/simple_core.c:67	
AH00247: io timeout hit 	./server/mpm/simple/simple_io.c:43	
AH00248: simple_io_process: apr_pollcb_remove failure"	./server/mpm/simple/simple_io.c:72	
AH00249: network write failure in core output filter"	./server/mpm/simple/simple_io.c:102	
AH00250: apr_pollcb_add: failed in write completion"	./server/mpm/simple/simple_io.c:126	
AH00251: process_socket: apr_pollcb_add failure in read request line"	./server/mpm/simple/simple_io.c:163	
AH00252: simple_io_invoke: simple_io_process failed 	./server/mpm/simple/simple_io.c:188	

AH00253: simple_io_setup_conn: connection aborted"	/server/mpm/simple/simple_io.c:230	
AH00254: simple_io_setup_conn: simple_io_process failed ?"	/server/mpm/simple/simple_io.c:240	
AH00255: simple_io_accept: apr_socket_accept failed"	/server/mpm/simple/simple_io.c:268	
AH00256: simple_open_logs: no listening sockets available, shutting down"	/server/mpm/simple/simple_api.c:116	
AH00257: simple_core_init_once: Fatal Error Encountered"	/server/mpm/simple/simple_api.c:135	
AH00258: simple_pre_config: apr_proc_detach(%)s failed"	/server/mpm/simple/simple_api.c:164	
AH00259: simple_check_config: SimpleProcCount must be at most %d"	/server/mpm/simple/simple_api.c:181	
AH00260: simple_check_config: SimpleProcCount must be at least %d"	/server/mpm/simple/simple_api.c:188	
AH00261: simple_check_config: SimpleThreadCount must be at most %d"	/server/mpm/simple/simple_api.c:195	
AH00262: simple_check_config: SimpleThreadCount must be at least %d"	/server/mpm/simple/simple_api.c:202	
AH00263: pid %" APR_PID_T_FMT " taking over scoreboard slot from %" APR_PID_T_FMT "%s"	/server/mpm/worker/worker.c:399	
AH00264: sigaction(SIGTERM)"	/server/mpm/worker/worker.c:525	
AH00265: sigaction(" AP_SIG_GRACEFUL_STOP_STRING ")"	/server/mpm/worker/worker.c:529	
AH00266: sigaction(SIGINT)"	/server/mpm/worker/worker.c:534	
AH00267: sigaction(SIGXCPU)"	/server/mpm/worker/worker.c:540	
AH00268: sigaction(SIGXFSZ)"	/server/mpm/worker/worker.c:549	
AH00269: sigaction(SIGPIPE)"	/server/mpm/worker/worker.c:555	
AH00270: sigaction(SIGHUP)"	/server/mpm/worker/worker.c:565	
AH00271: sigaction(" AP_SIG_GRACEFUL_STRING ")"	/server/mpm/worker/worker.c:568	
AH00272: apr_proc_mutex_%s failed "before this child process served any requests."	/server/mpm/worker/worker.c:668	
AH00273: apr_proc_mutex_%s failed. Attempting to "shutdown process gracefully.", func	/server/mpm/worker/worker.c:674	
AH00274: apr_proc_mutex_unlock failed. Attempting to "shutdown process gracefully."	/server/mpm/worker/worker.c:874	
AH00275: apr_thread_create: unable to create listener thread"	/server/mpm/worker/worker.c:1016	
AH00276: the listener thread didn't exit"	/server/mpm/worker/worker.c:1162	
AH00277: apr_thread_join: unable to join listener thread"	/server/mpm/worker/worker.c:1168	
AH00278: apr_thread_join: unable to join worker "thread %d"	/server/mpm/worker/worker.c:1185	
AH00279: apr_thread_join: unable to join the start "thread"	/server/mpm/worker/worker.c:1204	
AH00280: Couldn't initialize cross-process lock in child"	/server/mpm/worker/worker.c:1232	
AH00281: Couldn't initialize signal thread"	/server/mpm/worker/worker.c:1251	
AH00282: apr_thread_create: unable to create worker thread"	/server/mpm/worker/worker.c:1289	
AH00283: fork: Unable to fork new process"	/server/mpm/worker/worker.c:1385	
AH00284: processor unbind failed"	/server/mpm/worker/worker.c:1411	
AH00285: No active workers found..." Apache is exiting!"	/server/mpm/worker/worker.c:1555	
AH00286: server reached MaxRequestWorkers "setting, consider raising the "MaxRequestWorkers setting"	/server/mpm/worker/worker.c:1580	
AH00287: server is within MinSpareThreads of "MaxRequestWorkers, consider raising the "MaxRequestWorkers setting"	/server/mpm/worker/worker.c:1588	
AH00288: scoreboard is full, not at MaxRequestWorkers"	/server/mpm/worker/worker.c:1598	
AH00289: server seems busy, (you may need "to increase StartServers, ThreadsPerChild "or Min/MaxSpareThreads), "spawning %d children, there are around %d idle "threads, and %d total children", free_length	/server/mpm/worker/worker.c:1609	
AH00290: Ignoring fatal error in child of previous "generation (pid %ld)."	/server/mpm/worker/worker.c:1665	
AH00291: long lost child came home! (pid %ld)"	/server/mpm/worker/worker.c:1714	
AH00292: %s configured – resuming normal operations"	/server/mpm/worker/worker.c:1798	
AH00293: Server built: %s", ap_get_server_built()	/server/mpm/worker/worker.c:1801	
AH00294: Accept mutex: %s (default: %s)"	/server/mpm/worker/worker.c:1804	
AH00295: "caught SIGTERM, shutting down"	/server/mpm/worker/worker.c:1825	
AH00296: caught " AP_SIG_GRACEFUL_STOP_STRING, shutting down gracefully"	/server/mpm/worker/worker.c:1844	
AH00297:	/server/mpm/worker/worker.c:1900	
AH00298: SIGHUP received. Attempting to restart"	/server/mpm/worker/worker.c:1920	
AH00299: apr_proc_detach failed"	/server/mpm/worker/worker.c:2000	
AH00300: WARNING: ServerLimit of %d exceeds compile-time "limit of", server_limit	/server/mpm/worker/worker.c:2035	
AH00301: ServerLimit of %d exceeds compile-time limit "of %d, decreasing to match"	/server/mpm/worker/worker.c:2042	
AH00302: WARNING: ServerLimit of %d not allowed, "increasing to 1.", server_limit	/server/mpm/worker/worker.c:2051	
AH00303: ServerLimit of %d not allowed, increasing to 1"	/server/mpm/worker/worker.c:2055	
AH00304: changing ServerLimit to %d from original value of %d "not allowed during restart"	/server/mpm/worker/worker.c:2070	

AH00305: WARNING: <a href="#">ThreadLimit</a> of %d exceeds compile-time "limit of", thread_limit	/server/mpm/worker/worker.c:2079	
AH00306: <a href="#">ThreadLimit</a> of %d exceeds compile-time limit "of %d, decreasing to match"	/server/mpm/worker/worker.c:2086	
AH00307: WARNING: <a href="#">ThreadLimit</a> of %d not allowed, "increasing to 1.", thread_limit	/server/mpm/worker/worker.c:2095	
AH00308: <a href="#">ThreadLimit</a> of %d not allowed, increasing to 1"	/server/mpm/worker/worker.c:2099	
AH00309: changing <a href="#">ThreadLimit</a> to %d from original value of %d "not allowed during restart"	/server/mpm/worker/worker.c:2114	
AH00310: WARNING: <a href="#">ThreadsPerChild</a> of %d exceeds <a href="#">ThreadLimit</a> "of", threads_per_child	/server/mpm/worker/worker.c:2123	
AH00311: <a href="#">ThreadsPerChild</a> of %d exceeds <a href="#">ThreadLimit</a> "of %d, decreasing to match"	/server/mpm/worker/worker.c:2133	
AH00312: WARNING: <a href="#">ThreadsPerChild</a> of %d not allowed, "increasing to 1.", threads_per_child	/server/mpm/worker/worker.c:2142	
AH00313: <a href="#">ThreadsPerChild</a> of %d not allowed, increasing to 1"	/server/mpm/worker/worker.c:2146	
AH00314: WARNING: <a href="#">MaxRequestWorkers</a> of %d is less than " <a href="#">ThreadsPerChild</a> of", max_workers	/server/mpm/worker/worker.c:2155	
AH00315: <a href="#">MaxRequestWorkers</a> of %d is less than <a href="#">ThreadsPerChild</a> "of %d, increasing to match"	/server/mpm/worker/worker.c:2165	
AH00316: WARNING: <a href="#">MaxRequestWorkers</a> of %d is not an integer "multiple of", max_workers	/server/mpm/worker/worker.c:2179	
AH00317: <a href="#">MaxRequestWorkers</a> of %d is not an integer multiple of " <a href="#">ThreadsPerChild</a> of %d, decreasing to nearest "multiple %d", max_workers, threads_per_child	/server/mpm/worker/worker.c:2190	
AH00318: WARNING: <a href="#">MaxRequestWorkers</a> of %d would require %d "servers and ", max_workers, ap_daemons_limit	/server/mpm/worker/worker.c:2201	
AH00319: <a href="#">MaxRequestWorkers</a> of %d would require %d servers and "exceed <a href="#">ServerLimit</a> of %d, decreasing to %d"	/server/mpm/worker/worker.c:2211	
AH00320: WARNING: <a href="#">StartServers</a> of %d not allowed, "increasing to 1.", ap_daemons_to_start	/server/mpm/worker/worker.c:2223	
AH00321: <a href="#">StartServers</a> of %d not allowed, increasing to 1"	/server/mpm/worker/worker.c:2227	
AH00322: WARNING: <a href="#">MinSpareThreads</a> of %d not allowed, "increasing to 1", min_spare_threads	/server/mpm/worker/worker.c:2236	
AH00323: <a href="#">MinSpareThreads</a> of %d not allowed, increasing to 1"	/server/mpm/worker/worker.c:2244	
AH00324: <a href="#">MaxClients</a> is deprecated, use <a href="#">MaxRequestWorkers</a> "instead."	/server/mpm/worker/worker.c:2322	
AH00325: write pipe_of_death"	/server/mpm/worker/pod.c:93	
AH00326: Server ran out of threads to serve "requests. Consider raising the " <a href="#">ThreadsPerChild</a> setting"	/server/mpm/winnt/child.c:169	
AH00327: mpm_get_completion_context: Failed to get a "free context within 1 second"	/server/mpm/winnt/child.c:187	
AH00328: mpm_get_completion_context: "WaitForSingleObject failed to get free context"	/server/mpm/winnt/child.c:195	
AH00329: mpm_get_completion_context: "CreateEvent failed."	/server/mpm/winnt/child.c:219	
AH00330: mpm_get_completion_context: Failed "to create the transaction pool."	/server/mpm/winnt/child.c:233	
AH00331: winnt_accept: unrecognized <a href="#">AcceptFilter</a> '%s', "only 'data', 'connect' or 'none' are valid. "Using 'none' instead", accf_name	/server/mpm/winnt/child.c:308	
AH00332: winnt_accept: getsockname error on listening socket, "is IPv6 available?"	/server/mpm/winnt/child.c:319	
AH00333: WSAEventSelect() failed."	/server/mpm/winnt/child.c:347	
AH00334: Child: Accept thread listening on %s:%d using <a href="#">AcceptFilter</a> '%s'"	/server/mpm/winnt/child.c:354	
AH00335: winnt_accept: Too many failures grabbing a "connection ctx. Aborting."	/server/mpm/winnt/child.c:369	
AH00336: winnt_accept: Failed to allocate an accept socket. "Temporary resource constraint? Try again."	/server/mpm/winnt/child.c:405	
AH00337: Child: Encountered too many <a href="#">AcceptEx</a> "faults accepting client connections. "Possible causes: dynamic address renewal, "or incompatible VPN or firewall software. "	/server/mpm/winnt/child.c:457	
AH00338: winnt_mpm: falling back to " <a href="#">AcceptFilter</a> none'."	/server/mpm/winnt/child.c:462	
AH00339: Child: Encountered too many <a href="#">AcceptEx</a> "faults accepting client connections."	/server/mpm/winnt/child.c:478	
AH00340: winnt_mpm: falling back to " <a href="#">AcceptFilter</a> none'."	/server/mpm/winnt/child.c:481	
AH00341: winnt_accept: Asynchronous <a href="#">AcceptEx</a> failed."	/server/mpm/winnt/child.c:504	
AH00342: setsockopt(SO_UPDATE_ACCEPT_CONTEXT) failed."	/server/mpm/winnt/child.c:536	
AH00343: accept() failed, retrying."	/server/mpm/winnt/child.c:604	
AH00344: accept() failed."	/server/mpm/winnt/child.c:611	
AH00345: Child: Encountered too many accept() "resource faults, aborting."	/server/mpm/winnt/child.c:620	
AH00346: getsockname failed"	/server/mpm/winnt/child.c:641	
AH00347: getpeername failed"	/server/mpm/winnt/child.c:647	
AH00348: Child: Accept thread exiting."	/server/mpm/winnt/child.c:686	
AH00349: Child: <a href="#">GetQueuedCompletionStatus</a> returned %d"	/server/mpm/winnt/child.c:715	
AH00350: Child: Failed to create a max_requests event."	/server/mpm/winnt/child.c:935	
AH00351: Child: Failed to acquire the start_mutex. "Process will exit."	/server/mpm/winnt/child.c:949	

AH00352: Child: Acquired the start mutex."	./server/mpm/winnt/child.c:954	
AH00353: Child: Failed to create a qwait event."	./server/mpm/winnt/child.c:967	
AH00354: Child: Starting %d worker threads.", ap_threads_per_child	./server/mpm/winnt/child.c:975	
AH00355: Child: <a href="#">CreateThread</a> failed. Unable to "create all worker threads. Created %d of the %d "threads requested with the <a href="#">ThreadsPerChild</a> "configuration directive."	./server/mpm/winnt/child.c:995	
AH00356: Child: WAIT_FAILED – shutting down server"	./server/mpm/winnt/child.c:1071	
AH00357: Child: Exit event signaled. Child process is "ending."	./server/mpm/winnt/child.c:1077	
AH00358: Child: Process exiting because it reached "MaxConnectionsPerChild. Signaling the parent to "restart a new child process."	./server/mpm/winnt/child.c:1086	
AH00359: Child: Released the start mutex"	./server/mpm/winnt/child.c:1127	
AH00360: Child: Failure releasing the start mutex"	./server/mpm/winnt/child.c:1131	
AH00361: Child: %d threads blocked on the completion port"	./server/mpm/winnt/child.c:1139	
AH00362: Child: Waiting %d more seconds "for %d worker threads to finish."	./server/mpm/winnt/child.c:1180	
AH00363: Child: Terminating %d threads that failed to exit."	./server/mpm/winnt/child.c:1224	
AH00364: Child: All worker threads have exited."	./server/mpm/winnt/child.c:1238	
AH00365: "Failure registering service handler"	./server/mpm/winnt/service.c:317	
AH00366: Error starting service control dispatcher"	./server/mpm/winnt/service.c:372	
AH00367: No <a href="#">ConfigArgs</a> registered for %s, perhaps "this service is not installed?"	./server/mpm/winnt/service.c:436	
AH00368: <a href="#">GetModuleFileName</a> failed"	./server/mpm/winnt/service.c:574	
AH00369: Failed to open the WinNT service manager, perhaps "you forgot to log in as Administrator?"	./server/mpm/winnt/service.c:583	
AH00370: Failed to create WinNT Service Profile"	./server/mpm/winnt/service.c:642	
AH00371: %s: Failed to store the <a href="#">ConfigArgs</a> in the registry."	./server/mpm/winnt/service.c:664	
AH00372: Failed to open the WinNT service manager."	./server/mpm/winnt/service.c:686	
AH00373: %s: <a href="#">OpenService</a> failed", mpm_display_name	./server/mpm/winnt/service.c:696	
AH00374: %s: Failed to delete the service.", mpm_display_name	./server/mpm/winnt/service.c:714	
AH00375: Failed to open the WinNT service manager"	./server/mpm/winnt/service.c:763	
AH00376: %s: Failed to open the service.", mpm_display_name	./server/mpm/winnt/service.c:773	
AH00377: Service %s is already started!", mpm_display_name	./server/mpm/winnt/service.c:781	
AH00378: %s: Failed to start the service process."	./server/mpm/winnt/service.c:808	
AH00379: Failed to open the NT Service Manager"	./server/mpm/winnt/service.c:828	
AH00380: Failed to open the %s Service", mpm_display_name	./server/mpm/winnt/service.c:841	
AH00381: Query of Service %s failed", mpm_display_name	./server/mpm/winnt/service.c:848	
AH00382: <a href="#">OpenEvent</a> on %s event", signal_name	./server/mpm/winnt/mpm_winnt.c:249	
AH00383: <a href="#">SetEvent</a> on %s event", signal_name	./server/mpm/winnt/mpm_winnt.c:255	
AH00384: Child: Unable to retrieve the ready event from the parent"	./server/mpm/winnt/mpm_winnt.c:289	
AH00385: Child: Unable to retrieve the exit event from the parent"	./server/mpm/winnt/mpm_winnt.c:300	
AH00386: Child: Unable to retrieve the start_mutex from the parent"	./server/mpm/winnt/mpm_winnt.c:308	
AH00387: Child: Unable to access the start_mutex from the parent"	./server/mpm/winnt/mpm_winnt.c:315	
AH00388: Child: Unable to retrieve the scoreboard from the parent"	./server/mpm/winnt/mpm_winnt.c:323	
AH00389: Child: Unable to access the scoreboard from the parent"	./server/mpm/winnt/mpm_winnt.c:330	
AH00390: Child: Unable to reopen the scoreboard from the parent"	./server/mpm/winnt/mpm_winnt.c:337	
AH00391: Child: Retrieved our scoreboard from the parent."	./server/mpm/winnt/mpm_winnt.c:346	
AH00392: Parent: Unable to duplicate the ready event handle for the child"	./server/mpm/winnt/mpm_winnt.c:368	
AH00393: Parent: Unable to send the exit event handle to the child"	./server/mpm/winnt/mpm_winnt.c:374	
AH00394: Parent: Unable to duplicate the exit event handle for the child"	./server/mpm/winnt/mpm_winnt.c:380	
AH00395: Parent: Unable to send the exit event handle to the child"	./server/mpm/winnt/mpm_winnt.c:386	
AH00396: Parent: Unable to retrieve the start mutex for the child"	./server/mpm/winnt/mpm_winnt.c:391	
AH00397: Parent: Unable to duplicate the start mutex to the child"	./server/mpm/winnt/mpm_winnt.c:397	
AH00398: Parent: Unable to send the start mutex to the child"	./server/mpm/winnt/mpm_winnt.c:403	
AH00399: Parent: Unable to retrieve the scoreboard handle for the child"	./server/mpm/winnt/mpm_winnt.c:408	
AH00400: Parent: Unable to duplicate the scoreboard handle to the child"	./server/mpm/winnt/mpm_winnt.c:414	
AH00401: Parent: Unable to send the scoreboard handle to the child"	./server/mpm/winnt/mpm_winnt.c:420	
AH00402: Parent: Sent the scoreboard to the child"	./server/mpm/winnt/mpm_winnt.c:425	
AH00403: Child: Waiting for data for listening socket %p!"	./server/mpm/winnt/mpm_winnt.c:461	
AH00404: Child: Unable to read socket data from parent"	./server/mpm/winnt/mpm_winnt.c:466	
AH00405: Child: WSASocket failed to open the inherited socket"	./server/mpm/winnt/mpm_winnt.c:474	



AH00406: Child: <a href="#">SetHandleInformation</a> failed"	./server/mpm/winnt/mpm_winnt.c:480		
AH00407: Child: retrieved %d listeners from parent", lcnt	./server/mpm/winnt/mpm_winnt.c:486		
AH00408: Parent: Duplicating socket %d (%pl) and sending it to child process %lu"	./server/mpm/winnt/mpm_winnt.c:508		
AH00409: Parent: WSADuplicateSocket failed for socket %d. Check the FAQ.", nsd	./server/mpm/winnt/mpm_winnt.c:513		
AH00410: Parent: Unable to write duplicated socket %d to the child.", nsd	./server/mpm/winnt/mpm_winnt.c:521		
AH00411: Parent: Sent %d listeners to child %lu", lcnt, dwProcessId	./server/mpm/winnt/mpm_winnt.c:527		
AH00412: Parent: Failed to get the current path"	./server/mpm/winnt/mpm_winnt.c:567		
AH00413: Parent: Failed to get full path of %s"	./server/mpm/winnt/mpm_winnt.c:577		
AH00414: Parent: Unable to create child stdin pipe."	./server/mpm/winnt/mpm_winnt.c:598		
AH00415: Parent: Could not create ready event for child process"	./server/mpm/winnt/mpm_winnt.c:607		
AH00416: Parent: Could not create exit event for child process"	./server/mpm/winnt/mpm_winnt.c:616		
AH00417: Parent: Failed to create the child process."	./server/mpm/winnt/mpm_winnt.c:636		
AH00418: Parent: Created child process %d", new_child.pid	./server/mpm/winnt/mpm_winnt.c:645		
AH00419: master_main: create child process failed. Exiting."	./server/mpm/winnt/mpm_winnt.c:770		
AH00420: master_main: <a href="#">WaitForMultipleObjects</a> WAIT_FAILED – doing server shutdown"	./server/mpm/winnt/mpm_winnt.c:794		
AH00421: master_main: <a href="#">WaitForMultipleObjects</a> with INFINITE wait exited with WAIT_TIMEOUT"	./server/mpm/winnt/mpm_winnt.c:800		
AH00422: Parent: Received shutdown signal – Shutting down the server."	./server/mpm/winnt/mpm_winnt.c:807		
AH00423: <a href="#">ResetEvent</a> (shutdown_event)"	./server/mpm/winnt/mpm_winnt.c:810		
AH00424: Parent: Received restart signal – Restarting the server."	./server/mpm/winnt/mpm_winnt.c:819		
AH00425: Parent: <a href="#">ResetEvent</a> (restart_event) failed."	./server/mpm/winnt/mpm_winnt.c:822		
AH00426: Parent: <a href="#">SetEvent</a> for child process %pp failed."	./server/mpm/winnt/mpm_winnt.c:826		
AH00427: Parent: child process exited with status %lu – Aborting.", exitcode	./server/mpm/winnt/mpm_winnt.c:846		
AH00428: Parent: child process exited with status %lu – Restarting.", exitcode	./server/mpm/winnt/mpm_winnt.c:853		
AH00429: Parent: <a href="#">SetEvent</a> for child process %pp failed"	./server/mpm/winnt/mpm_winnt.c:888		
AH00430: Parent: Child process exited successfully."	./server/mpm/winnt/mpm_winnt.c:895		
AH00431: Parent: Forcing termination of child process %pp"	./server/mpm/winnt/mpm_winnt.c:901		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="6688f0ec-9ba9-4de1-94dd-fb8789d508f1"><ac:plain-text-body><![CDATA[	AH00432: Failed to get the full path of %s", process->argv[0]	./server/mpm/winnt/mpm_winnt.c:1111	]]></ac:plain-text-body></ac:structured-macro>
AH00433: %s: Service is already installed.", service_name	./server/mpm/winnt/mpm_winnt.c:1258		
AH00434: Using <a href="#">ConfigArgs</a> of the installed service "%s".", service_name	./server/mpm/winnt/mpm_winnt.c:1284		
AH00435: No installed <a href="#">ConfigArgs</a> for the service "%s", using Apache defaults.", service_name	./server/mpm/winnt/mpm_winnt.c:1289		
AH00436: No installed service named "%s".", service_name	./server/mpm/winnt/mpm_winnt.c:1296		
AH00437: No installed service named "%s".", service_name	./server/mpm/winnt/mpm_winnt.c:1303		
AH00438: %s: Unable to start the service manager."	./server/mpm/winnt/mpm_winnt.c:1370		
AH00439: WARNING: <a href="#">ThreadLimit</a> of %d exceeds compile-time "limit of", thread_limit	./server/mpm/winnt/mpm_winnt.c:1418		
AH00440: <a href="#">ThreadLimit</a> of %d exceeds compile-time limit "of %d, decreasing to match"	./server/mpm/winnt/mpm_winnt.c:1425		
AH00441: WARNING: <a href="#">ThreadLimit</a> of %d not allowed, "increasing to 1.", thread_limit	./server/mpm/winnt/mpm_winnt.c:1434		
AH00442: <a href="#">ThreadLimit</a> of %d not allowed, increasing to 1"	./server/mpm/winnt/mpm_winnt.c:1438		
AH00443: changing <a href="#">ThreadLimit</a> to %d from original value "of %d not allowed during restart"	./server/mpm/winnt/mpm_winnt.c:1454		
AH00444: WARNING: <a href="#">ThreadsPerChild</a> of %d exceeds <a href="#">ThreadLimit</a> "of", ap_threads_per_child	./server/mpm/winnt/mpm_winnt.c:1464		
AH00445: <a href="#">ThreadsPerChild</a> of %d exceeds <a href="#">ThreadLimit</a> "of %d, decreasing to match"	./server/mpm/winnt/mpm_winnt.c:1474		
AH00446: WARNING: <a href="#">ThreadsPerChild</a> of %d not allowed, "increasing to 1.", ap_threads_per_child	./server/mpm/winnt/mpm_winnt.c:1483		
AH00447: <a href="#">ThreadsPerChild</a> of %d not allowed, increasing to 1"	./server/mpm/winnt/mpm_winnt.c:1487		
AH00448: Parent: Cannot create shutdown event %s", signal_shutdown_name	./server/mpm/winnt/mpm_winnt.c:1574		
AH00449: Parent: Cannot create restart event %s", signal_restart_name	./server/mpm/winnt/mpm_winnt.c:1586		
AH00450: %s: Unable to create the start_mutex."	./server/mpm/winnt/mpm_winnt.c:1601		
AH00451: "no listening sockets available, shutting down"	./server/mpm/winnt/mpm_winnt.c:1644		
AH00452: %s child: Unable to init the start_mutex."	./server/mpm/winnt/mpm_winnt.c:1676		
AH00453: Child process is running"	./server/mpm/winnt/mpm_winnt.c:1708		
AH00454: Child process is exiting"	./server/mpm/winnt/mpm_winnt.c:1713		
AH00455: %s configured – resuming normal operations"	./server/mpm/winnt/mpm_winnt.c:1720		
AH00456: Server built: %s", ap_get_server_built()	./server/mpm/winnt/mpm_winnt.c:1723		

AH00457: Accepting new connections again: "%u active conns, %u idle workers"	/server/mpm/event/event.c:405	
AH00458: pid %" APR_PID_T_FMT " taking over scoreboard slot from "% APR_PID_T_FMT "%s"	/server/mpm/event/event.c:570	
AH00459: sigaction(SIGTERM)"	/server/mpm/event/event.c:701	
AH00460: sigaction(" AP_SIG_GRACEFUL_STOP_STRING ")"	/server/mpm/event/event.c:705	
AH00461: sigaction(SIGINT)"	/server/mpm/event/event.c:710	
AH00462: sigaction(SIGXCPU)"	/server/mpm/event/event.c:716	
AH00463: sigaction(SIGXFSZ)"	/server/mpm/event/event.c:725	
AH00464: sigaction(SIGPIPE)"	/server/mpm/event/event.c:731	
AH00465: sigaction(SIGHUP)"	/server/mpm/event/event.c:741	
AH00466: sigaction(" AP_SIG_GRACEFUL_STRING ")"	/server/mpm/event/event.c:744	
AH00467: %s: apr_pollset_add failure", op->tag	/server/mpm/event/event.c:796	
AH00468: "error closing socket"	/server/mpm/event/event.c:891	
AH00469: process_socket: connection aborted"	/server/mpm/event/event.c:946	
AH00470: network write failure in core output filter"	/server/mpm/event/event.c:1008	
AH00471: "push2worker: ap_queue_push failed"	/server/mpm/event/event.c:1227	
AH00472: ap_queue_info_wait_for_idler failed. "Attempting to shutdown process gracefully"	/server/mpm/event/event.c:1267	
AH00473: apr_pollset_remove failed"	/server/mpm/event/event.c:1392	
AH00474: apr_thread_create: unable to create listener thread"	/server/mpm/event/event.c:1916	
AH00475: the listener thread didn't stop accepting"	/server/mpm/event/event.c:2092	
AH00476: apr_thread_join: unable to join listener thread"	/server/mpm/event/event.c:2098	
AH00477: apr_thread_join: unable to join worker "thread %d", i	/server/mpm/event/event.c:2108	
AH00478: apr_thread_join: unable to join the start " "thread"	/server/mpm/event/event.c:2126	
AH00479: Couldn't initialize signal thread"	/server/mpm/event/event.c:2166	
AH00480: apr_thread_create: unable to create worker thread"	/server/mpm/event/event.c:2203	
AH00481: fork: Unable to fork new process"	/server/mpm/event/event.c:2302	
AH00482: processor unbind failed"	/server/mpm/event/event.c:2329	
AH00483: No active workers found..." Apache is exiting!"	/server/mpm/event/event.c:2476	
AH00484: server reached <a href="#">MaxRequestWorkers</a> setting, "consider raising the <a href="#">MaxRequestWorkers</a> "setting"	/server/mpm/event/event.c:2498	
AH00485: scoreboard is full, not at <a href="#">MaxRequestWorkers</a> "	/server/mpm/event/event.c:2506	
AH00486: server seems busy, (you may need "to increase <a href="#">StartServers</a> , <a href="#">ThreadsPerChild</a> "or <a href="#">Min/MaxSpareThreads</a> ), "spawning %d children, there are around %d idle "threads, and %d total children", <a href="#">free_length</a>	/server/mpm/event/event.c:2516	
AH00487: Ignoring fatal error in child of previous "generation (pid %ld)."	/server/mpm/event/event.c:2572	
AH00488: long lost child came home! (pid %ld)"	/server/mpm/event/event.c:2623	
AH00489: %s configured – resuming normal operations"	/server/mpm/event/event.c:2698	
AH00490: Server built: %s", <a href="#">ap_get_server_built()</a>	/server/mpm/event/event.c:2701	
AH00491: "caught SIGTERM, shutting down"	/server/mpm/event/event.c:2722	
AH00492: caught " AP_SIG_GRACEFUL_STOP_STRING, shutting down gracefully"	/server/mpm/event/event.c:2741	
AH00493:	/server/mpm/event/event.c:2797	
AH00494: SIGHUP received. Attempting to restart"	/server/mpm/event/event.c:2818	
AH00495: apr_pollset_create failed; check system or user limits"	/server/mpm/event/event.c:2894	
AH00496: apr_proc_detach failed"	/server/mpm/event/event.c:2906	
AH00497: WARNING: <a href="#">ServerLimit</a> of %d exceeds compile-time "limit of", <a href="#">server_limit</a>	/server/mpm/event/event.c:2941	
AH00498: <a href="#">ServerLimit</a> of %d exceeds compile-time limit "of %d, decreasing to match"	/server/mpm/event/event.c:2948	
AH00499: WARNING: <a href="#">ServerLimit</a> of %d not allowed, "increasing to 1.", <a href="#">server_limit</a>	/server/mpm/event/event.c:2957	
AH00500: <a href="#">ServerLimit</a> of %d not allowed, increasing to 1"	/server/mpm/event/event.c:2961	
AH00501: changing <a href="#">ServerLimit</a> to %d from original value of %d "not allowed during restart"	/server/mpm/event/event.c:2976	
AH00502: WARNING: <a href="#">ThreadLimit</a> of %d exceeds compile-time "limit of", <a href="#">thread_limit</a>	/server/mpm/event/event.c:2985	
AH00503: <a href="#">ThreadLimit</a> of %d exceeds compile-time limit "of %d, decreasing to match"	/server/mpm/event/event.c:2992	
AH00504: WARNING: <a href="#">ThreadLimit</a> of %d not allowed, "increasing to 1.", <a href="#">thread_limit</a>	/server/mpm/event/event.c:3001	
AH00505: <a href="#">ThreadLimit</a> of %d not allowed, increasing to 1"	/server/mpm/event/event.c:3005	
AH00506: changing <a href="#">ThreadLimit</a> to %d from original value of %d "not allowed during restart"	/server/mpm/event/event.c:3020	
AH00507: WARNING: <a href="#">ThreadsPerChild</a> of %d exceeds <a href="#">ThreadLimit</a> "of", <a href="#">threads_per_child</a>	/server/mpm/event/event.c:3029	
AH00508: <a href="#">ThreadsPerChild</a> of %d exceeds <a href="#">ThreadLimit</a> "of %d, decreasing to match"	/server/mpm/event/event.c:3039	

AH00509: WARNING: <a href="#">ThreadsPerChild</a> of %d not allowed, "increasing to 1.", threads_per_child	./server/mpm/event/event.c:3048	
AH00510: <a href="#">ThreadsPerChild</a> of %d not allowed, increasing to 1"	./server/mpm/event/event.c:3052	
AH00511: WARNING: <a href="#">MaxRequestWorkers</a> of %d is less than "ThreadsPerChild of", max_workers	./server/mpm/event/event.c:3061	
AH00512: <a href="#">MaxRequestWorkers</a> of %d is less than <a href="#">ThreadsPerChild</a> "of %d, increasing to match"	./server/mpm/event/event.c:3071	
AH00513: WARNING: <a href="#">MaxRequestWorkers</a> of %d is not an integer "multiple of", max_workers	./server/mpm/event/event.c:3085	
AH00514: <a href="#">MaxRequestWorkers</a> of %d is not an integer multiple "of <a href="#">ThreadsPerChild</a> of %d, decreasing to nearest "multiple %d", max_workers, threads_per_child	./server/mpm/event/event.c:3096	
AH00515: WARNING: <a href="#">MaxRequestWorkers</a> of %d would require %d "servers and ", max_workers, ap_daemons_limit	./server/mpm/event/event.c:3107	
AH00516: <a href="#">MaxRequestWorkers</a> of %d would require %d servers and "exceed <a href="#">ServerLimit</a> of %d, decreasing to %d"	./server/mpm/event/event.c:3117	
AH00517: WARNING: <a href="#">StartServers</a> of %d not allowed, "increasing to 1.", ap_daemons_to_start	./server/mpm/event/event.c:3129	
AH00518: <a href="#">StartServers</a> of %d not allowed, increasing to 1"	./server/mpm/event/event.c:3133	
AH00519: WARNING: <a href="#">MinSpareThreads</a> of %d not allowed, "increasing to 1", min_spare_threads	./server/mpm/event/event.c:3142	
AH00520: <a href="#">MinSpareThreads</a> of %d not allowed, increasing to 1"	./server/mpm/event/event.c:3150	
AH00521: <a href="#">MaxClients</a> is deprecated, use <a href="#">MaxRequestWorkers</a> "instead."	./server/mpm/event/event.c:3230	
AH00522: write pipe_of_death"	./server/mpm/event/pod.c:94	
AH00523: handler "%s" not found for: %s", r->handler, r->filename	./server/config.c:436	
AH00524: Handler for %s returned invalid result code %d"	./server/config.c:450	
AH00525: Cannot remove module %s: not found in module list"	./server/config.c:669	
AH00526: Syntax error on line %d of %s:"	./server/config.c:2036	
AH00529: %s pcfg_openfile: unable to check htaccess file, "ensure it is readable and that '%s' is executable"	./server/config.c:2112	
AH00530: initialisation: bug or getaddrinfo fail"	./server/config.c:2303	
AH00532: "Invalid config file path %s"	./server/config.c:2380	
AH00534: %s: Configuration error: %s", ap_server_argv0, error	./server/config.c:2394	
AH00538: %s %% escape in unescape("%s") at %s:%d"	./server/util_expr_eval.c:1083	
AH00539: XML request body is larger than the configured "limit of %lu", (unsigned long) limit_xml_body	./server/util_xml.c:88	
AH00540: XML parser error (at end). status=%d", status	./server/util_xml.c:114	
AH00541: XML Parser Error: %s", errbuf	./server/util_xml.c:126	
AH00542: apr_socket_opt_set: (TCP_NODELAY)"	./server/mpm_common.c:214	
AH00543: %s: bad user name %s", ap_server_argv0, name	./server/mpm_common.c:229	
AH00544: %s: bad group name %s", ap_server_argv0, name	./server/mpm_common.c:247	
AH00545: <a href="#">MaxRequestsPerChild</a> is deprecated, use "MaxConnectionsPerChild instead."	./server/mpm_common.c:321	
AH00546: no record of generation %d of exiting child %" APR_PID_T_FMT	./server/mpm_common.c:508	
AH00547: Could not resolve host name %s - ignoring!", host	./server/vhost.c:201	
AH00548: <a href="#">NameVirtualHost</a> has no effect and will be removed in the "next release %s:%d"	./server/vhost.c:258	
AH00549: Failed to resolve server name "for %s (check DNS) - or specify an explicit "ServerName"	./server/vhost.c:646	
AH00550: Client sent malformed Host header"	./server/vhost.c:757	
AH00551: Done with config file %s", cfp->name	./server/util.c:822	
AH00552: Internal error: pcfg_openfile() called with NULL filename"	./server/util.c:857	
AH00553: Opening config file %s (%s)"	./server/util.c:865	
AH00554: Access to file %s denied by server: not a regular file"	./server/util.c:883	
AH00555: "Read config: %s", buf	./server/util.c:1077	
AH00556: %s: apr_gethostname() failed to determine <a href="#">ServerName</a> "	./server/util.c:2059	
AH00557: %s: apr_sockaddr_info_get() failed for %s"	./server/util.c:2076	
AH00558: %s: Could not reliably determine the server's fully qualified "domain name, using %s. Set the 'ServerName' directive globally "to suppress this message"	./server/util.c:2085	
AH00560: "Request header "exceeds <a href="#">LimitRequestFieldSize</a> after merging: %s", key	./server/protocol.c:699	
AH00561: Request header exceeds <a href="#">LimitRequestFieldSize</a> : "%.*s", field_name_len(field), field	./server/protocol.c:759	
AH00562: Request header exceeds <a href="#">LimitRequestFieldSize</a> "after folding: %.*s"	./server/protocol.c:789	
AH00563: Number of request headers exceeds "LimitRequestFields"	./server/protocol.c:818	

AH00564: Request header field is missing ': "separator: %*s", (int)LOG_NAME_MAX_LEN	./server/protocol.c:834	
AH00565: request failed: URI too long (longer than %d)"	./server/protocol.c:971	
AH00566: request failed: invalid characters in URI"	./server/protocol.c:976	
AH00567: request failed: error reading the headers"	./server/protocol.c:1013	
AH00568: client sent invalid HTTP/0.9 request: HEAD %s"	./server/protocol.c:1038	
AH00569: client sent HTTP/1.1 request without hostname "(see RFC2616 section 14.23): %s", r->uri	./server/protocol.c:1080	
AH00570: client sent an unrecognized expectation value of "Expect: %s", expect	./server/protocol.c:1123	
AH00571: "need AuthType to note auth failure: %s", r->uri	./server/protocol.c:1247	
AH00572: "need AuthName: %s", r->uri	./server/protocol.c:1274	
AH00573: client used wrong authentication scheme: %s", r->uri	./server/protocol.c:1285	
AH00574: ap_content_length_filter: "apr_bucket_read() failed"	./server/protocol.c:1379	
AH00575: Status is %d - not sending interim response", r->status	./server/protocol.c:1736	
AH00576: The DBM driver could not be loaded"	./modules/dav/fs/dbm.c:100	
AH00577: "Error writing propdb: %s", err->desc	./modules/dav/fs/dbm.c:498	
AH00578: "\DAV Off" cannot be used to turn off a subtree "of a DAV-enabled location."	./modules/dav/main/mod_dav.c:184	
AH00579: A subtree cannot specify a different DAV provider "than its parent."	./modules/dav/main/mod_dav.c:190	
AH00580: An invalid Depth header was specified."	./modules/dav/main/mod_dav.c:659	
AH00581: An invalid Overwrite header was specified."	./modules/dav/main/mod_dav.c:682	
AH00582: Depth must be "\infinity\" for DELETE of a collection."	./modules/dav/main/mod_dav.c:1189	
AH00583: Depth of "\1\" is not allowed for DELETE."	./modules/dav/main/mod_dav.c:1196	
AH00584: The "\options\" element was not found."	./modules/dav/main/mod_dav.c:1614	
AH00585: The "\propfind\" element was not found."	./modules/dav/main/mod_dav.c:2049	
AH00586: The "\propfind\" element does not contain one of "the required child elements (the specific command)."	./modules/dav/main/mod_dav.c:2070	
AH00587: The request body does not contain "a "\propertyupdate\" element."	./modules/dav/main/mod_dav.c:2302	
AH00588: A "\prop\" element is missing inside "the propertyupdate command."	./modules/dav/main/mod_dav.c:2365	
AH00589: Unknown Transfer-Encoding %s", tenc	./modules/dav/main/mod_dav.c:2444	
AH00590: Invalid Content-Length %s", lenp	./modules/dav/main/mod_dav.c:2460	
AH00591: The request is missing a Destination header."	./modules/dav/main/mod_dav.c:2652	
AH00592: %s", lookup.err.desc	./modules/dav/main/mod_dav.c:2661	
AH00593: Depth must be "\0\" or "\infinity\" for COPY or MOVE."	./modules/dav/main/mod_dav.c:2740	
AH00594: Depth must be "\infinity\" when moving a collection."	./modules/dav/main/mod_dav.c:2746	
AH00595: Depth must be 0 or "\infinity\" for LOCK."	./modules/dav/main/mod_dav.c:3035	
AH00596: Unlock failed (%s): "No Lock-Token specified in header", r->filename	./modules/dav/main/mod_dav.c:3208	
AH00597: The request body does not contain "a "\version-control\" element."	./modules/dav/main/mod_dav.c:3318	
AH00598: The "\version-control\" element does not contain "a "\version\" element."	./modules/dav/main/mod_dav.c:3326	
AH00599: The "\version\" element does not contain "a "\href\" element."	./modules/dav/main/mod_dav.c:3333	
AH00600: An "\href\" element does not contain a URI."	./modules/dav/main/mod_dav.c:3343	
AH00601: The request body, if present, must be a "DAV:checkout element."	./modules/dav/main/mod_dav.c:3495	
AH00602: Within the DAV:activity-set element, the "DAV:new element must be used, or at least "one DAV:href must be specified."	./modules/dav/main/mod_dav.c:3542	
AH00603: The request body, if present, must be a "DAV:checkin element."	./modules/dav/main/mod_dav.c:3695	
AH00604: The request body does not contain "an "\update\" element."	./modules/dav/main/mod_dav.c:3783	
AH00605: The version element does not contain "an "\href\" element."	./modules/dav/main/mod_dav.c:3795	
AH00606: The "\update\" element does not contain "a "\label-name\" or "\version\" element."	./modules/dav/main/mod_dav.c:3802	
AH00607: Depth must be zero for UPDATE with a version"	./modules/dav/main/mod_dav.c:3810	
AH00608: A "\label-name\" or "\href\" element does not contain "any content."	./modules/dav/main/mod_dav.c:3819	
AH00609: %s", lookup.err.desc	./modules/dav/main/mod_dav.c:3852	
AH00610: The request body does not contain "a "\label\" element."	./modules/dav/main/mod_dav.c:3999	
AH00611: The "\label\" element does not contain "an "\add\", "\set\", or "\remove\" element."	./modules/dav/main/mod_dav.c:4016	
AH00612: The label command element does not contain "a "\label-name\" element."	./modules/dav/main/mod_dav.c:4024	
AH00613: A "\label-name\" element does not contain "a label name."	./modules/dav/main/mod_dav.c:4033	
AH00614: The request body must specify a report."	./modules/dav/main/mod_dav.c:4101	
AH00615: The request body does not contain "a "\mkworkspace\" element."	./modules/dav/main/mod_dav.c:4176	
AH00616: The request body must be present and must be a "DAV:merge element."	./modules/dav/main/mod_dav.c:4310	

AH00617: The DAV:merge element must contain a DAV:source "element."	/modules/dav/main/mod_dav.c:4318		
AH00618: The DAV:source element must contain a DAV:href "element."	/modules/dav/main/mod_dav.c:4325		
AH00619: %s", lookup.err.desc	/modules/dav/main/mod_dav.c:4338		
AH00620: The request is missing a Destination header."	/modules/dav/main/mod_dav.c:4451		
AH00621: %s", lookup.err.desc	/modules/dav/main/mod_dav.c:4460		
AH00622: buggy client used un-escaped hash in Request-URI!"	/modules/dav/main/mod_dav.c:4624		
AH00623: Failed to query lock-null status for %s"	/modules/dav/main/util_lock.c:721		
AH00624: Failed to create memory pool"	/modules/database/mod_dbd.c:524		
AH00625: driver for %s not available", cfg->name	/modules/database/mod_dbd.c:541		
AH00626: can't find driver for %s", cfg->name	/modules/database/mod_dbd.c:545		
AH00627: driver for %s is invalid or corrupted"	/modules/database/mod_dbd.c:549		
AH00628: mod_dbd not compatible with APR in get_driver"	/modules/database/mod_dbd.c:554		
AH00629: Can't connect to %s: %s", cfg->name, err	/modules/database/mod_dbd.c:565		
AH00630: mod_dbd not compatible with APR in open"	/modules/database/mod_dbd.c:569		
AH00631: Failed to create memory pool"	/modules/database/mod_dbd.c:586		
AH00632: failed to prepare SQL statements: %s"	/modules/database/mod_dbd.c:596		
AH00633: failed to initialise"	/modules/database/mod_dbd.c:650		
AH00634: Failed to create reslist cleanup memory pool"	/modules/database/mod_dbd.c:672		
AH00635: Failed to create thread mutex"	/modules/database/mod_dbd.c:692		
AH00636: child init failed!"	/modules/database/mod_dbd.c:706		
AH00637: Failed to acquire thread mutex"	/modules/database/mod_dbd.c:726		
AH00638: Failed to release thread mutex"	/modules/database/mod_dbd.c:737		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="9c2852b0-d479-45ee-a6f1-c840f12427eb"><ac:plain-text-body><![CDATA[	AH00639: DBD [%s] Error: %s", svr->cfg->name, errmsg	/modules/database/mod_dbd.c:785	]]></ac:plain-text-body></ac:structured-macro>
AH00640: Can't evaluate condition: %s", err	/modules/loggers/mod_log_debug.c:70		
AH00641: Can't evaluate message expression: %s", err	/modules/loggers/mod_log_debug.c:79		
AH00644: Error evaluating log condition: %s", err	/modules/loggers/mod_log_config.c:1095		
AH00645: log writer isn't correctly setup"	/modules/loggers/mod_log_config.c:1123		
AH00646: "Error writing to %s"	/modules/loggers/mod_log_config.c:1129		
AH00647: could not initialize buffered log mutex, "transfer log may become corrupted"	/modules/loggers/mod_log_config.c:1482		
AH00648: invalid transfer log path %s.", name	/modules/loggers/mod_log_config.c:1564		
AH00649: could not open transfer log file %s.", fname	/modules/loggers/mod_log_config.c:1570		
AH00650: couldn't spawn forensic log pipe %s", cfg->logname	/modules/loggers/mod_log_forensic.c:84		
AH00651: could not open forensic log file %s.", fname	/modules/loggers/mod_log_forensic.c:97		
AH00652: File does not exist: %s", r->filename	/modules/mappers/mod_actions.c:190		
AH00653: "%s", desc	/modules/mappers/mod_rewrite.c:1121		
AH00654: mod_rewrite: could not start RewriteMap "program %s", map->checkfile	/modules/mappers/mod_rewrite.c:1197		
AH00655: mod_rewrite: can't open text RewriteMap file %s", file	/modules/mappers/mod_rewrite.c:1228		
AH00656: mod_rewrite: can't open DBM RewriteMap %s", file	/modules/mappers/mod_rewrite.c:1290		
AH00657: rewritermap: error %s querying for %s", errmsg, key	/modules/mappers/mod_rewrite.c:1326		
AH00658: rewritermap: error %s looking up %s", errmsg, key	/modules/mappers/mod_rewrite.c:1344		
AH00659: apr_global_mutex_lock(rewrite_mapr_lock_acquire) "failed"	/modules/mappers/mod_rewrite.c:1394		
AH00660: apr_global_mutex_unlock(rewrite_mapr_lock_acquire) "failed"	/modules/mappers/mod_rewrite.c:1506		
AH00661: mod_rewrite: can't access text RewriteMap file %s"	/modules/mappers/mod_rewrite.c:1549		
AH00662: mod_rewrite: can't access DBM RewriteMap file %s"	/modules/mappers/mod_rewrite.c:1590		
AH00663: mod_rewrite: can't access DBM RewriteMap "file %s", s->checkfile2	/modules/mappers/mod_rewrite.c:1599		
AH00664: RewriteOptions: MaxRedirects option has been "removed in favor of the global "LimitInternalRecursion directive and will be "ignored."	/modules/mappers/mod_rewrite.c:2890		
AH00665: RewriteCond: NoCase option for non-regex pattern '%s' "is not supported and will be ignored. (%s:%d)", a2	/modules/mappers/mod_rewrite.c:3305		
AH00666: mod_rewrite: could not init rewrite_mapr_lock_acquire" in child"	/modules/mappers/mod_rewrite.c:4348		
AH00667: mod_rewrite: could not init map cache in child"	/modules/mappers/mod_rewrite.c:4356		
AH00669: attempt to make remote request from mod_rewrite "without proxy enabled: %s", r->filename	/modules/mappers/mod_rewrite.c:4513		
AH00670: Options FollowSymLinks and SymLinksIfOwnerMatch are both off, "so the RewriteRule directive is also forbidden "due to its similar ability to circumvent directory restrictions : "%s", r->filename	/modules/mappers/mod_rewrite.c:4735		

AH00671: The %s directive in %s at line %d will probably "never match because it overlaps an earlier "%sAlias%s."	/modules/mappers/mod_alias.c:140	
AH00672: Regex substitution in '%s' failed. "Replacement too long?", alias->real	/modules/mappers/mod_alias.c:386	
AH00673: incomplete redirection target of '%s' for "URI '%s' modified to '%s'"	/modules/mappers/mod_alias.c:457	
AH00674: cannot redirect '%s' to '%s'; "target is not a valid absoluteURI or abs_path"	/modules/mappers/mod_alias.c:464	
AH00675: incomplete redirection target of '%s' for "URI '%s' modified to '%s'"	/modules/mappers/mod_alias.c:508	
AH00676: cannot redirect '%s' to '%s'; "target is not a valid absoluteURI or abs_path"	/modules/mappers/mod_alias.c:515	
AH00677: invalid base directive in map file: %s", r->uri	/modules/mappers/mod_imagemap.c:377	
AH00678: invalid directory name in map file: %s", r->uri	/modules/mappers/mod_imagemap.c:437	
AH00679: map file %s, line %d syntax error: requires at "least two fields", r->uri, imap->line_number	/modules/mappers/mod_imagemap.c:847	
AH00680: dont_fiddle_headers=%d use_rvsa=%d ua_supports_trans=%d "send_alternates=%d, may_choose=%d"	/modules/mappers/mod_negotiation.c:688	
AH00681: Syntax error in type map, no ':' in %s for header %s"	/modules/mappers/mod_negotiation.c:919	
AH00682: Syntax error in type map — no header body: %s for %s"	/modules/mappers/mod_negotiation.c:930	
AH00683: cannot access type map file: %s", rr->filename	/modules/mappers/mod_negotiation.c:958	
AH00684: Parse error in type map, Content-Length: "%s" in %s is invalid."	/modules/mappers/mod_negotiation.c:1002	
AH00685: Syntax error in type map, no end tag "%s" found in %s for Body: content."	/modules/mappers/mod_negotiation.c:1037	
AH00686: cannot read directory for multi: %s", neg->dir_name	/modules/mappers/mod_negotiation.c:1122	
AH00687: Negotiation: discovered file(s) matching request: %s" (None could be negotiated)."	/modules/mappers/mod_negotiation.c:1294	
AH00688: Variant: file=%s type=%s lang=%s sourceq=%1.3f "mimeq=%1.3f langq=%1.3f charq=%1.3f encq=%1.3f "q=%1.5f definite=%d"	/modules/mappers/mod_negotiation.c:2066	
AH00689: Variant: file=%s type=%s lang=%s sourceq=%1.3f "mimeq=%1.3f langq=%1.3f langidx=%d charq=%1.3f encq=%1.3f "	/modules/mappers/mod_negotiation.c:2137	
AH00690: no acceptable variant: %s", r->filename	/modules/mappers/mod_negotiation.c:2906	
AH00691: cache: Removing url %s from the cache", h->cache_obj->key	/modules/cache/cache_storage.c:49	
AH00692: cache: No cache request information available for key" generation"	/modules/cache/cache_storage.c:81	
AH00693: cache: No cache request information available for key" generation"	/modules/cache/cache_storage.c:206	
AH00694: "cache_select_url(): Vary header mismatch."	/modules/cache/cache_storage.c:286	
AH00695: Cached response for %s isn't fresh. Adding/replacing "conditional request headers.", r->uri	/modules/cache/cache_storage.c:320	
AH00696: cache: 'only-if-cached' requested and no cached entity, "returning 504 Gateway Timeout for: %s", r->uri	/modules/cache/cache_storage.c:383	
AH00697: cache: No cache request information available for key" generation"	/modules/cache/cache_storage.c:409	
AH00698: cache: Key for entity %s?%s is %s", r->uri	/modules/cache/cache_storage.c:671	
AH00699: rename tempfile to file failed:" %s -> %s", file->tempfile, file->file	/modules/cache/mod_cache_disk.c:176	
AH00700: URL %s partial content response not cached"	/modules/cache/mod_cache_disk.c:353	
AH00701: URL %s failed the size check ("% APR_OFF_T_FMT " > % APR_OFF_T_FMT ")"	/modules/cache/mod_cache_disk.c:361	
AH00702: URL %s failed the size check ("% APR_OFF_T_FMT " < % APR_OFF_T_FMT ")"	/modules/cache/mod_cache_disk.c:368	
AH00703: Cannot cache files to disk without a CacheRoot specified."	/modules/cache/mod_cache_disk.c:427	
AH00704: Cannot parse vary header file: %s"	/modules/cache/mod_cache_disk.c:467	
AH00705: File %s' has a version mismatch. File had version: %d."	/modules/cache/mod_cache_disk.c:488	
AH00706: Cannot read header file %s", dobj->hdrs.file	/modules/cache/mod_cache_disk.c:524	
AH00707: HEAD request cached, non-HEAD requested, ignoring: %s"	/modules/cache/mod_cache_disk.c:534	
AH00708: Cannot open data file %s", dobj->data.file	/modules/cache/mod_cache_disk.c:552	
AH00709: Recalled cached URL info header %s", dobj->name	/modules/cache/mod_cache_disk.c:569	
AH00710: Cached URL info header %s' didn't match body, ignoring this entry"	/modules/cache/mod_cache_disk.c:590	
AH00711: Deleting %s from cache.", dobj->hdrs.file	/modules/cache/mod_cache_disk.c:617	
AH00712: Failed to delete headers file %s from cache."	/modules/cache/mod_cache_disk.c:625	
AH00713: Deleting %s from cache.", dobj->data.file	/modules/cache/mod_cache_disk.c:634	
AH00714: Failed to delete data file %s from cache."	/modules/cache/mod_cache_disk.c:642	
AH00715: Deleting directory %s from cache", dir	/modules/cache/mod_cache_disk.c:674	
AH00716: Premature end of vary array."	/modules/cache/mod_cache_disk.c:700	
AH00717: Premature end of cache headers."	/modules/cache/mod_cache_disk.c:769	
AH00718: CGI Interface Error: Script headers apparently ASCII: (CGI = %s)"	/modules/cache/mod_cache_disk.c:812	
AH00719: recalling headers; but no header fd for %s", dobj->name	/modules/cache/mod_cache_disk.c:851	
AH00720: Recalled headers for URL %s", dobj->name	/modules/cache/mod_cache_disk.c:865	

AH00721: could not create vary file %s"	./modules/cache/mod_cache_disk.c:970	
AH00722: could not write to vary file %s"	./modules/cache/mod_cache_disk.c:979	
AH00723: could not write to vary file %s"	./modules/cache/mod_cache_disk.c:991	
AH00724: could not close vary file %s"	./modules/cache/mod_cache_disk.c:1006	
AH00725: could not create header file %s"	./modules/cache/mod_cache_disk.c:1027	
AH00726: could not write info to header file %s"	./modules/cache/mod_cache_disk.c:1056	
AH00727: could not write out-headers to header file %s"	./modules/cache/mod_cache_disk.c:1067	
AH00728: could not write in-headers to header file %s"	./modules/cache/mod_cache_disk.c:1081	
AH00729: could not close header file %s"	./modules/cache/mod_cache_disk.c:1092	
AH00730: Error when reading bucket for URL %s"	./modules/cache/mod_cache_disk.c:1163	
AH00731: Error when writing cache file for URL %s"	./modules/cache/mod_cache_disk.c:1203	
AH00732: URL %s failed the size check "(%" APR_OFF_T_FMT ">%" APR_OFF_T_FMT ")"	./modules/cache/mod_cache_disk.c:1212	
AH00733: Discarding body for URL %s "because connection has been aborted."	./modules/cache/mod_cache_disk.c:1254	
AH00734: URL %s failed the size check "(%" APR_OFF_T_FMT "<%" APR_OFF_T_FMT ")"	./modules/cache/mod_cache_disk.c:1263	
AH00735: URL %s didn't receive complete response, not caching"	./modules/cache/mod_cache_disk.c:1274	
AH00736: commit_entity: URL %s' not cached due to earlier disk error."	./modules/cache/mod_cache_disk.c:1313	
AH00737: commit_entity: Headers and body for URL %s cached."	./modules/cache/mod_cache_disk.c:1318	
AH00738: "distributed scache failed to obtain context"	./modules/cache/mod_socache_dc.c:77	
AH00739: "distributed scache context initialised"	./modules/cache/mod_socache_dc.c:80	
AH00740: "distributed scache 'store' failed"	./modules/cache/mod_socache_dc.c:107	
AH00741: "distributed scache 'store' successful"	./modules/cache/mod_socache_dc.c:110	
AH00742: "distributed scache 'retrieve' MISS"	./modules/cache/mod_socache_dc.c:123	
AH00743: "distributed scache 'retrieve' OVERFLOW"	./modules/cache/mod_socache_dc.c:127	
AH00744: "distributed scache 'retrieve' HIT"	./modules/cache/mod_socache_dc.c:131	
AH00745: "distributed scache 'remove' MISS"	./modules/cache/mod_socache_dc.c:141	
AH00746: "distributed scache 'remove' HIT"	./modules/cache/mod_socache_dc.c:144	
AH00747: distributed scache 'socache_dc_status'"	./modules/cache/mod_socache_dc.c:151	
AH00748: Invalidating all cached entities in response to %s' request for %s"	./modules/cache/mod_cache.c:120	
AH00749: "Adding CACHE_SAVE_SUBREQ filter for %s"	./modules/cache/mod_cache.c:166	
AH00750: "Adding CACHE_SAVE filter for %s"	./modules/cache/mod_cache.c:174	
AH00751: Adding CACHE_REMOVE_URL filter for %s"	./modules/cache/mod_cache.c:183	
AH00752: "Cache locked for url, not caching "response: %s", r->uri	./modules/cache/mod_cache.c:200	
AH00753: "Restoring request headers for %s"	./modules/cache/mod_cache.c:207	
AH00754: Restoring request headers."	./modules/cache/mod_cache.c:229	
AH00755: Invalidating all cached entities in response to %s' request for %s"	./modules/cache/mod_cache.c:393	
AH00756: "Adding CACHE_SAVE_SUBREQ filter for %s"	./modules/cache/mod_cache.c:439	
AH00757: "Adding CACHE_SAVE filter for %s"	./modules/cache/mod_cache.c:445	
AH00758: "Replacing CACHE with CACHE_SAVE "filter for %s", r->uri	./modules/cache/mod_cache.c:468	
AH00759: Adding CACHE_REMOVE_URL filter for %s"	./modules/cache/mod_cache.c:478	
AH00760: "Cache locked for url, not caching "response: %s", r->uri	./modules/cache/mod_cache.c:496	
AH00761: "Replacing CACHE with CACHE_OUT filter for %s"	./modules/cache/mod_cache.c:544	
AH00762: CACHE/CACHE_OUT filter enabled while caching is disabled, ignoring"	./modules/cache/mod_cache.c:589	
AH00763: cache: running CACHE_OUT filter"	./modules/cache/mod_cache.c:595	
AH00764: cache: serving %s", r->uri	./modules/cache/mod_cache.c:617	
AH00765: cache: Cache provider's store_body failed!"	./modules/cache/mod_cache.c:652	
AH00766: cache: Cache provider's store_body returned an "empty brigade, but didn't consume all of the"input brigade, standing down to prevent a spin"	./modules/cache/mod_cache.c:690	
AH00767: CACHE/CACHE_SAVE filter enabled while caching is disabled, ignoring"	./modules/cache/mod_cache.c:755	
AH00768: cache: %s not cached. Reason: %s", r->unparsed_uri	./modules/cache/mod_cache.c:1102	
AH00769: cache: Caching url: %s", r->unparsed_uri	./modules/cache/mod_cache.c:1221	
AH00770: cache: Removing CACHE_REMOVE_URL filter."	./modules/cache/mod_cache.c:1227	
AH00771: "cache: Last modified is in the future, "replacing with now"	./modules/cache/mod_cache.c:1274	
AH00772: cache: updating headers with store_headers failed. "Removing cached url."	./modules/cache/mod_cache.c:1405	
AH00773: cache: attempt to remove url from cache unsuccessful."	./modules/cache/mod_cache.c:1414	
AH00774: cache: store_headers failed"	./modules/cache/mod_cache.c:1440	

AH00775: cache: CACHE_REMOVE_URL enabled unexpectedly"	./modules/cache/mod_cache.c:1495	
AH00776: cache: CACHE filter was added in quick handler mode and "will be ignored: %s", f->->unparsed_uri	./modules/cache/mod_cache.c:1536	
AH00777: cache: CACHE filter was added twice, or was added where "the cache has been bypassed and will be ignored: %s"	./modules/cache/mod_cache.c:1542	
AH00778: Could not create a cache lock directory: %s"	./modules/cache/cache_util.c:308	
AH00779: Could not stat a cache lock file: %s"	./modules/cache/cache_util.c:320	
AH00780: Cache lock file for '%s' too old, removing: %s"	./modules/cache/cache_util.c:327	
AH00781: Incoming request is asking for a uncached version of "%s, but we have been configured to ignore it and "serve a cached response anyway"	./modules/cache/cache_util.c:537	
AH00782: Cache lock obtained for stale cached URL, "revalidating entry: %s"	./modules/cache/cache_util.c:710	
AH00783: Cache already locked for stale cached URL, "pretend it is fresh: %s"	./modules/cache/cache_util.c:718	
AH00784: Attempt to obtain a cache lock for stale "cached URL failed, revalidating entry anyway: %s"	./modules/cache/cache_util.c:735	
AH00785: Failed to create Memcache Object of '%d' size."	./modules/cache/mod_socache_memcache.c:105	
AH00786: Failed to Parse memcache Server: "%s", split	./modules/cache/mod_socache_memcache.c:122	
AH00787: Failed to Parse Server, "no hostname specified: '%s'", split	./modules/cache/mod_socache_memcache.c:128	
AH00788: Failed to Create memcache Server: %s:%d"	./modules/cache/mod_socache_memcache.c:146	
AH00789: Failed to Add memcache Server: %s:%d"	./modules/cache/mod_socache_memcache.c:154	
AH00790: scache_mc: error setting key '%s' "with %d bytes of data", buf, nData	./modules/cache/mod_socache_memcache.c:218	
AH00791: scache_mc: 'retrieve' FAIL"	./modules/cache/mod_socache_memcache.c:246	
AH00792: scache_mc: 'retrieve' OVERFLOW"	./modules/cache/mod_socache_memcache.c:252	
AH00793: scache_mc: error deleting key '%s' "	./modules/cache/mod_socache_memcache.c:277	
AH00794: invalid file path "%s, skipping", filename	./modules/cache/mod_file_cache.c:136	
AH00795: unable to stat(%s), skipping", fspec	./modules/cache/mod_file_cache.c:143	
AH00796: %s isn't a regular file, skipping", fspec	./modules/cache/mod_file_cache.c:148	
AH00797: %s is too large to cache, skipping", fspec	./modules/cache/mod_file_cache.c:153	
AH00798: unable to open(%s, O_RDONLY), skipping", fspec	./modules/cache/mod_file_cache.c:161	
AH00799: unable to mmap %s, skipping", filename	./modules/cache/mod_file_cache.c:181	
AH00800: unable to cache file: %s. Sendfile is not supported on this OS", filename	./modules/cache/mod_file_cache.c:212	
AH00801: unable to cache file: %s. MMAP is not supported by this OS", filename	./modules/cache/mod_file_cache.c:223	
AH00802: Can't change owner of %s", name	./modules/cache/mod_socache_dbm.c:108	
AH00803: could not use default path '%s' for DBM socache"	./modules/cache/mod_socache_dbm.c:133	
AH00804: Cannot create socache DBM file '%s'"	./modules/cache/mod_socache_dbm.c:145	
AH00805: data size too large for DBM socache: %d >= %d"	./modules/cache/mod_socache_dbm.c:204	
AH00806: data size too large for DBM socache: %d >= %d"	./modules/cache/mod_socache_dbm.c:211	
AH00807: Cannot open socache DBM file '%s' for writing "(store)"	./modules/cache/mod_socache_dbm.c:233	
AH00808: Cannot store socache object to DBM file '%s'"	./modules/cache/mod_socache_dbm.c:241	
AH00809: Cannot open socache DBM file '%s' for reading "(fetch)"	./modules/cache/mod_socache_dbm.c:286	
AH00810: Cannot open socache DBM file '%s' for writing "(delete)"	./modules/cache/mod_socache_dbm.c:342	
AH00811: Cannot open socache DBM file '%s' for "scanning"	./modules/cache/mod_socache_dbm.c:406	
AH00812: Cannot re-open socache DBM file '%s' for "expiring"	./modules/cache/mod_socache_dbm.c:439	
AH00813: DBM socache expiry: "old: %d, new: %d, removed: %d"	./modules/cache/mod_socache_dbm.c:455	
AH00814: Cannot open socache DBM file '%s' for status "retrival"	./modules/cache/mod_socache_dbm.c:478	
AH00815: Cannot open socache DBM file '%s' for "iterating", ctx->data_file	./modules/cache/mod_socache_dbm.c:525	
AH00816: dbm '%s' entry iterated", ctx->data_file	./modules/cache/mod_socache_dbm.c:546	
AH00817: Failure reading first/next socache DBM file '%s' record"	./modules/cache/mod_socache_dbm.c:556	
AH00818: Could not use default path '%s' for shmcb socache"	./modules/cache/mod_socache_shmcb.c:354	
AH00819: Could not allocate shared memory segment for shmcb "socache"	./modules/cache/mod_socache_shmcb.c:368	
AH00820: shared memory segment too small"	./modules/cache/mod_socache_shmcb.c:378	
AH00821: shmcb_init allocated %" APR_SIZE_T_FMT bytes of shared memory"	./modules/cache/mod_socache_shmcb.c:382	
AH00822: for %" APR_SIZE_T_FMT " bytes (%" APR_SIZE_T_FMT including header), recommending %u subcaches, "%u indexes each", shm_segsize	./modules/cache/mod_socache_shmcb.c:396	
AH00823: shared memory segment too small"	./modules/cache/mod_socache_shmcb.c:403	
AH00824: shmcb_init_memory choices follow"	./modules/cache/mod_socache_shmcb.c:431	
AH00825: subcache_num = %u", header->subcache_num	./modules/cache/mod_socache_shmcb.c:433	
AH00826: subcache_size = %u", header->subcache_size	./modules/cache/mod_socache_shmcb.c:435	



AH00827: subcache_data_offset = %u", header->subcache_data_offset	/modules/cache/mod_socache_shmcb.c:437	
AH00828: subcache_data_size = %u", header->subcache_data_size	/modules/cache/mod_socache_shmcb.c:439	
AH00829: index_num = %u", header->index_num	/modules/cache/mod_socache_shmcb.c:441	
AH00830: Shared memory socache initialised"	/modules/cache/mod_socache_shmcb.c:449	
AH00831: socache_shmcb_store (0x%02x -> subcache %d)"	/modules/cache/mod_socache_shmcb.c:475	
AH00832: "unusably short id provided "(%u bytes)", idlen	/modules/cache/mod_socache_shmcb.c:480	
AH00833: can't store an socache entry!"	/modules/cache/mod_socache_shmcb.c:487	
AH00834: leaving socache_shmcb_store successfully"	/modules/cache/mod_socache_shmcb.c:497	
AH00835: socache_shmcb_retrieve (0x%02x -> subcache %d)"	/modules/cache/mod_socache_shmcb.c:512	
AH00836: leaving socache_shmcb_retrieve successfully"	/modules/cache/mod_socache_shmcb.c:523	
AH00837: socache_shmcb_remove (0x%02x -> subcache %d)"	/modules/cache/mod_socache_shmcb.c:537	
AH00838: "unusably short id provided "(%u bytes)", idlen	/modules/cache/mod_socache_shmcb.c:541	
AH00839: leaving socache_shmcb_remove successfully"	/modules/cache/mod_socache_shmcb.c:552	
AH00840: "inside shmcb_status"	/modules/cache/mod_socache_shmcb.c:570	
AH00841: "leaving shmcb_status"	/modules/cache/mod_socache_shmcb.c:630	
AH00842: expiring %u and reclaiming %u removed socache entries"	/modules/cache/mod_socache_shmcb.c:683	
AH00843: we now have %u socache entries", subcache->idx_used	/modules/cache/mod_socache_shmcb.c:703	
AH00844: inserting socache entry larger (%d) than subcache data area (%d)"	/modules/cache/mod_socache_shmcb.c:719	
AH00845: about to force-expire, subcache: idx_used=%d, "data_used=%d", subcache->idx_used, subcache->data_used	/modules/cache/mod_socache_shmcb.c:737	
AH00846: finished force-expire, subcache: idx_used=%d, "data_used=%d", subcache->idx_used, subcache->data_used	/modules/cache/mod_socache_shmcb.c:764	
AH00847: insert happened at idx=%d, data=(%u:%u)", new_idx	/modules/cache/mod_socache_shmcb.c:800	
AH00848: finished insert, subcache: idx_pos/idx_used=%d/%d, "data_pos/data_used=%d /%d"	/modules/cache/mod_socache_shmcb.c:803	
AH00849: match at idx=%d, data=%d", pos, idx->data_pos	/modules/cache/mod_socache_shmcb.c:836	
AH00850: shmcb_subcache_retrieve discarding expired entry"	/modules/cache/mod_socache_shmcb.c:858	
AH00851: shmcb_subcache_retrieve found no match"	/modules/cache/mod_socache_shmcb.c:868	
AH00852: possible match at idx=%d, data=%d", pos, idx->data_pos	/modules/cache/mod_socache_shmcb.c:891	
AH00853: shmcb_subcache_remove removing matching entry"	/modules/cache/mod_socache_shmcb.c:896	
AH00854: iterating idx=%d, data=%d", pos, idx->data_pos	/modules/cache/mod_socache_shmcb.c:931	
AH00855: shmcb entry iterated"	/modules/cache/mod_socache_shmcb.c:973	
AH00856: shmcb_subcache_iterate discarding expired entry"	/modules/cache/mod_socache_shmcb.c:981	
AH00857: error parsing URL %s: %s", url, err	/modules/proxy/mod_proxy_scgi.c:188	
AH00858: sending data to %s:%u failed"	/modules/proxy/mod_proxy_scgi.c:228	
AH00859: receiving request body failed"	/modules/proxy/mod_proxy_scgi.c:339	
AH00860: error reading response headers from %s:%u"	/modules/proxy/mod_proxy_scgi.c:374	
AH00861: Found %s: %s - preparing subrequest."	/modules/proxy/mod_proxy_scgi.c:394	
AH00862: Internal redirect to %s", req_conf->location	/modules/proxy/mod_proxy_scgi.c:445	
AH00863: File subrequest to %s", req_conf->location	/modules/proxy/mod_proxy_scgi.c:460	
AH00864: Subrequest to file %s' not possible. "(rr->status=%d, rr->finfo.filetype=%d)"	/modules/proxy/mod_proxy_scgi.c:476	
AH00865: declining URL %s", url	/modules/proxy/mod_proxy_scgi.c:509	
AH00866: failed to make connection to backend: %s:%u"	/modules/proxy/mod_proxy_scgi.c:532	
AH00867: "error parsing URL %s: %s"	/modules/proxy/mod_proxy_ajp.c:53	
AH00868: request failed to %pl (%s)"	/modules/proxy/mod_proxy_ajp.c:211	
AH00869: ajp_alloc_data_msg failed"	/modules/proxy/mod_proxy_ajp.c:238	
AH00870: "request is chunked"	/modules/proxy/mod_proxy_ajp.c:248	
AH00871: ap_get_brigade failed"	/modules/proxy/mod_proxy_ajp.c:259	
AH00872: "APR_BUCKET_IS_EOS"	/modules/proxy/mod_proxy_ajp.c:267	
AH00873: data to read (max % APR_SIZE_T_FMT at % APR_SIZE_T_FMT)", bufsiz, msg->pos	/modules/proxy/mod_proxy_ajp.c:271	
AH00874: apr_brigade_flatten"	/modules/proxy/mod_proxy_ajp.c:280	
AH00875: got % APR_SIZE_T_FMT " bytes of data", bufsiz	/modules/proxy/mod_proxy_ajp.c:286	
AH00876: send failed to %pl (%s)"	/modules/proxy/mod_proxy_ajp.c:295	
AH00877: read zero bytes, expecting % APR_OFF_T_FMT " bytes"	/modules/proxy/mod_proxy_ajp.c:309	
AH00878: read response failed from %pl (%s)"	/modules/proxy/mod_proxy_ajp.c:335	
AH00879: APR_BUCKET_IS_EOS"	/modules/proxy/mod_proxy_ajp.c:382	

AH00880: ap_get_brigade failed"	/modules/proxy/mod_proxy_ajp.c:390		
AH00881: apr_brigade_flatten failed"	/modules/proxy/mod_proxy_ajp.c:400		
AH00882: ajp_send_data_msg failed"	/modules/proxy/mod_proxy_ajp.c:412		
AH00883: ap_proxy_ajp_request error read after end"	/modules/proxy/mod_proxy_ajp.c:423		
AH00884: Backend sent headers twice."	/modules/proxy/mod_proxy_ajp.c:434		
AH00885: ap_proxy_ajp_request: origin server "sent 401 without WWW-Authenticate header"	/modules/proxy/mod_proxy_ajp.c:449		
AH00886: Ignoring flush message "received before headers"	/modules/proxy/mod_proxy_ajp.c:473		
AH00887: error processing body.%s"	/modules/proxy/mod_proxy_ajp.c:512		
AH00888: error processing end"	/modules/proxy/mod_proxy_ajp.c:541		
AH00889: ajp_read_header failed"	/modules/proxy/mod_proxy_ajp.c:581		
AH00890: Processing of request failed backend: %i, "output: %i", backend_failed, output_failed	/modules/proxy/mod_proxy_ajp.c:596		
AH00891: Processing of request didn't terminate cleanly"	/modules/proxy/mod_proxy_ajp.c:607		
AH00892: got response from %pl (%s)"	/modules/proxy/mod_proxy_ajp.c:622		
AH00893: dialog to %pl (%s) failed"	/modules/proxy/mod_proxy_ajp.c:641		
AH00894: "declining URL %s", url	/modules/proxy/mod_proxy_ajp.c:724		
AH00895: "serving URL %s", url	/modules/proxy/mod_proxy_ajp.c:727		
AH00896: failed to make connection to backend: %s"	/modules/proxy/mod_proxy_ajp.c:757		
AH00897: cping/cpong failed to %pl (%s)"	/modules/proxy/mod_proxy_ajp.c:776		
AH00898: "%s returned by %s", message	/modules/proxy/proxy_util.c:379		
AH00899: "%s", err	/modules/proxy/proxy_util.c:404		
AH00900: Warning: NetMask not supplied with IP-Addr; guessing: %s/%ld"	/modules/proxy/proxy_util.c:507		
AH00901: Warning: NetMask and IP-Addr disagree in %s/%ld"	/modules/proxy/proxy_util.c:516		
AH00902: Set to %s/%ld", inet_ntoa(This->addr), bits	/modules/proxy/proxy_util.c:520		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="6e058f3a-3a65-4c1c-8d2e-562f8dca8f4a"><ac:plain-text-body><![CDATA[	AH00903: 1)IP-Match: %s[%s] <-> ", host, inet_ntoa (addr)	/modules/proxy /proxy_util.c:557	]]></ac:plain-text-body></ac:structured-macro>
AH00904: %s/", inet_ntoa(This->addr)	/modules/proxy/proxy_util.c:559		
AH00905: %s", inet_ntoa(This->mask)	/modules/proxy/proxy_util.c:561		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="0c1ad2b7-9b0f-47bd-8ac7-e79c9cc21ea0"><ac:plain-text-body><![CDATA[	AH00906: 1)IP-NoMatch: %s[%s] <-> ", host, inet_ntoa (addr)	/modules/proxy /proxy_util.c:568	]]></ac:plain-text-body></ac:structured-macro>
AH00907: %s/", inet_ntoa(This->addr)	/modules/proxy/proxy_util.c:570		
AH00908: %s", inet_ntoa(This->mask)	/modules/proxy/proxy_util.c:572		
AH00909: 2)IP-NoMatch: hostname=%s msg=Host not found", host	/modules/proxy/proxy_util.c:583		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="42ceac35-3186-41a9-a2a3-4f252bf4582f"><ac:plain-text-body><![CDATA[	AH00910: 3)IP-Match: %s[%s] <-> ", host, inet_ntoa (*ip)	/modules/proxy /proxy_util.c:595	]]></ac:plain-text-body></ac:structured-macro>
AH00911: %s/", inet_ntoa(This->addr)	/modules/proxy/proxy_util.c:597		
AH00912: %s", inet_ntoa(This->mask)	/modules/proxy/proxy_util.c:599		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="f23e6fbc-e320-4fce-ade0-628b85df3ff6"><ac:plain-text-body><![CDATA[	AH00913: 3)IP-NoMatch: %s[%s] <-> ", host, inet_ntoa (*ip)	/modules/proxy /proxy_util.c:606	]]></ac:plain-text-body></ac:structured-macro>
AH00914: %s/", inet_ntoa(This->addr)	/modules/proxy/proxy_util.c:608		
AH00915: %s", inet_ntoa(This->mask)	/modules/proxy/proxy_util.c:610		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="b05732d7-1cc0-4d11-a8ca-f51ed4310768"><ac:plain-text-body><![CDATA[	AH00916: connect to remote machine %s blocked: name %s "matched", uri_addr->hostname, npent[j]. name	/modules/proxy /proxy_util.c:778	]]></ac:plain-text-body></ac:structured-macro>
AH00917: connect to remote machine %s blocked: "IP %s matched", uri_addr->hostname, conf_ip	/modules/proxy/proxy_util.c:794		
AH00918: no provider for %s", balancer->s->name	/modules/proxy/proxy_util.c:1212		
AH00919: no mutex %s", balancer->s->name	/modules/proxy/proxy_util.c:1221		
AH00920: Failed to reopen mutex %s in child"	/modules/proxy/proxy_util.c:1231		
AH00921: "slotmem_attach failed"	/modules/proxy/proxy_util.c:1240		
AH00922: can not create balancer thread mutex"	/modules/proxy/proxy_util.c:1249		
AH00923: Pooled connection 0x%pp for worker %s has been" already returned to the connection pool.", conn	/modules/proxy/proxy_util.c:1312		
AH00924: worker %s shared already initialized", worker->s->name	/modules/proxy/proxy_util.c:1635		

AH00925: initializing worker %s shared", worker->s->name	./modules/proxy/proxy_util.c:1639	
AH00926: worker %s local already initialized", worker->s->name	./modules/proxy/proxy_util.c:1675	
AH00927: initializing worker %s local", worker->s->name	./modules/proxy/proxy_util.c:1679	
AH00928: can not create worker thread mutex"	./modules/proxy/proxy_util.c:1685	
AH00929: can not create connection pool"	./modules/proxy/proxy_util.c:1693	
AH00930: initialized pool in child %" APR_PID_T_FMT " for (%s) min=%d max=%d smax=%d"	./modules/proxy/proxy_util.c:1709	
AH00931: initialized single connection worker in child %" APR_PID_T_FMT " for (%s)"	./modules/proxy/proxy_util.c:1726	
AH00932: %s: worker for (%s) has been marked for retry"	./modules/proxy/proxy_util.c:1745	
AH00933: %s: too soon to retry worker for (%s)"	./modules/proxy/proxy_util.c:1751	
AH00934: all workers are busy. Unable to serve %s", *url	./modules/proxy/proxy_util.c:1813	
AH00935: %s: error creating fam %d socket for target %s"	./modules/proxy/proxy_util.c:1853	
AH00936: apr_socket_opt_set(SO_RCVBUF): Failed to set "ProxyReceiveBufferSize, using default"	./modules/proxy/proxy_util.c:1868	
AH00937: apr_socket_opt_set(APR_TCP_NODELAY): "Failed to set"	./modules/proxy/proxy_util.c:1875	
AH00938: %s: failed to bind socket to local address"	./modules/proxy/proxy_util.c:1895	
AH00939: %s: attempt to connect to %pl (%s) failed"	./modules/proxy/proxy_util.c:1908	
AH00940: %s: disabled connection for (%s)"	./modules/proxy/proxy_util.c:1931	
AH00941: %s: failed to acquire connection for (%s)"	./modules/proxy/proxy_util.c:1954	
AH00942: %s: has acquired connection for (%s)"	./modules/proxy/proxy_util.c:1959	
AH00943: %s: has released connection for (%s)"	./modules/proxy/proxy_util.c:1974	
AH00944: connecting %s to %s:%d", *url, uri->hostname, uri->port	./modules/proxy/proxy_util.c:2012	
AH00945: "lock"	./modules/proxy/proxy_util.c:2083	
AH00946: "unlock"	./modules/proxy/proxy_util.c:2099	
AH00947: connected %s to %s:%d", *url, conn->hostname, conn->port	./modules/proxy/proxy_util.c:2133	
AH00948: CONNECT: sending the CONNECT request for %s:%d "to the remote proxy %pl (%s)"	./modules/proxy/proxy_util.c:2226	
AH00949: send_http_connect: response from the forward proxy: %s"	./modules/proxy/proxy_util.c:2280	
AH00950: send_http_connect: the forward proxy returned code is "%s"	./modules/proxy/proxy_util.c:2291	
AH00951: %s: backend socket is disconnected."	./modules/proxy/proxy_util.c:2322	
AH00952: %s: error creating fam %d socket for target %s"	./modules/proxy/proxy_util.c:2332	
AH00953: apr_socket_opt_set(SO_RCVBUF): Failed to set "ProxyReceiveBufferSize, using default"	./modules/proxy/proxy_util.c:2350	
AH00954: apr_socket_opt_set(APR_TCP_NODELAY): "Failed to set"	./modules/proxy/proxy_util.c:2357	
AH00955: apr_socket_opt_set(SO_KEEPALIVE): Failed to set" Keepalive"	./modules/proxy/proxy_util.c:2379	
AH00956: %s: failed to bind socket to local address"	./modules/proxy/proxy_util.c:2394	
AH00957: %s: attempt to connect to %pl (%s) failed"	./modules/proxy/proxy_util.c:2407	
AH00958: %s: attempt to connect to %s:%d "via http CONNECT through %pl (%s) failed"	./modules/proxy/proxy_util.c:2442	
AH00959: ap_proxy_connect_backend disabling worker for (%s) for %"	./modules/proxy/proxy_util.c:2466	
AH00960: %s: an error occurred creating a "new connection to %pl (%s)", proxy_function	./modules/proxy/proxy_util.c:2513	
AH00961: %s: failed to enable ssl support "for %pl (%s)", proxy_function	./modules/proxy/proxy_util.c:2525	
AH00962: %s: connection complete to %pl (%s)"	./modules/proxy/proxy_util.c:2536	
AH00963: %s: pre_connection setup failed (%d)"	./modules/proxy/proxy_util.c:2550	
AH00964: Unhandled bucket type of type %s in" proxy_buckets_lifetime_transform", e->type->name	./modules/proxy/mod_proxy_http.c:731	
AH00965: "worker slotmem_dptr failed"	./modules/proxy/proxy_util.c:2689	
AH00966: "Cannot init worker"	./modules/proxy/proxy_util.c:2717	
AH00967: ajp_marshal_into_msgb - No such method %s"	./modules/proxy/ajp_header.c:229	
AH00968: ajp_marshal_into_msgb: "Error appending the message begining"	./modules/proxy/ajp_header.c:257	
AH00969: ajp_marshal_into_msgb: "Error appending the header name"	./modules/proxy/ajp_header.c:270	
AH00970: ajp_marshal_into_msgb: "Error appending the header name"	./modules/proxy/ajp_header.c:278	
AH00971: ajp_marshal_into_msgb: "Error appending the header value"	./modules/proxy/ajp_header.c:286	
AH00972: ajp_marshal_into_msgb: "Error appending the remote user"	./modules/proxy/ajp_header.c:311	
AH00973: ajp_marshal_into_msgb: "Error appending the auth type"	./modules/proxy/ajp_header.c:320	
AH00974: ajp_marshal_into_msgb: "Error appending the query string"	./modules/proxy/ajp_header.c:330	
AH00975: ajp_marshal_into_msgb: "Error appending the jvm route"	./modules/proxy/ajp_header.c:339	
AH00976: ajp_marshal_into_msgb: "Error appending the SSL certificates"	./modules/proxy/ajp_header.c:362	

AH00977: ajp_marshall_into_msgb: "Error appending the SSL ciphers"	/modules/proxy/ajp_header.c:374	
AH00978: ajp_marshall_into_msgb: "Error appending the SSL session"	/modules/proxy/ajp_header.c:386	
AH00979: ajp_marshall_into_msgb: "Error appending the SSL key size"	/modules/proxy/ajp_header.c:400	
AH00980: ajp_marshall_into_msgb: "Error appending attribute %s=%s"	/modules/proxy/ajp_header.c:420	
AH00981: ajp_marshall_into_msgb: "Error appending attribute %s=%s"	/modules/proxy/ajp_header.c:435	
AH00982: ajp_marshall_into_msgb: "Error appending the message end"	/modules/proxy/ajp_header.c:445	
AH00983: ajp_unmarshal_response: Null status"	/modules/proxy/ajp_header.c:500	
AH00984: ajp_unmarshal_response: "No such sc (%08x)"	/modules/proxy/ajp_header.c:555	
AH00985: ajp_unmarshal_response: "Null header name"	/modules/proxy/ajp_header.c:565	
AH00986: ajp_unmarshal_response: "Null header value"	/modules/proxy/ajp_header.c:575	
AH00987: ajp_send_header: ajp_msg_create failed"	/modules/proxy/ajp_header.c:627	
AH00988: ajp_send_header: ajp_marshall_into_msgb failed"	/modules/proxy/ajp_header.c:634	
AH00989: ajp_send_header: ajp_ilink_send failed"	/modules/proxy/ajp_header.c:642	
AH00990: ajp_read_header: ajp_msg_reuse failed"	/modules/proxy/ajp_header.c:664	
AH00991: ajp_read_header: ajp_msg_create failed"	/modules/proxy/ajp_header.c:672	
AH00992: ajp_read_header: ajp_ilink_receive failed"	/modules/proxy/ajp_header.c:680	
AH00993: ajp_read_header: ajp_msg_peek_uint8 failed"	/modules/proxy/ajp_header.c:687	
AH00994: ajp_parse_headers: ajp_msg_get_byte failed"	/modules/proxy/ajp_header.c:717	
AH00995: ajp_parse_headers: wrong type %s (0x%02x) expecting %s (0x%02x)"	/modules/proxy/ajp_header.c:722	
AH00996: ajp_parse_data: ajp_msg_get_byte failed"	/modules/proxy/ajp_header.c:741	
AH00997: ajp_parse_data: wrong type %s (0x%02x) expecting %s (0x%02x)"	/modules/proxy/ajp_header.c:746	
AH00998: ajp_parse_data: Wrong chunk length. Length of chunk is %i," expected length is %i.", *len, expected_len	/modules/proxy/ajp_header.c:768	
AH00999: ajp_parse_reuse: ajp_msg_get_byte failed"	/modules/proxy/ajp_header.c:786	
AH01000: ajp_parse_reuse: wrong type %s (0x%02x) expecting %s (0x%02x)"	/modules/proxy/ajp_header.c:791	
AH01001: "proxy_express: Enabled"	/modules/proxy/mod_proxy_express.c:125	
AH01002: proxy_express: Opening DBM file: %s (%s)"	/modules/proxy/mod_proxy_express.c:131	
AH01003: proxy_express: looking for %s", name	/modules/proxy/mod_proxy_express.c:141	
AH01004: proxy_express: found %s -> %s", name, backend	/modules/proxy/mod_proxy_express.c:157	
AH01005: proxy_express: rewritten as: %s", r->filename	/modules/proxy/mod_proxy_express.c:163	
AH01006: proxy_express: adding PPR entry"	/modules/proxy/mod_proxy_express.c:185	
AH01007: ajp_handle_cping_cpong: ajp_msg_create failed"	/modules/proxy/ajp_utils.c:38	
AH01008: ajp_handle_cping_cpong: ajp_marshall_into_msgb failed"	/modules/proxy/ajp_utils.c:45	
AH01009: ajp_handle_cping_cpong: ajp_ilink_send failed"	/modules/proxy/ajp_utils.c:53	
AH01010: ajp_handle_cping_cpong: apr_socket_timeout_get failed"	/modules/proxy/ajp_utils.c:60	
AH01011: ajp_handle_cping_cpong: apr_socket_timeout_set failed"	/modules/proxy/ajp_utils.c:68	
AH01012: ajp_handle_cping_cpong: ajp_ilink_receive failed"	/modules/proxy/ajp_utils.c:77	
AH01013: ajp_handle_cping_cpong: invalid CPONG message"	/modules/proxy/ajp_utils.c:85	
AH01014: ajp_handle_cping_cpong: awaited CPONG, received %d "	/modules/proxy/ajp_utils.c:90	
AH01015: ajp_handle_cping_cpong: apr_socket_timeout_set failed"	/modules/proxy/ajp_utils.c:101	
AH01016: read %" APR_OFF_T_FMT bytes from %s", len, name	/modules/proxy/mod_proxy_connect.c:167	
AH01017: error on %s - ap_pass_brigade"	/modules/proxy/mod_proxy_connect.c:176	
AH01018: error on %s - ap_get_brigade"	/modules/proxy/mod_proxy_connect.c:181	
AH01019: connecting %s to %s:%d", url, uri.hostname, uri.port	/modules/proxy/mod_proxy_connect.c:246	
AH01020: error apr_pollset_create()"	/modules/proxy/mod_proxy_connect.c:329	
AH01021: an error occurred creating a new connection "to %pl (%s)", connect_addr, connectname	/modules/proxy/mod_proxy_connect.c:356	
AH01022: pre_connection setup failed (%d)", rc	/modules/proxy/mod_proxy_connect.c:366	
AH01023: "error apr_poll()"	/modules/proxy/mod_proxy_connect.c:438	
AH01024: woke from poll(), i=%d", pollcnt	/modules/proxy/mod_proxy_connect.c:442	
AH01025: sock was readable"	/modules/proxy/mod_proxy_connect.c:453	
AH01026: err/hup on backconn"	/modules/proxy/mod_proxy_connect.c:461	
AH01027: client was readable"	/modules/proxy/mod_proxy_connect.c:471	
AH01028: unknown socket in pollset"	/modules/proxy/mod_proxy_connect.c:479	
AH01029: ajp_ilink_send(): send failed"	/modules/proxy/ajp_link.c:37	
AH01030: ajp_ilink_receive() can't receive header"	/modules/proxy/ajp_link.c:85	

AH01031: ajp_ilink_receive() received bad header"	/modules/proxy/ajp_link.c:93	
AH01032: ajp_ilink_receive() error while receiving message body "of length %" APR_SIZE_T_FMT	/modules/proxy/ajp_link.c:101	
AH01033: ajp_ilink_receive() received packet len=%" APR_SIZE_T_FMT" type=%d"	/modules/proxy/ajp_link.c:108	
AH01034: proxy_ftp: could not parse line %s"	/modules/proxy/mod_proxy_ftp.c:691	
AH01035: missing or failed auth to %s"	/modules/proxy/mod_proxy_ftp.c:921	
AH01036: connecting %s to %s:%d", url, connectname, connectport	/modules/proxy/mod_proxy_ftp.c:1107	
AH01037: "lock"	/modules/proxy/mod_proxy_ftp.c:1113	
AH01038: "unlock"	/modules/proxy/mod_proxy_ftp.c:1132	
AH01039: an error occurred creating a new connection to %pl (%s)"	/modules/proxy/mod_proxy_ftp.c:1176	
AH01040: error creating EPSV socket"	/modules/proxy/mod_proxy_ftp.c:1415	
AH01041: apr_socket_opt_set(SO_RCVBUF): Failed to "set ProxyReceiveBufferSize, using default"	/modules/proxy/mod_proxy_ftp.c:1424	
AH01042: apr_socket_opt_set(APR_TCP_NODELAY): "Failed to set"	/modules/proxy/mod_proxy_ftp.c:1431	
AH01043: EPSV attempt to connect to %pl failed - "Firewall/NAT?", epsv_addr	/modules/proxy/mod_proxy_ftp.c:1442	
AH01044: PASV contacting host %d.%d.%d.%d:"	/modules/proxy/mod_proxy_ftp.c:1501	
AH01045: error creating PASV socket"	/modules/proxy/mod_proxy_ftp.c:1506	
AH01046: apr_socket_opt_set(SO_RCVBUF): Failed to set ProxyReceiveBufferSize, using default"	/modules/proxy/mod_proxy_ftp.c:1515	
AH01047: apr_socket_opt_set(APR_TCP_NODELAY): "Failed to set"	/modules/proxy/mod_proxy_ftp.c:1521	
AH01048: PASV attempt to connect to %pl failed - Firewall/NAT?", pasv_addr	/modules/proxy/mod_proxy_ftp.c:1530	
AH01049: error creating local socket"	/modules/proxy/mod_proxy_ftp.c:1551	
AH01050: error setting reuseaddr option"	/modules/proxy/mod_proxy_ftp.c:1563	
AH01051: error binding to ftp data socket %pl", local_addr	/modules/proxy/mod_proxy_ftp.c:1573	
AH01052: error listening to ftp data socket %pl", local_addr	/modules/proxy/mod_proxy_ftp.c:1581	
AH01053: failed to accept data connection"	/modules/proxy/mod_proxy_ftp.c:1926	
AH01054: an error occurred creating the transfer connection"	/modules/proxy/mod_proxy_ftp.c:1942	
AH01055: pre_connection setup failed (%d)", rc	/modules/proxy/mod_proxy_ftp.c:1956	
AH01056: proxy: readbytes: %d", readbytes	/modules/proxy/mod_proxy_ftp.c:1994	
AH01057: data connection closed"	/modules/proxy/mod_proxy_ftp.c:2016	
AH01058: "data connection closed"	/modules/proxy/mod_proxy_ftp.c:2049	
AH01059: error parsing URL %s: %s", url, err	/modules/proxy/mod_proxy_fcgi.c:94	
AH01060: set r->filename to %s", r->filename	/modules/proxy/mod_proxy_fcgi.c:119	
AH01061: set r->path_info to %s", r->path_info	/modules/proxy/mod_proxy_fcgi.c:125	
AH01062: sending env var '%s' value '%s'"	/modules/proxy/mod_proxy_fcgi.c:320	
AH01063: truncating environment to %d bytes and %d elements"	/modules/proxy/mod_proxy_fcgi.c:336	
AH01064: HEADER: %s %s", asc_line, hex_line	/modules/proxy/mod_proxy_fcgi.c:502	
AH01065: "HEADER: %s %s"	/modules/proxy/mod_proxy_fcgi.c:537	
AH01066: "HEADER: EOH"	/modules/proxy/mod_proxy_fcgi.c:541	
AH01067: Failed to read entire header "got %" APR_SIZE_T_FMT " wanted %d"	/modules/proxy/mod_proxy_fcgi.c:674	
AH01068: Got bogus version %d", (int) header.version	/modules/proxy/mod_proxy_fcgi.c:685	
AH01069: Got bogus rid %d, expected %d"	/modules/proxy/mod_proxy_fcgi.c:697	
AH01070: Error parsing script headers"	/modules/proxy/mod_proxy_fcgi.c:752	
AH01071: Got error '%s", readbuf	/modules/proxy/mod_proxy_fcgi.c:831	
AH01072: Got bogus record %d", type	/modules/proxy/mod_proxy_fcgi.c:846	
AH01073: Failed Writing Request to %s:", server_portstr	/modules/proxy/mod_proxy_fcgi.c:893	
AH01074: Failed writing Environment to %s:", server_portstr	/modules/proxy/mod_proxy_fcgi.c:902	
AH01075: Error dispatching request to %s:", server_portstr	/modules/proxy/mod_proxy_fcgi.c:911	
AH01076: url: %s proxyname: %s proxyport: %d"	/modules/proxy/mod_proxy_fcgi.c:942	
AH01077: "declining URL %s", url	/modules/proxy/mod_proxy_fcgi.c:950	
AH01078: "serving URL %s", url	/modules/proxy/mod_proxy_fcgi.c:954	
AH01079: failed to make connection to backend: %s"	/modules/proxy/mod_proxy_fcgi.c:988	
AH01080: ajp_msg_check_header() got bad signature %02x%02x"	/modules/proxy/ajp_msg.c:154	
AH01081: ajp_msg_check_header() incoming message is "too big %" APR_SIZE_T_FMT ", max is %" APR_SIZE_T_FMT	/modules/proxy/ajp_msg.c:165	
AH01082: ajp_msg_copy(): destination buffer too "small %" APR_SIZE_T_FMT ", max size is %" APR_SIZE_T_FMT	/modules/proxy/ajp_msg.c:581	

AH01083: error parsing URL %s: %s", url, err	/modules/proxy/mod_proxy_http.c:65	
AH01084: pass request body failed to %pl (%s)"	/modules/proxy/mod_proxy_http.c:270	
AH01085: could not parse request Content-Length (%s)"	/modules/proxy/mod_proxy_http.c:443	
AH01086: read more bytes of request body than expected "(got %" APR_OFF_T_FMT ", expected %" APR_OFF_T_FMT ")"	/modules/proxy/mod_proxy_http.c:480	
AH01087: client %s given Content-Length did not match" number of body bytes read", r->connection->client_ip	/modules/proxy/mod_proxy_http.c:533	
AH01088: Request body is larger than the configured "limit of %" APR_OFF_T_FMT, limit	/modules/proxy/mod_proxy_http.c:591	
AH01089: search for temporary directory failed"	/modules/proxy/mod_proxy_http.c:603	
AH01090: creation of temporary file in directory "%s failed", temp_dir	/modules/proxy/mod_proxy_http.c:612	
AH01091: write to temporary file %s failed"	/modules/proxy/mod_proxy_http.c:632	
AH01092: no HTTP 0.9 request (with no host line) "on incoming request and preserve host set "forcing hostname to be %s for uri %s"	/modules/proxy/mod_proxy_http.c:834	
AH01093: %s Transfer-Encoding is not supported", old_te_val	/modules/proxy/mod_proxy_http.c:1046	
AH01094: client %s (%s) requested Transfer-Encoding "chunked body with Content-Length (C-L ignored)"	/modules/proxy/mod_proxy_http.c:1052	
AH01095: prefetch request body failed to %pl (%s)" from %s (%s)"	/modules/proxy/mod_proxy_http.c:1076	
AH01096: processing prefetched request body failed" to %pl (%s) from %s (%s)"	/modules/proxy/mod_proxy_http.c:1098	
AH01097: pass request body failed to %pl (%s) from %s (%s)"	/modules/proxy/mod_proxy_http.c:1238	
AH01098: Starting body due to bogus non-header "in headers returned by %s (%s)"	/modules/proxy/mod_proxy_http.c:1403	
AH01099: No HTTP headers returned by %s (%s)"	/modules/proxy/mod_proxy_http.c:1410	
AH01100: Ignoring bogus HTTP header returned by %s (%s)"	/modules/proxy/mod_proxy_http.c:1418	
AH01101: could not set 100-Continue timeout"	/modules/proxy/mod_proxy_http.c:1546	
AH01102: error reading status line from remote "server %s:%d", backend->hostname, backend->port	/modules/proxy/mod_proxy_http.c:1575	
AH01103: "read timeout"	/modules/proxy/mod_proxy_http.c:1579	
AH01104: Closing connection to client because" reading from backend server %s:%d failed." Number of keeplives %i", backend->hostname	/modules/proxy/mod_proxy_http.c:1599	
AH01105: NOT Closing connection to client" although reading from backend server %s:%d" failed."	/modules/proxy/mod_proxy_http.c:1634	
AH01106: bad HTTP/%d.%d header returned by %s (%s)"	/modules/proxy/mod_proxy_http.c:1705	
AH01107: server %s:%d returned Transfer-Encoding" and Content-Length"	/modules/proxy/mod_proxy_http.c:1745	
AH01108: undefined proxy interim response policy"	/modules/proxy/mod_proxy_http.c:1851	
AH01109: origin server sent 401 without "WWW-Authenticate header"	/modules/proxy/mod_proxy_http.c:1865	
AH01110: error reading response"	/modules/proxy/mod_proxy_http.c:1990	
AH01111: readbytes: %#x", readbytes	/modules/proxy/mod_proxy_http.c:2005	
AH01112: HTTPS: declining URL %s (mod_ssl not configured?)"	/modules/proxy/mod_proxy_http.c:2163	
AH01113: "HTTP: declining URL %s"	/modules/proxy/mod_proxy_http.c:2172	
AH01114: HTTP: failed to make connection to backend: %s"	/modules/proxy/mod_proxy_http.c:2222	
AH01115: HTTP: 100-Continue failed to %pl (%s)"	/modules/proxy/mod_proxy_http.c:2253	
AH01116: proxy: Entering roundrobin for BALANCER %s (%d)"	/modules/proxy/examples/mod_lbmethod_rr.c:52	
AH01117: proxy: Creating roundrobin ctx for BALANCER %s (%d)"	/modules/proxy/examples/mod_lbmethod_rr.c:61	
AH01118: proxy: roundrobin index: %d (%d)"	/modules/proxy/examples/mod_lbmethod_rr.c:67	
AH01119: serf: request returned: %d", ctx->rstatus	/modules/proxy/mod_serf.c:82	
AH01120: "Closed Connection Error"	/modules/proxy/mod_serf.c:117	
AH01121: "serf_bucket_response_status..."	/modules/proxy/mod_serf.c:284	
AH01122: "serf_bucket_read(response)"	/modules/proxy/mod_serf.c:306	
AH01123: SerfCluster: unable to find cluster %s", conf->url.hostname	/modules/proxy/mod_serf.c:436	
AH01124: SerfCluster: unable to find provider %s", cluster->provider	/modules/proxy/mod_serf.c:444	
AH01125: SerfCluster: %s is missing list servers provider.", cluster->provider	/modules/proxy/mod_serf.c:450	
AH01126: SerfCluster: %s list servers returned failure", cluster->provider	/modules/proxy/mod_serf.c:461	
AH01127: SerfCluster: %s failed to provide a list of servers", cluster->provider	/modules/proxy/mod_serf.c:467	
AH01128: "Unable to resolve: %s", conf->url.hostname	/modules/proxy/mod_serf.c:488	
AH01129: "mpm lied to us about supporting serf."	/modules/proxy/mod_serf.c:495	
AH01130: "Unable to create temp request body buffer file."	/modules/proxy/mod_serf.c:536	
AH01131: "failed to read request body"	/modules/proxy/mod_serf.c:546	
AH01132: "failed to read request body"	/modules/proxy/mod_serf.c:553	
AH01133: "serf_context_run() for %pl", address	/modules/proxy/mod_serf.c:582	

AH01134: <a href="#">SerfCluster</a> : Heartbeat unable to read '%s', path	/modules/proxy/mod_serf.c:964	
AH01135: Substitution in regular expression failed. "Replacement too long?"	/modules/proxy/mod_proxy.c:582	
AH01136: Unescaped URL path matched <a href="#">ProxyPass</a> ; ignoring unsafe nocanon"	/modules/proxy/mod_proxy.c:627	
AH01138: Domain missing: %s sent to %s%s%s", r->uri	/modules/proxy/mod_proxy.c:830	
AH01139: TRACE forbidden by server configuration"	/modules/proxy/mod_proxy.c:916	
AH01140: TRACE with request body is not allowed"	/modules/proxy/mod_proxy.c:934	
AH01141: proxy_handler no URL in %s", r->filename	/modules/proxy/mod_proxy.c:943	
AH01142: Trying to run scheme_handler against proxy"	/modules/proxy/mod_proxy.c:1009	
AH01143: Running scheme %s handler (attempt %d)"	/modules/proxy/mod_proxy.c:1061	
AH01144: No protocol handler was valid for the URL %s. "If you are using a DSO version of mod_proxy, make sure "the proxy submodules are included in the configuration "using <a href="#">Load Module</a> .", r->uri	/modules/proxy/mod_proxy.c:1103	
AH01145: Sharing worker '%s' instead of creating new worker '%s'"	/modules/proxy/mod_proxy.c:1492	
AH01146: Ignoring parameter '%s=%s' for worker '%s' because of worker sharing"	/modules/proxy/mod_proxy.c:1499	
AH01147: Defining worker '%s' for balancer '%s'"	/modules/proxy/mod_proxy.c:1931	
AH01148: Defined worker '%s' for balancer '%s'"	/modules/proxy/mod_proxy.c:1936	
AH01149: Sharing worker '%s' instead of creating new worker '%s'"	/modules/proxy/mod_proxy.c:1942	
AH01150: Ignoring parameter '%s=%s' for worker '%s' because of worker sharing"	/modules/proxy/mod_proxy.c:1951	
AH01151: set r->filename to %s", r->filename	/modules/proxy/mod_proxy_fdpass.c:52	
AH01152: Failed to connect to '%s", url	/modules/proxy/mod_proxy_fdpass.c:198	
AH01153: Unable to find configured flush provider '%s'"	/modules/proxy/mod_proxy_fdpass.c:211	
AH01154: "send_socket failed:"	/modules/proxy/mod_proxy_fdpass.c:227	
AH01155: failed to create dummy socket"	/modules/proxy/mod_proxy_fdpass.c:240	
AH01156: ap_pass_brigade failed:"	/modules/proxy/mod_proxy_fdpass.c:267	
AH01157: error parsing URL %s: %s"	/modules/proxy/mod_proxy_balancer.c:80	
AH01158: Looking at %s -> %s initialized?", balancer->s->name, worker->s->name	/modules/proxy/mod_proxy_balancer.c:120	
AH01159: Found value %s for stickysession %s"	/modules/proxy/mod_proxy_balancer.c:281	
AH01160: Found value %s for stickysession %s"	/modules/proxy/mod_proxy_balancer.c:290	
AH01161: "Found route %s", *route	/modules/proxy/mod_proxy_balancer.c:302	
AH01162: Route changed from %s to %s"	/modules/proxy/mod_proxy_balancer.c:313	
AH01163: %s: Lock failed for find_best_worker()"	/modules/proxy/mod_proxy_balancer.c:330	
AH01164: %s: Unlock failed for find_best_worker()"	/modules/proxy/mod_proxy_balancer.c:342	
AH01165: %s: Forcing recovery for worker (%s)"	/modules/proxy/mod_proxy_balancer.c:433	
AH01166: %s: Lock failed for pre_request", (*balancer)->s->name	/modules/proxy/mod_proxy_balancer.c:465	
AH01167: %s: All workers are in error state for route (%s)"	/modules/proxy/mod_proxy_balancer.c:526	
AH01168: %s: Unlock failed for pre_request"	/modules/proxy/mod_proxy_balancer.c:530	
AH01169: %s: Unlock failed for pre_request"	/modules/proxy/mod_proxy_balancer.c:539	
AH01170: %s: All workers are in error state"	/modules/proxy/mod_proxy_balancer.c:547	
AH01171: %s: No workers in balancer"	/modules/proxy/mod_proxy_balancer.c:551	
AH01172: %s: worker (%s) rewritten to %s"	/modules/proxy/mod_proxy_balancer.c:599	
AH01173: %s: Lock failed for post_request"	/modules/proxy/mod_proxy_balancer.c:615	
AH01174: %s: Forcing recovery for worker (%s), "failonstatus %d"	/modules/proxy/mod_proxy_balancer.c:626	
AH01175: %s: Unlock failed for post_request", balancer->s->name	/modules/proxy/mod_proxy_balancer.c:638	
AH01176: proxy_balancer_post_request for (%s)", balancer->s->name	/modules/proxy/mod_proxy_balancer.c:641	
AH01177: Failed to lookup provider 'shm' for '%s': is "mod_slotmem_shm loaded??"	/modules/proxy/mod_proxy_balancer.c:722	
AH01178: "Doing balancers create: %d, %d (%d)"	/modules/proxy/mod_proxy_balancer.c:748	
AH01179: "balancer slotmem_create failed"	/modules/proxy/mod_proxy_balancer.c:756	
AH01180: mutex creation of %s : %s failed", balancer_mutex_type	/modules/proxy/mod_proxy_balancer.c:777	
AH01181: "balancer slotmem_grab failed"	/modules/proxy/mod_proxy_balancer.c:788	
AH01182: "balancer slotmem_dptr failed"	/modules/proxy/mod_proxy_balancer.c:793	
AH01183: "Cannot share balancer"	/modules/proxy/mod_proxy_balancer.c:797	
AH01184: "Doing workers create: %s (%s), %d, %d"	/modules/proxy/mod_proxy_balancer.c:802	
AH01185: "worker slotmem_create failed"	/modules/proxy/mod_proxy_balancer.c:811	
AH01186: "worker slotmem_grab failed"	/modules/proxy/mod_proxy_balancer.c:827	
AH01187: "worker slotmem_dptr failed"	/modules/proxy/mod_proxy_balancer.c:832	
AH01188: "Cannot share worker"	/modules/proxy/mod_proxy_balancer.c:836	

AH01189: %s: Lock failed for balancer_handler"	/modules/proxy/mod_proxy_balancer.c:940	
AH01190: %s: Unlock failed for balancer_handler"	/modules/proxy/mod_proxy_balancer.c:946	
AH01191: "parsing r->args"	/modules/proxy/mod_proxy_balancer.c:954	
AH01192: "settings worker params"	/modules/proxy/mod_proxy_balancer.c:1001	
AH01193: settings balancer params"	/modules/proxy/mod_proxy_balancer.c:1051	
AH01194: %s: Lock failed for adding worker"	/modules/proxy/mod_proxy_balancer.c:1106	
AH01195: worker slotmem_grab failed"	/modules/proxy/mod_proxy_balancer.c:1116	
AH01196: %s: Unlock failed for adding worker"	/modules/proxy/mod_proxy_balancer.c:1119	
AH01197: worker slotmem_dptr failed"	/modules/proxy/mod_proxy_balancer.c:1126	
AH01198: %s: Unlock failed for adding worker"	/modules/proxy/mod_proxy_balancer.c:1129	
AH01199: Cannot share worker"	/modules/proxy/mod_proxy_balancer.c:1136	
AH01200: %s: Unlock failed for adding worker"	/modules/proxy/mod_proxy_balancer.c:1139	
AH01201: Cannot init worker"	/modules/proxy/mod_proxy_balancer.c:1146	
AH01202: %s: Unlock failed for adding worker"	/modules/proxy/mod_proxy_balancer.c:1149	
AH01203: %s: Unlock failed for adding worker"	/modules/proxy/mod_proxy_balancer.c:1161	
AH01204: "genning page"	/modules/proxy/mod_proxy_balancer.c:1172	
AH01205: "slotmem_attach failed"	/modules/proxy/mod_proxy_balancer.c:1429	
AH01206: Failed to init balancer %s in child"	/modules/proxy/mod_proxy_balancer.c:1439	
AH01207: proxy: Entering byrequests for BALANCER (%s)"	/modules/proxy/balancers/mod_lmethod_byrequests.c:95	
AH01208: proxy: byrequests selected worker \"%s\" : busy %\" APR_SIZE_T_FMT \" : lbstatus %d"	/modules/proxy/balancers/mod_lmethod_byrequests.c:142	
AH01209: proxy: Entering bytraffic for BALANCER (%s)"	/modules/proxy/balancers/mod_lmethod_bytraffic.c:67	
AH01210: proxy: bytraffic selected worker \"%s\" : busy %\" APR_SIZE_T_FMT	/modules/proxy/balancers/mod_lmethod_bytraffic.c:115	
AH01211: proxy: Entering bybusyness for BALANCER (%s)"	/modules/proxy/balancers/mod_lmethod_bybusyness.c:51	
AH01212: proxy: bybusyness selected worker \"%s\" : busy %\" APR_SIZE_T_FMT \" : lbstatus %d"	/modules/proxy/balancers/mod_lmethod_bybusyness.c:112	
AH01213: lb_heartbeat: Unable to read heartbeats at %s"	/modules/proxy/balancers/mod_lmethod_heartbeat.c:292	
AH01214: lb_heartbeat: No server for worker %s", (*worker)->s->name	/modules/proxy/balancers/mod_lmethod_heartbeat.c:306	
AH01215: %s", argsbuffer	/modules/generators/mod_cgi.c:213	
AH01216: couldn't set child process attributes: %s", r->filename	/modules/generators/mod_cgi.c:452	
AH01217: apr_pollset_create(); check system or user limits"	/modules/generators/mod_cgi.c:590	
AH01218: apr_pollset_add(); check system or user limits"	/modules/generators/mod_cgi.c:602	
AH01219: apr_pollset_add(); check system or user limits"	/modules/generators/mod_cgi.c:611	
AH01220: Timeout waiting for output from CGI script %s"	/modules/generators/mod_cgi.c:693	
AH01221: poll failed waiting for CGI child"	/modules/generators/mod_cgi.c:706	
AH01222: don't know how to spawn child process: %s"	/modules/generators/mod_cgi.c:823	
AH01223: couldn't spawn child process: %s", r->filename	/modules/generators/mod_cgi.c:832	
AH01224: Timeout during reading request entity data"	/modules/generators/mod_cgi.c:855	
AH01225: Error reading request entity data"	/modules/generators/mod_cgi.c:859	
AH01226: don't know how to spawn cmd child process: %s"	/modules/generators/mod_cgi.c:1133	
AH01227: couldn't spawn child process: %s", r->filename	/modules/generators/mod_cgi.c:1143	
AH01228: "exec used but not allowed "in %s", r->filename	/modules/generators/mod_cgi.c:1186	
AH01229: "execution failure "for parameter \"%s\" to tag exec in file %s"	/modules/generators/mod_cgi.c:1206	
AH01230: "invalid CGI ref \"%s\" in %s", tag_val, file	/modules/generators/mod_cgi.c:1221	
AH01231: "unknown parameter \"%s\" to tag exec in %s", tag, file	/modules/generators/mod_cgi.c:1228	
AH01232: suEXEC mechanism enabled (wrapper: %s)", SUEXEC_BIN	/modules/generators/mod_suexec.c:100	
AH01233: File does not exist: %s", r->filename	/modules/generators/mod_asis.c:47	
AH01234: file permissions deny server access: %s", r->filename	/modules/generators/mod_asis.c:54	
AH01235: mod_asis: failed to find end-of-headers position "for %s", r->filename	/modules/generators/mod_asis.c:88	
AH01236: mod_asis: ap_pass_brigade failed for file %s", r->filename	/modules/generators/mod_asis.c:102	
AH01237: Server status unavailable in inetd mode"	/modules/generators/mod_status.c:248	
AH01238: cgid daemon failed to initialize"	/modules/generators/mod_cgid.c:293	
AH01239: cgid daemon process died, restarting"	/modules/generators/mod_cgid.c:297	



AH01240: Couldn't unlink unix domain socket %s"	/modules/generators/mod_cgid.c:322	
AH01241: "%s", description	/modules/generators/mod_cgid.c:591	
AH01242: Couldn't create unix domain socket"	/modules/generators/mod_cgid.c:617	
AH01243: Couldn't bind unix domain socket %s"	/modules/generators/mod_cgid.c:626	
AH01244: Couldn't set permissions on unix domain socket %s"	/modules/generators/mod_cgid.c:635	
AH01245: Couldn't listen on unix domain socket"	/modules/generators/mod_cgid.c:642	
AH01246: Couldn't change owner of unix domain socket %s"	/modules/generators/mod_cgid.c:649	
AH01247: Error accepting on cgid socket"	/modules/generators/mod_cgid.c:696	
AH01248: Error reading request on cgid socket"	/modules/generators/mod_cgid.c:708	
AH01249: CGI request received from wrong server instance; "see <a href="#">ScriptSock</a> directive"	/modules/generators/mod_cgid.c:715	
AH01250: Error writing pid %" APR_PID_T_FMT " to handler", pid	/modules/generators/mod_cgid.c:730	
AH01251: couldn't set child process attributes: %s", r->filename	/modules/generators/mod_cgid.c:789	
AH01252: couldn't create child process: %d: %s", rc	/modules/generators/mod_cgid.c:827	
AH01253: mod_cgid: Couldn't spawn cgid daemon process"	/modules/generators/mod_cgid.c:868	
AH01254: The length of the <a href="#">ScriptSock</a> path exceeds maximum, "truncating to %s", tmp_sockname	/modules/generators/mod_cgid.c:928	
AH01255: "unable to create socket to cgi daemon"	/modules/generators/mod_cgid.c:1194	
AH01256: connect #%d to cgi daemon failed, sleeping before retry"	/modules/generators/mod_cgid.c:1198	
AH01257: unable to connect to cgi daemon after multiple tries"	/modules/generators/mod_cgid.c:1209	
AH01258: cgid daemon is gone; is Apache terminating?"	/modules/generators/mod_cgid.c:1220	
AH01259: CGI process %" APR_PID_T_FMT " didn't exit, sending SIGKILL"	/modules/generators/mod_cgid.c:1294	
AH01260: CGI process %" APR_PID_T_FMT " didn't exit, sending SIGKILL again"	/modules/generators/mod_cgid.c:1301	
AH01261: daemon couldn't find CGI process for connection %lu"	/modules/generators/mod_cgid.c:1341	
AH01262: Options ExecCGI is off in this directory"	/modules/generators/mod_cgid.c:1383	
AH01263: attempt to include NPH CGI script"	/modules/generators/mod_cgid.c:1388	
AH01264: script not found or unable to stat"	/modules/generators/mod_cgid.c:1397	
AH01265: attempt to invoke directory as script"	/modules/generators/mod_cgid.c:1402	
AH01266: <a href="#">AcceptPathInfo</a> off disallows user's path"	/modules/generators/mod_cgid.c:1410	
AH01267: file permissions deny server execution"	/modules/generators/mod_cgid.c:1416	
AH01268: write to cgi daemon process"	/modules/generators/mod_cgid.c:1430	
AH01269: Timeout during reading request entity data"	/modules/generators/mod_cgid.c:1469	
AH01270: Error reading request entity data"	/modules/generators/mod_cgid.c:1473	
AH01271: "exec used but not allowed "in %s", r->filename	/modules/generators/mod_cgid.c:1813	
AH01272: execution failure for parameter "%s" to tag exec in file %s", tag, r->filename	/modules/generators/mod_cgid.c:1833	
AH01273: "invalid CGI ref \"%s\" in %s", tag_val, file	/modules/generators/mod_cgid.c:1848	
AH01274: "unknown parameter \"%s\" to tag exec in %s", tag, file	/modules/generators/mod_cgid.c:1855	
AH01275: Can't open directory for index: %s", r->filename	/modules/generators/mod_autoindex.c:2026	
AH01276: Cannot serve directory %s: No matching <a href="#">DirectoryIndex</a> (%s) found, and "server-generated directory index forbidden by "Options directive"	/modules/generators/mod_autoindex.c:2313	
AH01277: LDAP: Unable to add rebind cross reference entry. Out of memory?"	/modules/ldap/util_ldap.c:325	
AH01278: LDAP: Setting referrals to %s."	/modules/ldap/util_ldap.c:369	
AH01279: Unable to set LDAP_OPT_REFERRALS option to %s: %d."	/modules/ldap/util_ldap.c:378	
AH01280: Setting referral hop limit to %d."	/modules/ldap/util_ldap.c:390	
AH01281: Unable to set LDAP_OPT_REFHOPLIMIT option to %d: %d."	/modules/ldap/util_ldap.c:398	
AH01282: LDAP: Could not set the connection timeout"	/modules/ldap/util_ldap.c:445	
AH01283: LDAP: Could not set LDAP_OPT_TIMEOUT"	/modules/ldap/util_ldap.c:464	
AH01284: ldap_simple_bind() timed out on %s "connection, dropped by firewall?"	/modules/ldap/util_ldap.c:591	
AH01285: util_ldap: Failed to create memory pool"	/modules/ldap/util_ldap.c:779	
AH01286: util_ldap: Failed to create memory pool"	/modules/ldap/util_ldap.c:826	
AH01287: cache_compare: Cache insertion failure."	/modules/ldap/util_ldap.c:1139	
AH01288: Making local copy of SGL for "group (%s)(objectClass=%s) "	/modules/ldap/util_ldap.c:1430	
AH01289: no cached SGL for %s, retrieving from LDAP", dn	/modules/ldap/util_ldap.c:1456	
AH01290: "no subgroups for %s"	/modules/ldap/util_ldap.c:1462	
AH01291: Cache entry for %s doesn't exist", dn	/modules/ldap/util_ldap.c:1489	
AH01292: util_ldap: Couldn't retrieve group entry "for %s from cache"	/modules/ldap/util_ldap.c:1496	
AH01293: Copying local SGL of len %d for group %s into cache"	/modules/ldap/util_ldap.c:1517	

AH01294: Copy of SGL failed to obtain shared memory, "couldn't update cache"	/modules/ldap/util_ldap.c:1529	
AH01295: Found user %s in a subgroup (%s) at level %d of %d."	/modules/ldap/util_ldap.c:1562	
AH01296: User %s not found in subgroup (%s) at level %d of "%d.", r->user, group, cur_subgroup_depth+1	/modules/ldap/util_ldap.c:1572	
AH01297: ldap cache: Setting shared memory cache size to "%d" APR_SIZE_T_FMT " bytes."	/modules/ldap/util_ldap.c:2085	
AH01298: LDAP cache: Setting shared memory cache file to %s bytes."	/modules/ldap/util_ldap.c:2112	
AH01299: ldap cache: Setting cache TTL to %ld microseconds."	/modules/ldap/util_ldap.c:2133	
AH01300: ldap cache: Setting search cache size to %ld entries."	/modules/ldap/util_ldap.c:2157	
AH01301: ldap cache: Setting operation cache TTL to %ld microseconds."	/modules/ldap/util_ldap.c:2178	
AH01302: ldap cache: Setting operation cache size to %ld entries."	/modules/ldap/util_ldap.c:2202	
AH01303: LDAP: SSL trusted global cert - %s (type %s)"	/modules/ldap/util_ldap.c:2333	
AH01304: LDAP: Could not open SSL trusted certificate "authority file - %s"	/modules/ldap/util_ldap.c:2352	
AH01305: LDAP: SSL trusted client cert - %s (type %s)"	/modules/ldap/util_ldap.c:2413	
AH01306: LDAP: Could not open SSL client certificate "file - %s"	/modules/ldap/util_ldap.c:2432	
AH01307: LDAP: SSL trusted mode - %s"	/modules/ldap/util_ldap.c:2460	
AH01308: LDAP: SSL verify server certificate - %s"	/modules/ldap/util_ldap.c:2496	
AH01309: ldap connection: Setting connection timeout to %ld seconds."	/modules/ldap/util_ldap.c:2524	
AH01310: LDAP: Connection timeout option not supported by the "LDAP SDK in use."	/modules/ldap/util_ldap.c:2528	
AH01311: LDAP: Setting referral chasing %s"	/modules/ldap/util_ldap.c:2543	
AH01312: LDAP: Limit chased referrals to maximum of %d hops."	/modules/ldap/util_ldap.c:2586	
AH01313: ldap connection: Setting op timeout to %ld seconds."	/modules/ldap/util_ldap.c:2638	
AH01314: LDAP: LDAP_OPT_TIMEOUT option not supported by the "LDAP library in use. Using LDAPTimeout value as search "timeout only."	/modules/ldap/util_ldap.c:2644	
AH01315: LDAP cache: could not create shared memory segment"	/modules/ldap/util_ldap.c:2882	
AH01316: LDAP merging Shared Cache conf: shm=0x%pp rmm=0x%pp "for VHOST: %s", st->cache_shm, st->cache_rmm	/modules/ldap/util_ldap.c:2905	
AH01317: LDAP cache: LDAPSharedCacheSize is zero, disabling "shared memory cache"	/modules/ldap/util_ldap.c:2915	
AH01318: "%s", result->reason	/modules/ldap/util_ldap.c:2927	
AH01319: LDAP: SSL support available"	/modules/ldap/util_ldap.c:2951	
AH01320: LDAP: SSL support unavailable%s%s"	/modules/ldap/util_ldap.c:2956	
AH01321: LDAP: Could not set the LDAP library debug level to %d😞%d) %s"	/modules/ldap/util_ldap.c:2980	
AH01322: Failed to initialise global mutex %s in child process"	/modules/ldap/util_ldap.c:3001	
AH01323: Purge of LDAP cache failed"	/modules/ldap/util_ldap_cache_mgr.c:464	
AH01324: LDAPSharedCacheSize is too small. Increase it or "reduce LDAPCacheEntries /LDAPOpCacheEntries!"	/modules/ldap/util_ldap_cache_mgr.c:477	
AH01325: Could not allocate memory for LDAP cache entry"	/modules/ldap/util_ldap_cache_mgr.c:492	
AH01326: LDAPSharedCacheSize is too small. Increase it or "reduce LDAPCacheEntries /LDAPOpCacheEntries!"	/modules/ldap/util_ldap_cache_mgr.c:505	
AH01327: Could not allocate memory for LDAP cache value"	/modules/ldap/util_ldap_cache_mgr.c:519	
AH01328: "Line too long, URI %s"	/modules/filters/mod_substitute.c:534	
AH01329: regex capture \$" APR_SIZE_T_FMT " refers to no regex in %s"	/modules/filters/mod_include.c:662	
AH01330: regex capture \$" APR_SIZE_T_FMT is out of range (last regex was: '%s') in %s"	/modules/filters/mod_include.c:668	
AH01331: "Missing '}' on "variable \"%s\" in %s", p, r->filename	/modules/filters/mod_include.c:831	
AH01332: Invalid expression \"%s\" in file %s"	/modules/filters/mod_include.c:1385	
AH01333: Invalid expression \"%s\" in file %s"	/modules/filters/mod_include.c:1450	
AH01334: Invalid expression \"%s\" in file %s"	/modules/filters/mod_include.c:1485	
AH01335: Invalid expression \"%s\" in file %s: Token '-A' must be followed by a URI string."	/modules/filters/mod_include.c:1533	
AH01336: mod_include: The tested "subrequest -A \"%s\" returned an error code."	/modules/filters/mod_include.c:1549	
AH01337: Could not parse expr \"%s\" in %s: %s", expr	/modules/filters/mod_include.c:1599	
AH01338: Could not evaluate expr \"%s\" in %s: %s", expr	/modules/filters/mod_include.c:1635	
AH01339: "unable to get "information about \"%s\" in parsed file %s"	/modules/filters/mod_include.c:1746	
AH01340: "unknown parameter \"%s\" "to tag %s in %s", tag, directive, r->filename	/modules/filters/mod_include.c:1754	
AH01341: missing argument for include element in %s"	/modules/filters/mod_include.c:1779	
AH01342: "unknown parameter \"%s\" to tag include in %s", tag, r->filename	/modules/filters/mod_include.c:1808	
AH01343: missing argument for echo element in %s"	/modules/filters/mod_include.c:1910	
AH01344: "unknown value \"%s\" to parameter \"decoding\" of tag echo in %s", token, r->filename	/modules/filters/mod_include.c:1974	

AH01345: "unknown value \"%s\" to parameter \"encoding\" of tag echo in \"%s\", token, r->filename	./modules/filters/mod_include.c:2006		
AH01346: "unknown parameter \"%s\" in tag echo of \"%s\", tag, r->filename	./modules/filters/mod_include.c:2038		
AH01347: missing argument for config element in \"%s\"	./modules/filters/mod_include.c:2062		
AH01348: "unknown value \"%s\" to parameter \"sizefmt\" of tag config \"in \"%s\", parsed_string, r->filename	./modules/filters/mod_include.c:2120		
AH01349: "unknown parameter \"%s\" to tag config in \"%s\", tag, r->filename	./modules/filters/mod_include.c:2128		
AH01350: missing argument for fszie element in \"%s\"	./modules/filters/mod_include.c:2150		
AH01351: missing argument for flastmod element in \"%s\"	./modules/filters/mod_include.c:2238		
AH01352: "too many arguments for if element in \"%s\"	./modules/filters/mod_include.c:2302		
AH01353: "missing expr argument for if element in \"%s\"	./modules/filters/mod_include.c:2303		
AH01354: "unknown parameter \"%s\" to tag if in \"%s\", tag, r->filename	./modules/filters/mod_include.c:2320		
AH01355: "missing expr value for if \"element in \"%s\", r->filename	./modules/filters/mod_include.c:2327		
AH01356: "too many arguments for if element in \"%s\"	./modules/filters/mod_include.c:2375		
AH01357: "missing expr argument for if element in \"%s\"	./modules/filters/mod_include.c:2376		
AH01358: "unknown parameter \"%s\" to tag if in \"%s\", tag, r->filename	./modules/filters/mod_include.c:2392		
AH01359: "missing expr in elif \"statement: \"%s\", r->filename	./modules/filters/mod_include.c:2399		
AH01360: else directive does not take tags in \"%s\"	./modules/filters/mod_include.c:2443		
AH01361: endif directive does not take tags in \"%s\"	./modules/filters/mod_include.c:2483		
AH01362: "missing argument for set element in \"%s\"	./modules/filters/mod_include.c:2523		
AH01363: "variable must precede value in set directive in \"%s\"	./modules/filters/mod_include.c:2569		
AH01364: "unknown value \"%s\" to parameter \"decoding\" of tag set in \"%s\", token, r->filename	./modules/filters/mod_include.c:2609		
AH01365: "unknown value \"%s\" to parameter \"encoding\" of tag set in \"%s\", token, r->filename	./modules/filters/mod_include.c:2641		
AH01366: "Invalid tag for set \"directive in \"%s\", r->filename	./modules/filters/mod_include.c:2661		
AH01367: "printenv directive does not take tags in \"%s\"	./modules/filters/mod_include.c:2687		
AH01368: "missing \"directive name in parsed document \"%s\"	./modules/filters/mod_include.c:3059		
AH01369: "missing \"argument name for value to tag %s in \"%s\"	./modules/filters/mod_include.c:3195		
AH01370: "missing \"argument name for value to tag %s in \"%s\"	./modules/filters/mod_include.c:3227		
AH01371: unknown directive \"%s\" in parsed doc \"%s\"	./modules/filters/mod_include.c:3703		
AH01372: SSI directive was not properly finished at the end \"of parsed document \"%s\", r->filename	./modules/filters/mod_include.c:3740		
AH01373: missing closing endif directive in parsed document\" \"%s\", r->filename	./modules/filters/mod_include.c:3749		
AH01374: mod_include: Options +Includes (or IncludesNoExec) \"wasn't set, INCLUDES filter removed\"	./modules/filters/mod_include.c:3820		
AH01375: \"%s\", fname	./modules/filters/mod_filter.c:86		
AH01376: %s: type: %s, length: %\" APR_SIZE_T_FMT	./modules/filters/mod_filter.c:91		
AH01377: Chaining of FilterProviders not supported\"	./modules/filters/mod_filter.c:110		
AH01378: filter_init for %s failed\", p->frec->name	./modules/filters/mod_filter.c:117		
AH01379: Error evaluating filter dispatch condition: %s\"	./modules/filters/mod_filter.c:153		
AH01380: Unknown filter %s not added\", p->fname	./modules/filters/mod_filter.c:643		
AH01382: Request %s read timeout\", cfcg->type	./modules/filters/mod_reqtimeout.c:313		
AH01383: unable to init Zlib: \"deflateInit2 returned %d: URL %s\"	./modules/filters/mod_deflate.c:638		
AH01384: Zlib: Compressed %ld to %ld : URL %s\"	./modules/filters/mod_deflate.c:739		
AH01385: Zlib error %d flushing zlib output buffer (%s)\"	./modules/filters/mod_deflate.c:791		
AH01386: Zlib error %d deflating data (%s)\", zRC	./modules/filters/mod_deflate.c:850		
AH01387: \"Zlib: Invalid header\"	./modules/filters/mod_deflate.c:936		
<ac:structured-macro ac:name=\"unmigrated-wiki-markup\" ac:schema-version=\"1\" ac:macro-id=\"b20ea0f0-ab1a-4647-93d0-71de5b420bbc\"><ac:plain-text-body><![CDATA[	AH01388: Zlib: Unsupported flags %02x\", (int) deflate_hdr[3]	./modules/filters/mod_deflate.c:942	]]></ac:plain-text-body></ac:structured-macro>
AH01389: unable to init Zlib: \"inflateInit2 returned %d: URL %s\"	./modules/filters/mod_deflate.c:952		
AH01390: Encountered EOS bucket in inflate filter (bug?)\"	./modules/filters/mod_deflate.c:986		
AH01391: Zlib error %d inflating data (%s)\", zRC	./modules/filters/mod_deflate.c:996		
AH01392: Zlib error %d inflating data (%s)\", zRC	./modules/filters/mod_deflate.c:1047		
AH01393: Zlib: Inflated %ld to %ld : URL %s\"	./modules/filters/mod_deflate.c:1056		
AH01394: Zlib: CRC error inflating data\"	./modules/filters/mod_deflate.c:1075		
AH01395: Zlib: Length %ld of inflated data does \"not match expected value %ld\"	./modules/filters/mod_deflate.c:1083		

AH01396: Verification data not available (bug?)"	/modules/filters/mod_deflate.c:1094	
AH01397: unable to init Zlib: "inflateInit2 returned %d: URL %s"	/modules/filters/mod_deflate.c:1205	
AH01398: Zlib: Inflated %ld to %ld : URL %s"	/modules/filters/mod_deflate.c:1259	
AH01399: Zlib: Checksum of inflated stream invalid"	/modules/filters/mod_deflate.c:1267	
AH01400: Zlib: Length of inflated stream invalid"	/modules/filters/mod_deflate.c:1274	
AH01401: Zlib: Validation bytes not present"	/modules/filters/mod_deflate.c:1280	
AH01402: Zlib error %d flushing inflate buffer (%s)"	/modules/filters/mod_deflate.c:1307	
AH01403: Insufficient data for inflate"	/modules/filters/mod_deflate.c:1339	
AH01404: inflate: data not deflated!"	/modules/filters/mod_deflate.c:1347	
AH01405: inflate: bad header"	/modules/filters/mod_deflate.c:1355	
AH01406: inflate: extra field too big (not "supported)"	/modules/filters/mod_deflate.c:1367	
AH01407: Zlib: %d bytes of garbage at the end of "compressed stream.", ctx->stream. avail_in	/modules/filters/mod_deflate.c:1405	
AH01408: Zlib: %d bytes of garbage at the end of "compressed stream."	/modules/filters/mod_deflate.c:1449	
AH01409: Zlib error %d inflating data (%s)", zRC	/modules/filters/mod_deflate.c:1463	
AH01410: reflector_handler: ap_pass_brigade returned %i"	/modules/filters/mod_reflector.c:160	
AH01411: Invalid Content-Length"	/modules/filters/mod_request.c:101	
AH01412: Requested content-length of %" APR_OFF_T_FMT is larger than the configured limit" of %" APR_OFF_T_FMT, ctx->remaining, dconf->keep_body	/modules/filters/mod_request.c:112	
AH01413: Requested content-length of %" APR_OFF_T_FMT is larger than the configured limit" of %" APR_OFF_T_FMT, len, ctx->keep_body	/modules/filters/mod_request.c:139	
AH01414: apr_brigade_partition() failed on kept_body at %" APR_OFF_T_FMT, ctx->offset	/modules/filters/mod_request.c:236	
AH01415: apr_brigade_partition() failed on kept_body at %" APR_OFF_T_FMT, ctx->offset + readbytes	/modules/filters/mod_request.c:241	
AH01416: Bogus HTML element %s dropped", name	/modules/filters/mod_proxy_html.c:388	
AH01417: Deprecated HTML element %s dropped", name	/modules/filters/mod_proxy_html.c:393	
AH01418: Bogus HTML attribute %s of %s dropped"	/modules/filters/mod_proxy_html.c:417	
AH01419: Deprecated HTML attribute %s of %s dropped"	/modules/filters/mod_proxy_html.c:422	
AH01420: HTML element %s is missing %d required attributes"	/modules/filters/mod_proxy_html.c:639	
AH01421: Error evaluating expr: %s", err	/modules/filters/mod_proxy_html.c:756	
AH01422: No i18n support found. Install mod_xml2enc if required"	/modules/filters/mod_proxy_html.c:890	
AH01423: Unsupported parser opts %x", xmlopts	/modules/filters/mod_proxy_html.c:927	
AH01424: Error in bucket read"	/modules/filters/mod_proxy_html.c:945	
AH01425: I18n support in mod_proxy_html requires mod_xml2enc. "Without it, non-ASCII characters in proxied pages are "likely to display incorrectly."	/modules/filters/mod_proxy_html.c:1236	
AH01426: xml2enc: bad mode %x", mode	/modules/filters/mod_xml2enc.c:104	
AH01427: xml2enc: Charset %s not supported.", enc) ;	/modules/filters/mod_xml2enc.c:118	
AH01428: Skipped to first <%s> element"	/modules/filters/mod_xml2enc.c:151	
AH01429: Failed to find start of recognised HTML!"	/modules/filters/mod_xml2enc.c:160	
AH01430: Content-Type is %s", ctype) ;	/modules/filters/mod_xml2enc.c:177	
AH01431: Got charset %s from HTTP headers", ctx->encoding) ;	/modules/filters/mod_xml2enc.c:185	
AH01432: Got charset from XML rules."); ;	/modules/filters/mod_xml2enc.c:197	
AH01433: Got charset %s from HTML META", ctx->encoding) ;	/modules/filters/mod_xml2enc.c:222	
AH01434: Charset %s not supported by libxml2; trying apr_xlate"	/modules/filters/mod_xml2enc.c:252	
AH01435: Charset %s not supported. Consider aliasing it?"	/modules/filters/mod_xml2enc.c:259	
AH01436: No usable charset information; using configuration default"	/modules/filters/mod_xml2enc.c:267	
AH01437: xml2enc: Setting aside %" APR_SIZE_T_FMT unconverted bytes", bytes	/modules/filters/mod_xml2enc.c:420	
AH01438: xml2enc: consuming %" APR_SIZE_T_FMT bytes flattened", bytes	/modules/filters/mod_xml2enc.c:437	
AH01439: xml2enc: consuming %" APR_SIZE_T_FMT bytes from bucket", bytes	/modules/filters/mod_xml2enc.c:446	
AH01440: xml2enc: reinserting %" APR_SIZE_T_FMT unconsumed bytes from bucket", insz	/modules/filters/mod_xml2enc.c:464	
AH01441: xml2enc: converted %" APR_SIZE_T_FMT/" APR_OFF_T_FMT " bytes", consumed - insz	/modules/filters/mod_xml2enc.c:472	
AH01442: ap_fwrite failed"	/modules/filters/mod_xml2enc.c:480	
AH01443: INCOMPLETE"	/modules/filters/mod_xml2enc.c:488	
AH01444: Skipping invalid byte(s) in input stream!"	/modules/filters/mod_xml2enc.c:495	
AH01445: Failed to convert input; trying it raw") ;	/modules/filters/mod_xml2enc.c:503	
AH01446: ap_fflush failed"	/modules/filters/mod_xml2enc.c:508	

AH01447: xml2enc: error reading data" );	/modules/filters/mod_xml2enc.c:515		
AH01448: incomplete configuration: src %s, dst %s"	/modules/filters/mod_charset_lite.c:216		
AH01449: can't open translation %s->%s"	/modules/filters/mod_charset_lite.c:274		
AH01451: %s %s - disabling "translation %s%%s%%s"; existing "translation %s%%s%%s"	/modules/filters/mod_charset_lite.c:584		
AH01452: chk_filter_chain() - can't disable "translation %s%%s%%s"; existing "translation %s%%s%%s"	/modules/filters/mod_charset_lite.c:602		
AH01453: can't open translation %s->%s"	/modules/filters/mod_charset_lite.c:813		
AH01454: "rl: conn aborted"	/modules/filters/mod_ratelimit.c:69		
AH01455: rl: full speed brigade pass failed."	/modules/filters/mod_ratelimit.c:149		
AH01456: rl: partition failed."	/modules/filters/mod_ratelimit.c:190		
AH01457: rl: brigade pass failed."	/modules/filters/mod_ratelimit.c:221		
AH01458: couldn't create child process to run ` %s"	/modules/filters/mod_ext_filter.c:480		
AH01459: couldn't find definition of filter %s"	/modules/filters/mod_ext_filter.c:568		
AH01460: apr_file_read(child output), len %" APR_SIZE_T_FMT	/modules/filters/mod_ext_filter.c:658		
AH01461: apr_file_write(child input), len %" APR_SIZE_T_FMT	/modules/filters/mod_ext_filter.c:689		
AH01462: apr_pollset_poll()"	/modules/filters/mod_ext_filter.c:708		
AH01463: "apr_bucket_read()"	/modules/filters/mod_ext_filter.c:763		
AH01464: apr_file_close(child input)"	/modules/filters/mod_ext_filter.c:784		
AH01465: apr_file_pipe_timeout_set(child output)"	/modules/filters/mod_ext_filter.c:794		
AH01466: apr_file_read(child output), len %" APR_SIZE_T_FMT	/modules/filters/mod_ext_filter.c:806		
AH01467: can't initialise output filter %s: %s"	/modules/filters/mod_ext_filter.c:844		
AH01468: ef_unified_filter() failed"	/modules/filters/mod_ext_filter.c:876		
AH01469: ap_pass_brigade() failed"	/modules/filters/mod_ext_filter.c:881		
AH01470: can't initialise input filter %s: %s"	/modules/filters/mod_ext_filter.c:897		
AH01471: "Lua error: %s"	/modules/lua/mod_lua.c:63		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="a66531fa-2f69-4c2c-9137-842cd57d262a"><ac:plain-text-body><![CDATA[	AH01472: "handling [%s] in mod_lua"	/modules/lua/mod_lua.c:93	]]></ac:plain-text-body></ac:structured-macro>
AH01473: request details scope:%u, filename:%s, function:%s"	/modules/lua/mod_lua.c:112		
AH01474: "got a vml"	/modules/lua/mod_lua.c:147		
AH01475: lua: Unable to find function %s in %s", handle"	/modules/lua/mod_lua.c:150		
AH01476: request details scope:%u, filename:%s, function:%s"	/modules/lua/mod_lua.c:208		
AH01477: lua: Failed to obtain lua interpreter for %s %s"	/modules/lua/mod_lua.c:237		
AH01478: lua: Unable to find function %s in %s"	/modules/lua/mod_lua.c:246		
AH01479: "FOO!"	/modules/lua/lua_config.c:161		
AH01480: Failed to init LuaJIT: %s", msg	/modules/lua/lua_vmprep.c:311		
AH01481: loading lua file %s", spec->file	/modules/lua/lua_vmprep.c:356		
AH01482: Loading lua file %s: %s"	/modules/lua/lua_vmprep.c:375		
AH01483: creating lua_State with file %s", spec->file	/modules/lua/lua_vmprep.c:406		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="5cb15255-5c2e-438c-9ba9-a1a9b52204a4"><ac:plain-text-body><![CDATA[	AH01484: "Lua Stack Dump: [%s]", msg	/modules/lua/lua_request.c:33	]]></ac:plain-text-body></ac:structured-macro>
AH01485: "adding output filter %s"	/modules/lua/lua_request.c:197		
AH01486: request_rec->dispatching %s -> apr table"	/modules/lua/lua_request.c:386		
AH01487: request_rec->dispatching %s -> lua_CFunction"	/modules/lua/lua_request.c:396		
AH01488: request_rec->dispatching %s -> string", name	/modules/lua/lua_request.c:405		
AH01489: request_rec->dispatching %s -> int", name	/modules/lua/lua_request.c:414		
AH01490: request_rec->dispatching %s -> boolean", name	/modules/lua/lua_request.c:423		
AH01491: "nothing for %s", name	/modules/lua/lua_request.c:432		
AH01492: rfc1413: apr_sockaddr_info_get(%s) failed"	/modules/metadatas/mod_ident.c:98		
AH01493: rfc1413: apr_sockaddr_info_get(%s) failed"	/modules/metadatas/mod_ident.c:109		
AH01494: rfc1413: error creating query socket"	/modules/metadatas/mod_ident.c:118		
AH01495: rfc1413: error setting query socket timeout"	/modules/metadatas/mod_ident.c:124		
AH01496: rfc1413: Error binding query socket to local port"	/modules/metadatas/mod_ident.c:140		
AH01497: write: rfc1413: error sending request"	/modules/metadatas/mod_ident.c:184		
AH01498: read: rfc1413: error reading response"	/modules/metadatas/mod_ident.c:210		

AH01499: Failed to extract cookie value (out of mem?)"	./modules/metadata/mod_usertrack.c:240	
AH01500: internal error: bad expires code: %s", r->filename	./modules/metadata/mod_expires.c:426	
AH01501: Failed to evaluate expression (%s) - ignoring"	./modules/metadata/mod_headers.c:663	
AH01502: headers: ap_headers_output_filter()"	./modules/metadata/mod_headers.c:800	
AH01503: headers: ap_headers_error_filter()"	./modules/metadata/mod_headers.c:825	
AH01504: Regular expression replacement failed (replacement too long?)"	./modules/metadata/mod_headers.c:879	
AH01505: Regular expression replacement "failed for %s", value too long?"	./modules/metadata/mod_setenvif.c:611	
AH01506: PassEnv variable %s was undefined", arg	./modules/metadata/mod_env.c:104	
AH01507:	./modules/metadata/mod_mime_magic.c:551	
AH01508:	./modules/metadata/mod_mime_magic.c:653	
AH01509:	./modules/metadata/mod_mime_magic.c:726	
AH01510:	./modules/metadata/mod_mime_magic.c:770	
AH01511:	./modules/metadata/mod_mime_magic.c:806	
AH01512:	./modules/metadata/mod_mime_magic.c:845	
AH01513:	./modules/metadata/mod_mime_magic.c:856	
AH01514:	./modules/metadata/mod_mime_magic.c:930	
AH01515:	./modules/metadata/mod_mime_magic.c:936	
AH01516:	./modules/metadata/mod_mime_magic.c:986	
AH01517:	./modules/metadata/mod_mime_magic.c:993	
AH01518:	./modules/metadata/mod_mime_magic.c:1000	
AH01519:	./modules/metadata/mod_mime_magic.c:1007	
AH01520:	./modules/metadata/mod_mime_magic.c:1054	
AH01521:	./modules/metadata/mod_mime_magic.c:1102	
AH01522:	./modules/metadata/mod_mime_magic.c:1125	
AH01523:	./modules/metadata/mod_mime_magic.c:1142	
AH01524:	./modules/metadata/mod_mime_magic.c:1216	
AH01525:	./modules/metadata/mod_mime_magic.c:1278	
AH01526:	./modules/metadata/mod_mime_magic.c:1321	
AH01527:	./modules/metadata/mod_mime_magic.c:1467	
AH01528:	./modules/metadata/mod_mime_magic.c:1476	
AH01529:	./modules/metadata/mod_mime_magic.c:1543	
AH01530:	./modules/metadata/mod_mime_magic.c:1558	
AH01531:	./modules/metadata/mod_mime_magic.c:1573	
AH01532:	./modules/metadata/mod_mime_magic.c:1593	
AH01533:	./modules/metadata/mod_mime_magic.c:1612	
AH01534:	./modules/metadata/mod_mime_magic.c:1636	
AH01535:	./modules/metadata/mod_mime_magic.c:1680	
AH01536:	./modules/metadata/mod_mime_magic.c:1686	
AH01537:	./modules/metadata/mod_mime_magic.c:1732	
AH01538:	./modules/metadata/mod_mime_magic.c:1778	
AH01539:	./modules/metadata/mod_mime_magic.c:1830	
AH01540:	./modules/metadata/mod_mime_magic.c:1875	
AH01541: %lu == *any* = 1", v	./modules/metadata/mod_mime_magic.c:1885	
AH01542: %lu != %lu = %d", v, l, matched	./modules/metadata/mod_mime_magic.c:1894	
AH01543: %lu == %lu = %d", v, l, matched	./modules/metadata/mod_mime_magic.c:1902	
AH01544: %lu > %lu = %d", v, l, matched	./modules/metadata/mod_mime_magic.c:1911	
AH01545: %ld > %ld = %d", v, l, matched	./modules/metadata/mod_mime_magic.c:1918	
AH01546: %lu < %lu = %d", v, l, matched	./modules/metadata/mod_mime_magic.c:1928	
AH01547: %ld < %ld = %d", v, l, matched	./modules/metadata/mod_mime_magic.c:1935	
AH01548: ((%lx & %lx) == %lx) = %d", v, l, l, matched	./modules/metadata/mod_mime_magic.c:1944	
AH01549: ((%lx & %lx) != %lx) = %d", v, l, l, matched	./modules/metadata/mod_mime_magic.c:1952	
AH01550:	./modules/metadata/mod_mime_magic.c:1960	
AH01551: couldn't setup child process: %s", r->filename	./modules/metadata/mod_mime_magic.c:2140	
AH01552:	./modules/metadata/mod_mime_magic.c:2155	
AH01553:	./modules/metadata/mod_mime_magic.c:2187	

AH01554:	/modules/metadata/mod_mime_magic.c:2196		
AH01555:	/modules/metadata/mod_mime_magic.c:2303		
AH01556:	/modules/metadata/mod_mime_magic.c:2322		
AH01557:	/modules/metadata/mod_mime_magic.c:2331		
AH01558:	/modules/metadata/mod_mime_magic.c:2382		
AH01559:	/modules/metadata/mod_mime_magic.c:2389		
AH01560: malformed header in meta file: %s", r->filename	/modules/metadata/mod_cern_meta.c:234		
AH01561: internal error in mod_cern_meta: %s", r->filename	/modules/metadata/mod_cern_meta.c:310		
AH01562: meta file permissions deny server access: %s", metafilename	/modules/metadata/mod_cern_meta.c:345		
AH01563: unable to find hostname of the server"	/modules/metadata/mod_unique_id.c:174		
AH01564: unable to find IPv4 address of ("%s\"", str	/modules/metadata/mod_unique_id.c:183		
AH01565: using low-order bits of IPv6 address "as if they were unique"	/modules/metadata/mod_unique_id.c:190		
AH01566: "using ip addr %s"	/modules/metadata/mod_unique_id.c:200		
AH01567: oh no! pids are greater than 32-bits! I'm broken!"	/modules/metadata/mod_unique_id.c:243		
AH01568: RemoteIP: Header %s value of %s cannot be parsed "as a client IP"	/modules/metadata/mod_remotep.c:301		
AH01569: RemoteIP: Header %s value of %s appears to be "a private IP or nonsensical. Ignored"	/modules/metadata/mod_remotep.c:340		
AH01571: Watchdog: Failed to create parent worker thread."	/modules/core/mod_watchdog.c:480		
AH01572: Spawned %d parent worker threads."	/modules/core/mod_watchdog.c:490		
AH01573: Watchdog: Failed to create worker thread."	/modules/core/mod_watchdog.c:565		
AH01574: "module %s is already loaded, skipping"	/modules/core/mod_so.c:187		
AH01575: loaded module %s", modname	/modules/core/mod_so.c:245		
AH01576: loaded file %s", filename	/modules/core/mod_so.c:327		
AH01577: WARNING: LoadFile not supported on this platform"	/modules/core/mod_so.c:394		
AH01578: WARNING: LoadModule not supported on this platform"	/modules/core/mod_so.c:402		
AH01579: Custom error page caused AP_FILTER_ERROR"	/modules/http/http_request.c:102		
AH01580: Invalid error redirection directive: %s"	/modules/http/http_request.c:211		
AH01581: Timeout while writing data for URI %s to the" client", r->unparsed_uri	/modules/http/http_request.c:379		
AH01582: dropping filter %s' in internal redirect from %s to %s"	/modules/http/http_request.c:503		
AH01583: Range: %s	%s (%d : %d : %"APR_OFF_T_FMT")"	/modules/http/byterange_filter.c:308	
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="e12bd4b5-b008-49d8-88cb-3736e3586e04"><ac:plain-text-body><![CDATA[	AH01584: copy_brigade_range() failed [%" APR_OFF_T_FMT-%" APR_OFF_T_FMT ",%" APR_OFF_T_FMT "]"	/modules/http/byterange_filter.c:554	]]></ac:plain-text-body></ac:structured-macro>
AH01585: Unknown Transfer-Encoding: %s", tenc	/modules/http/http_filters.c:270		
AH01586: Unknown Transfer-Encoding: %s; using Content-Length", tenc	/modules/http/http_filters.c:275		
AH01587: Invalid Content-Length"	/modules/http/http_filters.c:292		
AH01588: Requested content-length of %" APR_OFF_T_FMT is larger than the configured limit" of %" APR_OFF_T_FMT, ctx->remaining, ctx->limit	/modules/http/http_filters.c:302		
AH01589: "Error reading first chunk %s "	/modules/http/http_filters.c:395		
AH01590: "Error reading chunk %s "	/modules/http/http_filters.c:501		
AH01591: Read content-length of %" APR_OFF_T_FMT is larger than the configured limit" of %" APR_OFF_T_FMT, ctx->limit_used, ctx->limit	/modules/http/http_filters.c:570		
AH01592: Unknown Transfer-Encoding %s", tenc	/modules/http/http_filters.c:1474		
AH01593: chunked Transfer-Encoding forbidden: %s", r->uri	/modules/http/http_filters.c:1479		
AH01594: Invalid Content-Length"	/modules/http/http_filters.c:1492		
AH01595: %s with body is not allowed for %s", r->method, r->uri	/modules/http/http_filters.c:1500		
AH01596: Invalid mime types config path %s"	/modules/http/mod_mime.c:443		
AH01597: could not open mime types config file %s."	/modules/http/mod_mime.c:451		
AH01598: mod_mime: analyze_ct: cannot get media type from %s"	/modules/http/mod_mime.c:565		
AH01599: Cannot get media type from %s"	/modules/http/mod_mime.c:575		
AH01600: mod_mime: analyze_ct: cannot get media type from %s"	/modules/http/mod_mime.c:584		
AH01601: Cannot get media subtype."	/modules/http/mod_mime.c:598		
AH01602: Cannot get media parameter."	/modules/http/mod_mime.c:619		
AH01603: Cannot get media parameter."	/modules/http/mod_mime.c:640		
AH01604: Cannot get media parameter."	/modules/http/mod_mime.c:647		
AH01605: Cannot get media parameter."	/modules/http/mod_mime.c:655		

AH01606: Cannot get media parameter."	/modules/http/mod_mime.c:684		
AH01607: Cannot get media parameter."	/modules/http/mod_mime.c:691		
AH01608: Cannot get media parameter."	/modules/http/mod_mime.c:706		
AH01609: Cannot get media parameter."	/modules/http/mod_mime.c:714		
AH01610: Maximum new request methods %d reached while "registering method %s."	/modules/http/http_protocol.c:500		
AH01611: ProtocolEcho: Failure reading from %s"	/modules/echo/mod_echo.c:155		
AH01612: ProtocolEcho: Error - read empty brigade from %s!"	/modules/echo/mod_echo.c:164		
AH01613: ProtocolEcho: Failure writing to %s"	/modules/echo/mod_echo.c:182		
AH01614: client used wrong authentication scheme: %s", r->uri	/modules/aaa/mod_auth_basic.c:158		
AH01615: "need AuthName: %s", r->uri	/modules/aaa/mod_auth_basic.c:204		
AH01616: No Authn provider configured"	/modules/aaa/mod_auth_basic.c:228		
AH01617: user %s: authentication failure for \"%s!\": "Password Mismatch"	/modules/aaa/mod_auth_basic.c:268		
AH01618: user %s not found: %s", sent_user, r->uri	/modules/aaa/mod_auth_basic.c:275		
AH01619: AuthUserFile not specified in the configuration"	/modules/aaa/mod_authn_file.c:79		
AH01620: Could not open password file: %s", conf->pwfile	/modules/aaa/mod_authn_file.c:87		
AH01621: AuthUserFile not specified in the configuration"	/modules/aaa/mod_authn_file.c:134		
AH01622: Could not open password file: %s", conf->pwfile	/modules/aaa/mod_authn_file.c:142		
AH01623: client method denied by server configuration: %s' to %s%s"	/modules/aaa/mod_allowmethods.c:70		
AH01624: %s"	/modules/aaa/mod_authz_core.c:609		
AH01625: authorization result of %s: %s "(directive limited to other methods)"	/modules/aaa/mod_authz_core.c:698		
AH01626: authorization result of %s: %s"	/modules/aaa/mod_authz_core.c:780		
AH01627: AuthType configured with no corresponding "authorization directives"	/modules/aaa/mod_authz_core.c:801		
AH01628: authorization result: granted (no directives)"	/modules/aaa/mod_authz_core.c:808		
AH01629: authorization failure (no authenticated user): %s"	/modules/aaa/mod_authz_core.c:821		
AH01630: client denied by server configuration: %s%s"	/modules/aaa/mod_authz_core.c:844		
AH01631: user %s: authorization failure for \"%s!\": "	/modules/aaa/mod_authz_core.c:852		
AH01632: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:50		
AH01633: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:64		
AH01634: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:74		
AH01635: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:82		
AH01636: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:91		
AH01637: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:100		
AH01638: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:129		
AH01639: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:139		
AH01640: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:147		
AH01641: Authorization of user %s to access %s failed, reason: %s"	/modules/aaa/mod_authz_owner.c:156		
AH01642: No query configured for %s!", action	/modules/aaa/mod_authz_dbd.c:125		
AH01643: Error retrieving Query for %s!", action	/modules/aaa/mod_authz_dbd.c:131		
AH01644: authz_dbd: %s of user %s updated %d rows"	/modules/aaa/mod_authz_dbd.c:140		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="34288d1c-3f9c-4804-b609-abb08e40a30a"><ac:plain-text-body><![CDATA[	AH01645: authz_dbd: query for %s failed; user %s [%s]"	/modules/aaa/mod_authz_dbd.c:147	]]></ac:plain-text-body></ac:structured-macro>
AH01646: authz_dbd: no redirect query!"	/modules/aaa/mod_authz_dbd.c:161		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="e5406f12-b121-4604-b04c-4cbf88cc9a1a"><ac:plain-text-body><![CDATA[	AH01647: authz_dbd in get_row; action=%s user=%s [%s]"	/modules/aaa/mod_authz_dbd.c:172	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="4eabbfc4-5807-42d5-ac04-8fec5a0b317d"><ac:plain-text-body><![CDATA[	AH01648: authz_dbd/redirect for %s of %s [%s]"	/modules/aaa/mod_authz_dbd.c:184	]]></ac:plain-text-body></ac:structured-macro>
AH01649: No query configured for dbd-group!"	/modules/aaa/mod_authz_dbd.c:210		
AH01650: Error retrieving query for dbd-group!"	/modules/aaa/mod_authz_dbd.c:216		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="c0f3c405-0a98-45f1-adf7-ebfddc9e26a5"><ac:plain-text-body><![CDATA[	AH01651: authz_dbd in get_row; group query for user=%s [%s]"	/modules/aaa/mod_authz_dbd.c:232	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="9ea79dbf-f96e-4308-9f3f-d8ec4e6fed31"><ac:plain-text-body><![CDATA[	AH01652: authz_dbd, in groups query for %s [%s]"	/modules/aaa/mod_authz_dbd.c:241	]]></ac:plain-text-body></ac:structured-macro>



AH01653: Failed to acquire database connection to look up "user '%s'", user	/modules/aaa/mod_authn_dbd.c:108		
AH01654: No AuthDBDUserPWQuery has been specified"	/modules/aaa/mod_authn_dbd.c:115		
AH01655: A prepared statement could not be found for "AuthDBDUserPWQuery with the key '%s'", conf->user	/modules/aaa/mod_authn_dbd.c:122		
AH01656: Query execution error looking up '%s' "in database", user	/modules/aaa/mod_authn_dbd.c:129		
AH01657: Error retrieving results while looking up '%s' "in database", user	/modules/aaa/mod_authn_dbd.c:138		
AH01658: Failed to acquire database connection to look up "user '%s:%s'", user, realm	/modules/aaa/mod_authn_dbd.c:201		
AH01659: No AuthDBDUserRealmQuery has been specified"	/modules/aaa/mod_authn_dbd.c:207		
AH01660: A prepared statement could not be found for "AuthDBDUserRealmQuery with the key '%s'", conf->realm	/modules/aaa/mod_authn_dbd.c:213		
AH01661: Query execution error looking up '%s:%s' "in database", user, realm	/modules/aaa/mod_authn_dbd.c:220		
AH01662: Error retrieving results while looking up '%s:%s' "in database", user, realm	/modules/aaa/mod_authn_dbd.c:229		
AH01663: access to %s failed, reason: user '%s' does not meet "requirements for user to be allowed access"	/modules/aaa/mod_authz_user.c:65		
AH01664: No group file was specified in the configuration"	/modules/aaa/mod_authz_groupfile.c:164		
AH01665: Could not open group file: %s"	/modules/aaa/mod_authz_groupfile.c:173		
AH01666: Authorization of user %s to access %s failed, reason: "user doesn't appear in group file (%s)."	/modules/aaa/mod_authz_groupfile.c:181		
AH01667: Authorization of user %s to access %s failed, reason: "user is not part of the 'required group(s)."	/modules/aaa/mod_authz_groupfile.c:195		
AH01668: No group file was specified in the configuration"	/modules/aaa/mod_authz_groupfile.c:224		
AH01669: Could not open group file: %s"	/modules/aaa/mod_authz_groupfile.c:232		
AH01670: Authorization of user %s to access %s failed, reason: "user doesn't appear in group file (%s)."	/modules/aaa/mod_authz_groupfile.c:240		
AH01671: Authorization of user %s to access %s failed, reason: "user is not part of the 'required file group."	/modules/aaa/mod_authz_groupfile.c:262		
AH01672: Anonymous: Passwd <%s> Accepted"	/modules/aaa/mod_authn_anon.c:182		
AH01673: failed to register %s mutex", authn_cache_id	/modules/aaa/mod_authn_socache.c:75		
AH01674: Please select a socache provider with AuthnCacheSOCache "(no default found on this platform). Maybe you need to "load mod_socache_shmcb or another socache module first"	/modules/aaa/mod_authn_socache.c:96		
AH01675: failed to create %s mutex", authn_cache_id	/modules/aaa/mod_authn_socache.c:106		
AH01676: "%s", errmsg	/modules/aaa/mod_authn_socache.c:114		
AH01677: failed to initialise %s cache", authn_cache_id	/modules/aaa/mod_authn_socache.c:121		
AH01678: failed to initialise mutex in child_init"	/modules/aaa/mod_authn_socache.c:138		
AH01679: authn credentials for %s not cached (mutex busy)", user	/modules/aaa/mod_authn_socache.c:290		
AH01680: Failed to cache authn credentials for %s in %s"	/modules/aaa/mod_authn_socache.c:295		
AH01681: Cached authn credentials for %s in %s"	/modules/aaa/mod_authn_socache.c:311		
AH01682: Failed to cache authn credentials for %s in %s"	/modules/aaa/mod_authn_socache.c:316		
AH01683: "Failed to release mutex!"	/modules/aaa/mod_authn_socache.c:324		
AH01684: Authn cache: no credentials found for %s", user	/modules/aaa/mod_authn_socache.c:360		
AH01685: Authn cache: found credentials for %s", user	/modules/aaa/mod_authn_socache.c:366		
AH01686: Error accessing authentication cache"	/modules/aaa/mod_authn_socache.c:373		
AH01687: Authn cache: no credentials found for %s", user	/modules/aaa/mod_authn_socache.c:405		
AH01688: Authn cache: found credentials for %s", user	/modules/aaa/mod_authn_socache.c:411		
AH01689: Error accessing authentication cache"	/modules/aaa/mod_authn_socache.c:417		
AH01690: auth_ldap authenticate: no sec->host - weird...?"	/modules/aaa/mod_authnz_ldap.c:495		
AH01691: auth_ldap authenticate: using URL %s", sec->url	/modules/aaa/mod_authnz_ldap.c:500		
AH01692: auth_ldap authenticate: no password specified"	/modules/aaa/mod_authnz_ldap.c:505		
AH01693: auth_ldap authenticate: no user specified"	/modules/aaa/mod_authnz_ldap.c:512		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="b03f9896-272c-4c4d-9914-79d2766c7ea2"><ac:plain-text-body><![CDATA[	AH01694: auth_ldap authenticate: user %s authentication failed; "URI %s [%s][%s]" (not authoritative)"	/modules/aaa/mod_authnz_ldap.c:536	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="82f1ad9b-83b3-4193-902a-2a2bd6835f13"><ac:plain-text-body><![CDATA[	AH01695: auth_ldap authenticate: "user %s authentication failed; URI %s [%s][%s]"	/modules/aaa/mod_authnz_ldap.c:543	]]></ac:plain-text-body></ac:structured-macro>
AH01696: auth_ldap authenticate: "REMOTE_USER was to be set with attribute '%s', "but this attribute was not requested for in the "LDAP query for the user. REMOTE_USER will fall "back to username or DN as appropriate."	/modules/aaa/mod_authnz_ldap.c:583		
AH01697: auth_ldap authenticate: accepting %s", user	/modules/aaa/mod_authnz_ldap.c:592		
AH01698: auth_ldap authorize: no sec->host - weird...?"	/modules/aaa/mod_authnz_ldap.c:631		

AH01699: ldap authorize: Userid is blank, AuthType=%s"	/modules/aaa/mod_authnz_ldap.c:644		
AH01700: ldap authorize: Creating LDAP req structure"	/modules/aaa/mod_authnz_ldap.c:650		
AH01701: auth_ldap authorize: User DN not found, %s", ldc->reason	/modules/aaa/mod_authnz_ldap.c:665		
AH01702: auth_ldap authorize: require user: user's DN has not "been defined; failing authorization"	/modules/aaa/mod_authnz_ldap.c:677		
AH01703: auth_ldap authorize: require user: authorization "successful"	/modules/aaa/mod_authnz_ldap.c:690		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="a81ed7c5-2649-43fb-8b62-561985328d76"><ac:plain-text-body><![CDATA[	AH01704: auth_ldap authorize: require user: "authorization failed [%s][%s]"	/modules/aaa/mod_authnz_ldap.c:697	]]></ac:plain-text-body></ac:structured-macro>
AH01705: auth_ldap authorize: "require user: authorization successful"	/modules/aaa/mod_authnz_ldap.c:712		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="039bcdf5-3790-4ccd-9038-2799ed67703a"><ac:plain-text-body><![CDATA[	AH01706: auth_ldap authorize: "require user: authorization failed [%s][%s]"	/modules/aaa/mod_authnz_ldap.c:719	]]></ac:plain-text-body></ac:structured-macro>
AH01707: auth_ldap authorize user: authorization denied for "user %s to %s"	/modules/aaa/mod_authnz_ldap.c:727		
AH01708: auth_ldap authorize: no sec->host - weird...?"	/modules/aaa/mod_authnz_ldap.c:769		
AH01709: ldap authorize: Userid is blank, AuthType=%s"	/modules/aaa/mod_authnz_ldap.c:817		
AH01710: ldap authorize: Creating LDAP req structure"	/modules/aaa/mod_authnz_ldap.c:823		
AH01711: auth_ldap authorize: User DN not found, %s", ldc->reason	/modules/aaa/mod_authnz_ldap.c:837		
AH01712: auth_ldap authorize: require group: user's DN has "not been defined; failing authorization for user %s"	/modules/aaa/mod_authnz_ldap.c:851		
AH01713: auth_ldap authorize: require group: testing for group "membership in \"%s\""	/modules/aaa/mod_authnz_ldap.c:868		
AH01714: auth_ldap authorize: require group: testing for %s: "%s (%s)"	/modules/aaa/mod_authnz_ldap.c:875		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="36955f98-aff3-443a-87d6-14cce78ea248"><ac:plain-text-body><![CDATA[	AH01715: auth_ldap authorize: require group: "authorization successful (attribute %s) "[%s][%d - %s]"	/modules/aaa/mod_authnz_ldap.c:884	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="42532999-08d6-4117-a0a6-b62b8da4cb90"><ac:plain-text-body><![CDATA[	AH01716: auth_ldap authorize: require group \"%s\": "failed [%s][%d - %s], checking sub-groups"	/modules/aaa/mod_authnz_ldap.c:912	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="f2b87ec6-962e-4ac3-8cc1-2b2ff0d509aa"><ac:plain-text-body><![CDATA[	AH01717: auth_ldap authorize: require group "(sub-group): authorisation successful "(attribute %s) [%s][%d - %s]"	/modules/aaa/mod_authnz_ldap.c:923	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="d611d1e-2434-452e-8c1b-b6d2e15d1e09"><ac:plain-text-body><![CDATA[	AH01718: auth_ldap authorize: require group "(sub-group) \"%s\": didn't match with attr %s "[%s][%d - %s]"	/modules/aaa/mod_authnz_ldap.c:933	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="2cf664bd-2f04-4a78-b283-1776aeb1ac45"><ac:plain-text-body><![CDATA[	AH01719: auth_ldap authorize: require group \"%s\": "didn't match with attr %s [%s][%d - %s]"	/modules/aaa/mod_authnz_ldap.c:894	]]></ac:plain-text-body></ac:structured-macro>
AH01720: auth_ldap authorize group: authorization denied for "user %s to %s"	/modules/aaa/mod_authnz_ldap.c:942		
AH01721: auth_ldap authorize: no sec->host - weird...?"	/modules/aaa/mod_authnz_ldap.c:982		
AH01722: ldap authorize: Userid is blank, AuthType=%s"	/modules/aaa/mod_authnz_ldap.c:994		
AH01723: ldap authorize: Creating LDAP req structure"	/modules/aaa/mod_authnz_ldap.c:1000		
AH01724: auth_ldap authorize: User DN not found with filter %s: %s", filtfbuf, ldc->reason	/modules/aaa/mod_authnz_ldap.c:1014		
AH01725: auth_ldap authorize: require dn: user's DN has not "been defined; failing authorization"	/modules/aaa/mod_authnz_ldap.c:1027		
AH01726: auth_ldap authorize: "require dn: authorization successful"	/modules/aaa/mod_authnz_ldap.c:1036		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="b7ff569c-99ac-4559-899f-2554ed9d3c56"><ac:plain-text-body><![CDATA[	AH01727: auth_ldap authorize: "require dn \"%s\": LDAP error [%s][%s]"	/modules/aaa/mod_authnz_ldap.c:1043	]]></ac:plain-text-body></ac:structured-macro>
AH01728: auth_ldap authorize dn: authorization denied for "user %s to %s"	/modules/aaa/mod_authnz_ldap.c:1051		
AH01729: auth_ldap authorize: no sec->host - weird...?"	/modules/aaa/mod_authnz_ldap.c:1092		
AH01730: ldap authorize: Userid is blank, AuthType=%s"	/modules/aaa/mod_authnz_ldap.c:1104		
AH01731: ldap authorize: Creating LDAP req structure"	/modules/aaa/mod_authnz_ldap.c:1110		
AH01732: auth_ldap authorize: User DN not found with filter %s: %s", filtfbuf, ldc->reason	/modules/aaa/mod_authnz_ldap.c:1124		
AH01733: auth_ldap authorize: require ldap-attribute: user's DN "has not been defined; failing authorization"	/modules/aaa/mod_authnz_ldap.c:1135		
AH01734: auth_ldap authorize: checking attribute %s has value %s"	/modules/aaa/mod_authnz_ldap.c:1146		
AH01735: auth_ldap authorize: "require attribute: authorization successful"	/modules/aaa/mod_authnz_ldap.c:1152		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="346ab5b-d55d-424e-9765-78ee90d020e0"><ac:plain-text-body><![CDATA[	AH01736: auth_ldap authorize: require attribute: "authorization failed [%s][%s]"	/modules/aaa/mod_authnz_ldap.c:1159	]]></ac:plain-text-body></ac:structured-macro>

AH01737: auth_ldap authorize attribute: authorization denied for "user %s to %s"	./modules/aaa/mod_authnz_ldap.c:1167		
AH01738: auth_ldap authorize: no sec->host - weird...?"	./modules/aaa/mod_authnz_ldap.c:1206		
AH01739: ldap authorize: Userid is blank, AuthType=%s"	./modules/aaa/mod_authnz_ldap.c:1218		
AH01740: ldap authorize: Creating LDAP req structure"	./modules/aaa/mod_authnz_ldap.c:1224		
AH01741: auth_ldap authorize: User DN not found with filter %s: %s", filtbuf, ldc->reason	./modules/aaa/mod_authnz_ldap.c:1238		
AH01742: auth_ldap authorize: require ldap-filter: user's DN "has not been defined; failing authorization"	./modules/aaa/mod_authnz_ldap.c:1249		
AH01743: auth_ldap authorize: checking filter %s", t	./modules/aaa/mod_authnz_ldap.c:1258		
AH01744: auth_ldap authorize: checking dn match %s", dn	./modules/aaa/mod_authnz_ldap.c:1270		
AH01745: auth_ldap authorize: require ldap-filter: "authorization successful"	./modules/aaa/mod_authnz_ldap.c:1284		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="5972829d-4578-47ad-b0ff-a9a7d8fb9f51"><ac:plain-text-body><![CDATA[	AH01746: auth_ldap authorize: require ldap-filter: "%s authorization failed [%s][%s]"	./modules/aaa/mod_authnz_ldap.c:1291	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="7ce610ea-e2c7-444f-9aa2-f6b1f7968037"><ac:plain-text-body><![CDATA[	AH01747: auth_ldap authorize: require ldap-filter: "authorization failed [%s][%s]"	./modules/aaa/mod_authnz_ldap.c:1298	]]></ac:plain-text-body></ac:structured-macro>
AH01748: auth_ldap authorize filter: authorization denied for "user %s to %s"	./modules/aaa/mod_authnz_ldap.c:1306		
AH01749: Module mod_ldap missing. Mod_ldap (aka. util_ldap) "must be loaded in order for mod_authnz_ldap to function properly"	./modules/aaa/mod_authnz_ldap.c:1671		
AH01750: Invalid charset conversion config path %s"	./modules/aaa/mod_authnz_ldap.c:1684		
AH01751: could not open charset conversion config file %s."	./modules/aaa/mod_authnz_ldap.c:1692		
AH01752: could not find the UTF-8 charset in the file %s."	./modules/aaa/mod_authnz_ldap.c:1719		
AH01753: access check of '%s' to %s failed, reason: unable to get the "remote host name", require_line, r->uri	./modules/aaa/mod_authnz_host.c:179		
AH01754: could not open dbm (type %s) auth file: %s"	./modules/aaa/mod_authn_dbm.c:131		
AH01755: Could not open dbm (type %s) hash file: %s"	./modules/aaa/mod_authn_dbm.c:170		
AH01756: cleaning up shared memory"	./modules/aaa/mod_auth_digest.c:203		
AH01757: generating secret for digest authentication ..."	./modules/aaa/mod_auth_digest.c:233		
AH01758: error generating secret: %s"	./modules/aaa/mod_auth_digest.c:244		
AH01759: "done"	./modules/aaa/mod_auth_digest.c:250		
AH01760: %s - all nonce-count checking, one-time nonces, and "MD5-sess algorithm disabled", msg	./modules/aaa/mod_auth_digest.c:257		
AH01761: Failed to find temporary directory"	./modules/aaa/mod_auth_digest.c:276		
AH01762: Failed to create shared memory segment on file %s"	./modules/aaa/mod_auth_digest.c:295		
AH01763: Set shmем-size: % APR_SIZE_T_FMT ", num-buckets: %ld"	./modules/aaa/mod_auth_digest.c:674		
AH01764: get_client(): client %lu found", key	./modules/aaa/mod_auth_digest.c:788		
AH01765: get_client(): client %lu not found", key	./modules/aaa/mod_auth_digest.c:792		
AH01766: gc'd %ld client entries. Total new clients: %ld; Total removed clients: %ld; Total renewed clients: %ld", num_removed	./modules/aaa/mod_auth_digest.c:863		
AH01767: unable to allocate new auth_digest client"	./modules/aaa/mod_auth_digest.c:871		
AH01768: allocated new client %lu", key	./modules/aaa/mod_auth_digest.c:889		
AH01769: failed to allocate client entry - ignoring client"	./modules/aaa/mod_auth_digest.c:1147		
AH01770: No Authn provider configured"	./modules/aaa/mod_auth_digest.c:1419		
AH01771: cannot check nonce count without shared memory"	./modules/aaa/mod_auth_digest.c:1467		
AH01772: invalid nc %s received - no nonce count allowed when qop=none"	./modules/aaa/mod_auth_digest.c:1481		
AH01773: invalid nc %s received - not a number", snc	./modules/aaa/mod_auth_digest.c:1492		
AH01774: Warning, possible replay attack: nonce-count "check failed: %lu != %lu", nc	./modules/aaa/mod_auth_digest.c:1502		
AH01775: invalid nonce %s received - length is not %d"	./modules/aaa/mod_auth_digest.c:1520		
AH01776: invalid nonce %s received - hash is not %s"	./modules/aaa/mod_auth_digest.c:1535		
AH01777: invalid nonce %s received - user attempted "time travel", resp->nonce	./modules/aaa/mod_auth_digest.c:1544		
AH01778: user %s: nonce expired (%.2f seconds old - max lifetime %.2f) - sending new nonce"	./modules/aaa/mod_auth_digest.c:1553		
AH01779: user %s: one-time-nonce mismatch - sending "new nonce", r->user	./modules/aaa/mod_auth_digest.c:1564		
AH01780: need AuthName: %s", r->uri	./modules/aaa/mod_auth_digest.c:1700		
AH01781: client used wrong authentication scheme `'%s': %s"	./modules/aaa/mod_auth_digest.c:1730		
AH01782: missing user, realm, nonce, uri, digest, "cnonce, or nonce_count in authorization header: %s"	./modules/aaa/mod_auth_digest.c:1735		
AH01783: invalid uri <%s> in Authorization header"	./modules/aaa/mod_auth_digest.c:1758		

AH01784: applying AuthDigestEnableQueryStringHack "to uri <%s>", resp->raw_request_uri	/modules/aaa/mod_auth_digest.c:1793	
AH01785: uri mismatch - <%s> does not match "request-uri <%s>", resp->uri, r_uri.hostinfo	/modules/aaa/mod_auth_digest.c:1803	
AH01786: uri mismatch - <%s> does not match "request-uri <%s>", resp->uri, resp->raw_request_uri	/modules/aaa/mod_auth_digest.c:1831	
AH01787: received invalid opaque - got '%s'"	/modules/aaa/mod_auth_digest.c:1839	
AH01788: realm mismatch - got {{'%s' but expected }}'%s'"	/modules/aaa/mod_auth_digest.c:1847	
AH01789: unknown algorithm '%s' received: '%s'"	/modules/aaa/mod_auth_digest.c:1857	
AH01790: user {{'%s' in realm }}'%s' not found: '%s'"	/modules/aaa/mod_auth_digest.c:1867	
AH01791: user {{'%s' in realm }}'%s' denied by provider: '%s'"	/modules/aaa/mod_auth_digest.c:1878	
AH01792: user %s: password mismatch: '%s', r->user	/modules/aaa/mod_auth_digest.c:1895	
AH01793: invalid qop '%s' received: '%s'"	/modules/aaa/mod_auth_digest.c:1915	
AH01794: user %s: password mismatch: '%s', r->user	/modules/aaa/mod_auth_digest.c:1928	
AH01795: internal error: couldn't find session "info for user %s", resp->username	/modules/aaa/mod_auth_digest.c:2008	
AH01796: AuthType %s configured without corresponding module"	/modules/aaa/mod_authn_core.c:354	
AH01797: client denied by server configuration: %s%"	/modules/aaa/mod_access_compat.c:353	
AH01798: No group file was specified in the configuration"	/modules/aaa/mod_authz_dbm.c:152	
AH01799: could not open dbm (type %s) group access "file: %s", conf->dbmtype, conf->grpfile	/modules/aaa/mod_authz_dbm.c:165	
AH01800: Authorization of user %s to access %s failed, reason: "user doesn't appear in DBM group file (%s)."	/modules/aaa/mod_authz_dbm.c:173	
AH01801: Authorization of user %s to access %s failed, reason: "user is not part of the 'required group(s)."	/modules/aaa/mod_authz_dbm.c:194	
AH01802: No group file was specified in the configuration"	/modules/aaa/mod_authz_dbm.c:223	
AH01803: could not open dbm (type %s) group access "file: %s", conf->dbmtype, conf->grpfile	/modules/aaa/mod_authz_dbm.c:233	
AH01804: Authorization of user %s to access %s failed, reason: "user doesn't appear in DBM group file (%s)."	/modules/aaa/mod_authz_dbm.c:241	
AH01805: Authorization of user %s to access %s failed, reason: "user is not part of the 'required group(s)."	/modules/aaa/mod_authz_dbm.c:262	
AH01806: no authn provider configured"	/modules/aaa/mod_auth_form.c:745	
AH01807: user '%s': authentication failure for '%s': "password Mismatch"	/modules/aaa/mod_auth_form.c:789	
AH01808: user '%s' not found: '%s', sent_user, r->uri	/modules/aaa/mod_auth_form.c:796	
AH01809: "form auth cannot be used for proxy "requests due to XSS risk, access denied: %s", r->uri	/modules/aaa/mod_auth_form.c:871	
AH01810: "need AuthName: %s", r->uri	/modules/aaa/mod_auth_form.c:879	
AH01811: the " FORM_LOGIN_HANDLER " only supports the POST method for %s"	/modules/aaa/mod_auth_form.c:1071	
AH01812: internal redirect to method '%s' and body mimetype '%s' for the "uri: %s", sent_method, sent_mimetype, r->uri	/modules/aaa/mod_auth_form.c:1173	
AH01813: internal redirect requested but one or all of method, mimetype or "body are NULL: %s", r->uri	/modules/aaa/mod_auth_form.c:1182	
AH01814: excluded by configuration for: %s", r->uri	/modules/session/mod_session.c:107	
AH01815: session is enabled but no session modules have been configured, "session not loaded: %s", r->uri	/modules/session/mod_session.c:115	
AH01816: error while loading the session, "session not loaded: %s", r->uri	/modules/session/mod_session.c:121	
AH01817: error while decoding the session, "session not loaded: %s", r->uri	/modules/session/mod_session.c:142	
AH01818: attempt made to save the session twice, "session not saved: %s", r->uri	/modules/session/mod_session.c:181	
AH01819: attempt made to save a session when the session had already expired, "session not saved: %s", r->uri	/modules/session/mod_session.c:187	
AH01820: error while encoding the session, "session not saved: %s", r->uri	/modules/session/mod_session.c:202	
AH01821: session is enabled but no session modules have been configured, "session not saved: %s", r->uri	/modules/session/mod_session.c:211	
AH01822: error while saving the session, "session not saved: %s", r->uri	/modules/session/mod_session.c:217	
AH01823: no ciphers returned by APR. "session encryption not possible"	/modules/session/mod_session_crypto.c:74	
AH01824: cipher '%s' not recognised by crypto driver. "session encryption not possible, options: %s", dconf->cipher, options	/modules/session/mod_session_crypto.c:107	
AH01825: the passphrase '%s' was empty", passphrase	/modules/session/mod_session_crypto.c:161	
AH01826: padding is not supported for cipher"	/modules/session/mod_session_crypto.c:165	
AH01827: the key type is not known"	/modules/session/mod_session_crypto.c:169	
AH01828: encryption could not be configured."	/modules/session/mod_session_crypto.c:173	
AH01829: apr_crypto_block_encrypt_init failed"	/modules/session/mod_session_crypto.c:180	
AH01830: apr_crypto_block_encrypt failed"	/modules/session/mod_session_crypto.c:189	

AH01831: apr_crypto_block_encrypt_finish failed"	./modules/session/mod_session_crypto.c:195		
AH01832: the passphrase '%s' was empty", passphrase	./modules/session/mod_session_crypto.c:261		
AH01833: padding is not supported for cipher"	./modules/session/mod_session_crypto.c:266		
AH01834: the key type is not known"	./modules/session/mod_session_crypto.c:271		
AH01835: encryption could not be configured."	./modules/session/mod_session_crypto.c:276		
AH01836: too short to decrypt, skipping"	./modules/session/mod_session_crypto.c:283		
AH01837: apr_crypto_block_decrypt_init failed"	./modules/session/mod_session_crypto.c:296		
AH01838: apr_crypto_block_decrypt failed"	./modules/session/mod_session_crypto.c:309		
AH01839: apr_crypto_block_decrypt_finish failed"	./modules/session/mod_session_crypto.c:317		
AH01840: decryption failed"	./modules/session/mod_session_crypto.c:328		
AH01841: encrypt session failed"	./modules/session/mod_session_crypto.c:355		
AH01842: decrypt session failed, wrong passphrase?"	./modules/session/mod_session_crypto.c:387		
AH01843: APR crypto could not be initialised"	./modules/session/mod_session_crypto.c:424		
AH01844: warning: crypto for '%s' was already initialised, "using existing configuration", conf->library	./modules/session/mod_session_crypto.c:431		
AH01845: '%s', err->msg	./modules/session/mod_session_crypto.c:437		
AH01846: The crypto library '%s' could not be found"	./modules/session/mod_session_crypto.c:442		
AH01847: The crypto library '%s' could not be loaded"	./modules/session/mod_session_crypto.c:448		
AH01848: The crypto library '%s' could not be initialised"	./modules/session/mod_session_crypto.c:456		
AH01849: The crypto library '%s' was loaded successfully"	./modules/session/mod_session_crypto.c:462		
AH01850: You must load mod_dbd to enable AuthDBD functions"	./modules/session/mod_session_dbd.c:69		
AH01851: failed to acquire database connection"	./modules/session/mod_session_dbd.c:77		
AH01852: failed to find the prepared statement called '%s', query	./modules/session/mod_session_dbd.c:84		
AH01853: no SessionDBDselectlabel has been specified"	./modules/session/mod_session_dbd.c:112		
AH01854: query execution error saving session '%s' "in database using query '%s': '%s', key, conf->selectlabel	./modules/session/mod_session_dbd.c:124		
AH01855: error retrieving results while saving '%s' "in database using query '%s': '%s', key, conf->selectlabel	./modules/session/mod_session_dbd.c:134		
AH01856: no SessionDBDupdatelabel has been specified"	./modules/session/mod_session_dbd.c:266		
AH01857: query execution error updating session '%s' "using database query '%s': '%s', key, conf->updatelabel	./modules/session/mod_session_dbd.c:278		
AH01858: no SessionDBDinsertlabel has been specified"	./modules/session/mod_session_dbd.c:294		
AH01859: query execution error inserting session '%s' "in database with '%s': '%s", key, conf->insertlabel	./modules/session/mod_session_dbd.c:306		
AH01860: the session insert query did not cause any rows to be added "to the database for session '%s', session not inserted", key	./modules/session/mod_session_dbd.c:321		
AH01861: failed to acquire database connection to remove "session with key '%s", key	./modules/session/mod_session_dbd.c:343		
AH01862: no SessionDBDdeletelabel has been specified"	./modules/session/mod_session_dbd.c:350		
AH01863: prepared statement could not be found for "SessionDBDdeletelabel with the label '%s"	./modules/session/mod_session_dbd.c:358		
AH01864: query execution error removing session '%s' "from database", key	./modules/session/mod_session_dbd.c:367		
AH01865: peruser sessions can only be saved if a user is logged in, "session not saved: %s", r->uri	./modules/session/mod_session_dbd.c:464		
AH01866: "Optional hook test said: '%s"	./modules/test/mod_optional_hook_import.c:24		
AH01867: dialup: pulse: ap_pass_brigade failed:"	./modules/test/mod_dialup.c:89		
AH01868: dialup: pulse returned: '%d', status	./modules/test/mod_dialup.c:123		
AH01869: dialup: declined, meets conditions, good luck core handler"	./modules/test/mod_dialup.c:180		
AH01870: dialup: failed, send pulse"	./modules/test/mod_dialup.c:209		
AH01871: Optional function test said: '%s",szStr	./modules/test/mod_optional_fn_export.c:28		
AH01872: Could not initialize stapling cache. Exiting."	./modules/ssl/ssl_scache.c:64		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="f0cfa0e4-7403-4778-921f-bf82ce9577f5"><ac:plain-text-body><![CDATA[	AH01873: Init: Session Cache is not configured "[hint: SSLSessionCache]"	./modules/ssl/ssl_scache.c:76	]]></ac:plain-text-body></ac:structured-macro>
AH01874: Could not initialize session cache. Exiting."	./modules/ssl/ssl_scache.c:89		
AH01875: session is too big (%u bytes)", len	./modules/ssl/ssl_scache.c:123		
AH01876: '%s compiled against Server: %s, Library: %s"	./modules/ssl/ssl_engine_init.c:54		
AH01877: Init: Skipping generating temporary "%d bit RSA private key in FIPS mode", bits	./modules/ssl/ssl_engine_init.c:91		
AH01878: Init: Failed to generate temporary "%d bit RSA private key", bits	./modules/ssl/ssl_engine_init.c:107		
AH01879: Init: Failed to generate temporary "%d bit RSA private key", bits	./modules/ssl/ssl_engine_init.c:120		

AH01880: Init: Skipping generating temporary "%d bit DH parameters in FIPS mode", bits	./modules/ssl/ssl_engine_init.c:140		
AH01881: Init: Failed to generate temporary "%d bit DH parameters", bits	./modules/ssl/ssl_engine_init.c:151		
AH01882: Init: this version of mod_ssl was compiled against "a newer library (%s, version currently loaded is %s)" - may result in undefined or erroneous behavior"	./modules/ssl/ssl_engine_init.c:199		
AH01883: Init: Initialized %s library", SSL_LIBRARY_NAME	./modules/ssl/ssl_engine_init.c:286		
AH01884: Operating in SSL FIPS mode"	./modules/ssl/ssl_engine_init.c:300		
AH01885: "FIPS mode failed"	./modules/ssl/ssl_engine_init.c:304		
AH01886: SSL FIPS mode disabled"	./modules/ssl/ssl_engine_init.c:311		
AH01887: Init: Initializing (virtual) servers for SSL"	./modules/ssl/ssl_engine_init.c:346		
AH01888: Init: Failed to load Crypto Device API %s"	./modules/ssl/ssl_engine_init.c:391		
AH01889: Init: Failed to enable Crypto Device API %s"	./modules/ssl/ssl_engine_init.c:403		
AH01890: Init: loaded Crypto Device API %s"	./modules/ssl/ssl_engine_init.c:409		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="b06afb2a-61e5-49ba-b0e5-dd9903e028dc"><ac:plain-text-body><![CDATA[	AH01891: No SSL Certificate set [hint: SSLCertificateFile]"	./modules/ssl/ssl_engine_init.c:428	]]></ac:plain-text-body></ac:structured-macro>
AH01892: Illegal attempt to re-initialise SSL for server "(SSL Engine On should go in the VirtualHost, not in global scope.)"	./modules/ssl/ssl_engine_init.c:443		
AH01893: Configuring TLS extension handling"	./modules/ssl/ssl_engine_init.c:459		
AH01894: Unable to initialize TLS servername extension "callback (incompatible OpenSSL version?)"	./modules/ssl/ssl_engine_init.c:468		
AH01895: Unable to configure verify locations "for client authentication"	./modules/ssl/ssl_engine_init.c:684		
AH01896: Unable to determine list of acceptable "CA certificates for client authentication"	./modules/ssl/ssl_engine_init.c:700		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="73637021-6e9c-4bea-982f-0896d940c823"><ac:plain-text-body><![CDATA[	AH01897: Init: Oops, you want to request client "authentication, but no CAs are known for "verification!?" [Hint: SSLCACertificate]"	./modules/ssl/ssl_engine_init.c:717	]]></ac:plain-text-body></ac:structured-macro>
AH01898: Unable to configure permitted SSL ciphers"	./modules/ssl/ssl_engine_init.c:745		
AH01899: Host %s: CRL checking has been enabled, but "neither %sCARevocationFile nor %sCARevocationPath "is configured", mctx->sc->vhost_id, cfcp, cfcp	./modules/ssl/ssl_engine_init.c:768		
AH01900: Configuring certificate revocation facility"	./modules/ssl/ssl_engine_init.c:777		
AH01901: Host %s: unable to configure X.509 CRL storage "for certificate revocation", mctx->sc->vhost_id	./modules/ssl/ssl_engine_init.c:782		
AH01902: Host %s: X.509 CRL storage locations configured, "but CRL checking (%sCARevocationCheck) is not "enabled", mctx->sc->vhost_id, cfcp	./modules/ssl/ssl_engine_init.c:803		
AH01903: Failed to configure CA certificate chain!"	./modules/ssl/ssl_engine_init.c:870		
AH01904: Configuring server certificate chain "(%d CA certificate%s)"	./modules/ssl/ssl_engine_init.c:875		
AH01905: %s server certificate enables "Server Gated Cryptography (SGC)"	./modules/ssl/ssl_engine_init.c:1034		
AH01906: %s server certificate is a CA certificate "(BasicConstraints: CA == TRUE !?)"	./modules/ssl/ssl_engine_init.c:1042		
AH01907: %s server certificate is not a leaf certificate "(BasicConstraints: pathlen == %d > 0 !?)"	./modules/ssl/ssl_engine_init.c:1049		
AH01908: %sID %s" in %s certificate configured "for %s matches server name"	./modules/ssl/ssl_engine_init.c:1090		
AH01909: %s certificate configured for %s does NOT include "an ID which matches the server name"	./modules/ssl/ssl_engine_init.c:1101		
AH01910: Oops, no " KEYTYPES " server certificate found "for %s:%d?!", s->server_hostname, s->port	./modules/ssl/ssl_engine_init.c:1142		
AH01911: Oops, no " KEYTYPES " server private key found?!"	./modules/ssl/ssl_engine_init.c:1163		
AH01913: Unable to initialize TLS session ticket key callback "(incompatible OpenSSL version?)"	./modules/ssl/ssl_engine_init.c:1213		
AH01914: Configuring server %s for SSL protocol", sc->vhost_id	./modules/ssl/ssl_engine_init.c:1392		
AH01915: Init: (%s) You configured HTTPS(%d) "on the standard HTTP(%d) port!"	./modules/ssl/ssl_engine_init.c:1421		
AH01916: Init: (%s) You configured HTTP(%d) "on the standard HTTPS(%d) port!"	./modules/ssl/ssl_engine_init.c:1430		
AH01917: Init: You should not use name-based "virtual hosts in conjunction with SSL!"	./modules/ssl/ssl_engine_init.c:1485		
AH01918: no OCSP responder specified in certificate and "no default configured"	./modules/ssl/ssl_engine_ocsp.c:76		
AH01919: failed to parse OCSP responder URI %s", s	./modules/ssl/ssl_engine_ocsp.c:84		
AH01920: cannot handle OCSP responder URI %s", s	./modules/ssl/ssl_engine_ocsp.c:90		
AH01921: could not retrieve certificate id"	./modules/ssl/ssl_engine_ocsp.c:113		
AH01922: OCSP response not successful: %d", rc	./modules/ssl/ssl_engine_ocsp.c:158		
AH01923: could not retrieve OCSP basic response"	./modules/ssl/ssl_engine_ocsp.c:167		
AH01924: Bad OCSP responder answer (bad nonce)"	./modules/ssl/ssl_engine_ocsp.c:176		
AH01925: failed to verify the OCSP response"	./modules/ssl/ssl_engine_ocsp.c:185		
AH01926: stapling_get_cert_info: stapling not supported for certificate"	./modules/ssl/ssl_util_stapling.c:170		

AH01927: OCSP stapling response encode error??"	/modules/ssl/ssl_util_stapling.c:199		
AH01928: OCSP stapling response too big (%u bytes)", resp_derlen	/modules/ssl/ssl_util_stapling.c:205		
AH01929: stapling_cache_response: OCSP response session store error!"	/modules/ssl/ssl_util_stapling.c:230		
AH01930: stapling_get_cached_response: cache miss"	/modules/ssl/ssl_util_stapling.c:253		
AH01931: stapling_get_cached_response: response length invalid??"	/modules/ssl/ssl_util_stapling.c:258		
AH01932: stapling_get_cached_response: response parse error??"	/modules/ssl/ssl_util_stapling.c:273		
AH01933: stapling_get_cached_response: cache hit"	/modules/ssl/ssl_util_stapling.c:277		
AH01934: stapling_check_response: Error Parsing Response!"	/modules/ssl/ssl_util_stapling.c:322		
AH01935: stapling_check_response: certificate ID not present in response!"	/modules/ssl/ssl_util_stapling.c:330		
AH01936: stapling_check_response: response times invalid"	/modules/ssl/ssl_util_stapling.c:346		
AH01937: stapling_check_response: cached response expired"	/modules/ssl/ssl_util_stapling.c:350		
AH01938: stapling_renew_response: querying responder"	/modules/ssl/ssl_util_stapling.c:381		
AH01939: stapling_renew_response: Error parsing uri %s"	/modules/ssl/ssl_util_stapling.c:411		
AH01940: stapling_renew_response: Unsupported uri %s", ocspuri	/modules/ssl/ssl_util_stapling.c:418		
AH01941: stapling_renew_response: responder error"	/modules/ssl/ssl_util_stapling.c:434		
AH01942: stapling_renew_response: query response received"	/modules/ssl/ssl_util_stapling.c:447		
AH01943: stapling_renew_response: error in retrieved response!"	/modules/ssl/ssl_util_stapling.c:451		
AH01944: stapling_renew_response: responder error %s"	/modules/ssl/ssl_util_stapling.c:456		
AH01945: stapling_renew_response: error caching response!"	/modules/ssl/ssl_util_stapling.c:462		
AH01946: Cannot reinit %s mutex with file %s"	/modules/ssl/ssl_util_stapling.c:514		
AH01947: Cannot reinit %s mutex", SSL_STAPLING_MUTEX_TYPE	/modules/ssl/ssl_util_stapling.c:519		
AH01948: Failed to acquire OCSP stapling lock"	/modules/ssl/ssl_util_stapling.c:533		
AH01949: Failed to release OCSP stapling lock"	/modules/ssl/ssl_util_stapling.c:546		
AH01950: stapling_cb: OCSP Stapling disabled"	/modules/ssl/ssl_util_stapling.c:572		
AH01951: stapling_cb: OCSP Stapling callback called"	/modules/ssl/ssl_util_stapling.c:577		
AH01952: stapling_cb: retrieved cached certificate data"	/modules/ssl/ssl_util_stapling.c:585		
AH01953: stapling_cb: retrieved cached response"	/modules/ssl/ssl_util_stapling.c:599		
AH01954: stapling_cb: renewing cached response"	/modules/ssl/ssl_util_stapling.c:629		
AH01955: stapling_cb: fatal error"	/modules/ssl/ssl_util_stapling.c:635		
AH01956: stapling_cb: setting response"	/modules/ssl/ssl_util_stapling.c:643		
AH01957: stapling_cb: no response available"	/modules/ssl/ssl_util_stapling.c:649		
AH01958: SSLStapling: no stapling cache available"	/modules/ssl/ssl_util_stapling.c:663		
AH01959: SSLStapling: cannot initialise stapling mutex"	/modules/ssl/ssl_util_stapling.c:668		
AH01960: "OCSP stapling initialized"	/modules/ssl/ssl_util_stapling.c:692		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="64b38fdd-6cc7-4d48-9bd5-860f75439503"><ac:plain-text-body><![CDATA[	AH01961: SSL Proxy requested for %s but not enabled "[Hint: SSLProxyEngine]", sc->vhost_id	/modules/ssl/mod_ssl.c:365	]]></ac:plain-text-body></ac:structured-macro>
AH01962: Unable to create a new SSL connection from the SSL "context"	/modules/ssl/mod_ssl.c:429		
AH01963: Unable to set session id context to %s", vhost_md5	/modules/ssl/mod_ssl.c:445		
AH01964: Connection to child %ld established "(server %s)", c->id, sc->vhost_id	/modules/ssl/mod_ssl.c:533		
AH01965: Init: Creating pass phrase dialog pipe child "%s", sc->server->pphrase_dialog_path	/modules/ssl/ssl_engine_pphrase.c:703		
AH01966: Init: Failed to create pass phrase pipe %s"	/modules/ssl/ssl_engine_pphrase.c:708		
AH01967: Init: Requesting pass phrase via piped dialog"	/modules/ssl/ssl_engine_pphrase.c:716		
AH01968: Init: Requesting pass phrase via builtin terminal "dialog"	/modules/ssl/ssl_engine_pphrase.c:733		
AH01969: Init: Requesting pass phrase from dialog filter "program (%s)", cmd	/modules/ssl/ssl_engine_pphrase.c:792		
AH01970: could not parse OID %s", extension	/modules/ssl/ssl_engine_vars.c:906		
AH01971: Found an extension %s", but failed to "create a string from it", extension	/modules/ssl/ssl_engine_vars.c:942		
AH01972: could not resolve address of OCSP responder %s"	/modules/ssl/ssl_util_ocsp.c:71		
AH01973: connecting to OCSP responder %s", uri->hostinfo	/modules/ssl/ssl_util_ocsp.c:78		
AH01974: could not connect to OCSP responder %s"	/modules/ssl/ssl_util_ocsp.c:96		
AH01975: sending request to OCSP responder"	/modules/ssl/ssl_util_ocsp.c:104		
AH01976: failed to send request to OCSP responder %s"	/modules/ssl/ssl_util_ocsp.c:121		
AH01977: failed reading line from OCSP server"	/modules/ssl/ssl_util_ocsp.c:144		
AH01978: failed reading line from OCSP server"	/modules/ssl/ssl_util_ocsp.c:151		
AH01979: response header line too long from OCSP server"	/modules/ssl/ssl_util_ocsp.c:157		

AH01980: bad response from OCSP server: %s"	/modules/ssl/ssl_util_ocsp.c:196		
AH01981: OCSP response header: %s", line	/modules/ssl/ssl_util_ocsp.c:208		
AH01982: could not read response headers from OCSP server, "exceeded maximum count (%u)", MAX_HEADERS	/modules/ssl/ssl_util_ocsp.c:213		
AH01983: could not read response header from OCSP server"	/modules/ssl/ssl_util_ocsp.c:219		
AH01984: OCSP response: got EOF"	/modules/ssl/ssl_util_ocsp.c:234		
AH01985: error reading response from OCSP server"	/modules/ssl/ssl_util_ocsp.c:239		
AH01986: OCSP response size exceeds %u byte limit"	/modules/ssl/ssl_util_ocsp.c:245		
AH01987: OCSP response: got %" APR_SIZE_T_FMT bytes, %" APR_SIZE_T_FMT " total", len, count	/modules/ssl/ssl_util_ocsp.c:250		
AH01988: failed to decode OCSP response data"	/modules/ssl/ssl_util_ocsp.c:265		
AH01989: could not serialize OCSP request"	/modules/ssl/ssl_util_ocsp.c:284		
AH01990: %sPRNG still contains insufficient entropy!", prefix	/modules/ssl/ssl_engine_rand.c:127		
AH01991: SSL input filter read failed."	/modules/ssl/ssl_engine_io.c:667		
AH01992: SSL library error %d reading data", ssl_err	/modules/ssl/ssl_engine_io.c:675		
AH01993: SSL output filter write failed."	/modules/ssl/ssl_engine_io.c:779		
AH01994: SSL library error %d writing data", ssl_err	/modules/ssl/ssl_engine_io.c:786		
AH01995: failed to write %" APR_SSIZE_T_FMT of %" APR_SIZE_T_FMT " bytes (%s)"	/modules/ssl/ssl_engine_io.c:803		
AH01996: SSL handshake failed: HTTP spoken on HTTPS port; "trying to send HTML error page"	/modules/ssl/ssl_engine_io.c:855		
AH01997: SSL handshake failed: sending 502"	/modules/ssl/ssl_engine_io.c:871		
AH01998: ;	/modules/ssl/ssl_engine_io.c:948		
AH01999: ;	/modules/ssl/ssl_engine_io.c:957		
AH02000: ;	/modules/ssl/ssl_engine_io.c:964		
AH02001: ;	/modules/ssl/ssl_engine_io.c:975		
AH02002: Failed to set SNI extension for SSL Proxy "request to %s", hostname_note	/modules/ssl/ssl_engine_io.c:1072		
AH02003: SSL Proxy connect failed"	/modules/ssl/ssl_engine_io.c:1081		
AH02004: SSL Proxy: Peer certificate is expired"	/modules/ssl/ssl_engine_io.c:1097		
AH02005: SSL Proxy: Peer certificate CN mismatch:" Certificate CN: %s Requested hostname: %s"	/modules/ssl/ssl_engine_io.c:1117		
AH02006: SSL handshake stopped: connection was closed"	/modules/ssl/ssl_engine_io.c:1146		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="61eb7882-d23c-4eba-93ef-82bfe73cf703"><ac:plain-text-body><![CDATA[	AH02007: SSL handshake interrupted by system "[Hint: Stop button pressed in browser?!]"	/modules/ssl/ssl_engine_io.c:1169	]]></ac:plain-text-body></ac:structured-macro>
AH02008: SSL library error %d in handshake "(server %s)", ssl_err	/modules/ssl/ssl_engine_io.c:1177		
AH02009: SSL client authentication failed, "accepting certificate based on "\ SSLVerifyClient optional_no_ca" "configuration"	/modules/ssl/ssl_engine_io.c:1212		
AH02010: SSL client authentication failed: %s"	/modules/ssl/ssl_engine_io.c:1224		
AH02011: No acceptable peer certificate available"	/modules/ssl/ssl_engine_io.c:1252		
AH02012: unexpected bucket type during coalesce"	/modules/ssl/ssl_engine_io.c:1455		
AH02013: coalesce failed to read from data bucket"	/modules/ssl/ssl_engine_io.c:1468		
AH02014: unexpected coalesced bucket data length"	/modules/ssl/ssl_engine_io.c:1476		
AH02015: could not read request body for SSL buffer"	/modules/ssl/ssl_engine_io.c:1658		
AH02016: could not read bucket for SSL buffer"	/modules/ssl/ssl_engine_io.c:1677		
AH02017: could not setaside bucket for SSL buffer"	/modules/ssl/ssl_engine_io.c:1686		
AH02018: request body exceeds maximum size (% APR_SIZE_T_FMT) for SSL buffer", maxlen	/modules/ssl/ssl_engine_io.c:1701		
AH02019: could not partition buffered SSL brigade"	/modules/ssl/ssl_engine_io.c:1767		
AH02020: could not split line from buffered SSL brigade"	/modules/ssl/ssl_engine_io.c:1797		
AH02024: Cannot reinit %s mutex with file %s"	/modules/ssl/ssl_engine_mutex.c:75		
AH02025: Cannot reinit %s mutex", SSL_CACHE_MUTEX_TYPE	/modules/ssl/ssl_engine_mutex.c:79		
AH02026: Failed to acquire SSL session cache lock"	/modules/ssl/ssl_engine_mutex.c:92		
AH02027: Failed to release SSL session cache lock"	/modules/ssl/ssl_engine_mutex.c:105		
AH02028: upgrading connection to TLS"	/modules/ssl/ssl_engine_kernel.c:52		
AH02029: failed to send 101 interim response for connection "upgrade"	/modules/ssl/ssl_engine_kernel.c:66		
AH02030: TLS upgrade handshake failed: not accepted by client!?"	/modules/ssl/ssl_engine_kernel.c:82		
AH02031: Hostname %s provided via SNI, but no hostname" provided in HTTP request", servname	/modules/ssl/ssl_engine_kernel.c:197		



AH02032: Hostname %s provided via SNI and hostname %s provided" via HTTP are different", servname, host	./modules/ssl/ssl_engine_kernel.c:207	
AH02033: No hostname was provided via SNI for a name based" virtual host"	./modules/ssl/ssl_engine_kernel.c:224	
AH02034: %s HTTPS request received for child %ld (server %s)"	./modules/ssl/ssl_engine_kernel.c:236	
AH02035: Encountered FakeBasicAuth spoof: %s", username	./modules/ssl/ssl_engine_kernel.c:1005	
AH02036: Faking HTTP Basic Auth header: \"Authorization: %s\""	./modules/ssl/ssl_engine_kernel.c:1053	
AH02037: Certificate Verification: Verifiable Issuer is "configured as optional, therefore we're accepting "the certificate"	./modules/ssl/ssl_engine_kernel.c:1466	
AH02038: cannot perform OCSP validation for cert "if issuer has not been verified "(optional_no_ca configured)"	./modules/ssl/ssl_engine_kernel.c:1502	
AH02039: Certificate Verification: Error (%d): %s"	./modules/ssl/ssl_engine_kernel.c:1526	
AH02040: Certificate Verification: Certificate Chain too long "(chain has %d certificates, but maximum allowed are "only %d)"	./modules/ssl/ssl_engine_kernel.c:1550	
AH02041: Protocol: %s, Cipher: %s (%s/%s bits)"	./modules/ssl/ssl_engine_kernel.c:1894	
AH02042: rejecting client initiated renegotiation"	./modules/ssl/ssl_engine_kernel.c:1933	
AH02043: SSL virtual host for servname %s found"	./modules/ssl/ssl_engine_kernel.c:1964	
AH02044: No matching SSL virtual host for servname "%s found (using default/first virtual host)"	./modules/ssl/ssl_engine_kernel.c:1970	
AH02045: Invalid Content-Length header (%s)", cl_header	./modules/apreq/filter.c:130	
AH02046: Content-Length header (%s) exceeds configured "max_body limit (%" APR_UINT64_T_FMT ")"	./modules/apreq/filter.c:136	
AH02047: removing intermediate apreq filter"	./modules/apreq/filter.c:224	
AH02048: relocating intermediate apreq filter"	./modules/apreq/filter.c:231	
AH02049: disabling stale protocol filter"	./modules/apreq/filter.c:243	
AH02050: prefetching %" APR_OFF_T_FMT " bytes", readbytes	./modules/apreq/filter.c:267	
AH02051: ap_get_brigade failed during prefetch"	./modules/apreq/filter.c:274	
AH02052: apreq_brigade_concat failed; TempDir problem?"	./modules/apreq/filter.c:286	
AH02053: Bytes read (%" APR_UINT64_T_FMT) exceeds configured read limit (%" APR_UINT64_T_FMT ")"	./modules/apreq/filter.c:313	
AH02054: Bytes read (%" APR_UINT64_T_FMT) exceeds configured max_body limit (%"	./modules/apreq/filter.c:392	
AH02055: Failed to pre-initialize libapreq2"	./modules/apreq/filter.c:413	
AH02056: Failed to post-initialize libapreq2"	./modules/apreq/filter.c:428	
AH02057: stealing filter context"	./modules/apreq/filter.c:505	
AH02058: cannot steal context: bad filter status"	./modules/apreq/filter.c:514	
AH02059: Dropping connection from banned IP %s"	./modules/experimental/mod_noloris.c:72	
AH02060: noloris: banning %s with %d connections in READ state"	./modules/experimental/mod_noloris.c:151	
AH02061: Failed to create shm segment; mod_noloris disabled"	./modules/experimental/mod_noloris.c:171	
AH02068: Failed to create listening socket."	./modules/cluster/mod_heartmonitor.c:84	
AH02069: Failed to set APR_SO_REUSEADDR to 1 on socket."	./modules/cluster/mod_heartmonitor.c:91	
AH02070: Failed to set APR_SO_NONBLOCK to 1 on socket."	./modules/cluster/mod_heartmonitor.c:99	
AH02071: Failed to bind on socket."	./modules/cluster/mod_heartmonitor.c:106	
AH02072: Failed to join multicast group"	./modules/cluster/mod_heartmonitor.c:114	
AH02073: Failed to accept localhost multicast on socket."	./modules/cluster/mod_heartmonitor.c:121	
AH02074: Unable to open tmp file: %s", path	./modules/cluster/mod_heartmonitor.c:243	
AH02075: Unable to read file: %s", ctx->storage_path	./modules/cluster/mod_heartmonitor.c:260	
AH02076: Unable to read from file: %s", ctx->storage_path	./modules/cluster/mod_heartmonitor.c:283	
AH02077: Unable to flush file: %s", path	./modules/cluster/mod_heartmonitor.c:353	
AH02078: Unable to close file: %s", path	./modules/cluster/mod_heartmonitor.c:360	
AH02079: Unable to set file permissions on %s"	./modules/cluster/mod_heartmonitor.c:369	
AH02080: Unable to move file: %s -> %s", path	./modules/cluster/mod_heartmonitor.c:378	
AH02081: Unable to open tmp file: %s", path	./modules/cluster/mod_heartmonitor.c:406	
AH02082: Unable to flush file: %s", path	./modules/cluster/mod_heartmonitor.c:432	
AH02083: Unable to close file: %s", path	./modules/cluster/mod_heartmonitor.c:439	
AH02084: Unable to set file permissions on %s"	./modules/cluster/mod_heartmonitor.c:448	
AH02085: Unable to move file: %s -> %s", path	./modules/cluster/mod_heartmonitor.c:457	
AH02086: %pl busy=%s ready=%s", from	./modules/cluster/mod_heartmonitor.c:537	
AH02087: malformed message from %pl"	./modules/cluster/mod_heartmonitor.c:553	
AH02088: "would block"	./modules/cluster/mod_heartmonitor.c:573	

AH02089: "recvfrom failed"	./modules/cluster/mod_heartmonitor.c:577	
AH02090: Unable to listen for connections!"	./modules/cluster/mod_heartmonitor.c:602	
AH02091: %s listener started."	./modules/cluster/mod_heartmonitor.c:607	
AH02092: stopping %s listener."	./modules/cluster/mod_heartmonitor.c:649	
AH02093: mod_watchdog is required"	./modules/cluster/mod_heartmonitor.c:675	
AH02094: Failed to create watchdog instance (%s)"	./modules/cluster/mod_heartmonitor.c:709	
AH02095: Failed to register watchdog callback (%s)"	./modules/cluster/mod_heartmonitor.c:720	
AH02096: wd callback %s", HM_WATCHDOG_NAME	./modules/cluster/mod_heartmonitor.c:725	
AH02097: "Heartbeat: apr_socket_create failed"	./modules/cluster/mod_heartbeat.c:89	
AH02098: "Heartbeat: apr_mcast_loopback failed"	./modules/cluster/mod_heartbeat.c:96	
AH02099: "Heartbeat: apr_socket_sendto failed"	./modules/cluster/mod_heartbeat.c:103	
AH02100: Failed to open cgi file %s for testing", *cmd	./modules/arch/win32/mod_win32.c:442	
AH02101: Failed to read cgi file %s for testing", *cmd	./modules/arch/win32/mod_win32.c:447	
AH02102: %s is not executable; ensure interpreted scripts have "\#!" or "\#!" first line", *cmd	./modules/arch/win32/mod_win32.c:508	
AH02103: invalid module path, skipping %s", filename	./modules/arch/win32/mod_isapi.c:139	
AH02104: unable to stat, skipping %s", fspec	./modules/arch/win32/mod_isapi.c:145	
AH02105: not a regular file, skipping %s", fspec	./modules/arch/win32/mod_isapi.c:150	
AH02106: unable to cache, skipping %s", fspec	./modules/arch/win32/mod_isapi.c:158	
AH02107: failed to load %s", isa->filename	./modules/arch/win32/mod_isapi.c:274	
AH02108: missing GetExtensionVersion() in %s"	./modules/arch/win32/mod_isapi.c:284	
AH02109: missing HttpExtensionProc() in %s"	./modules/arch/win32/mod_isapi.c:296	
AH02110: failed call to GetExtensionVersion() in %s"	./modules/arch/win32/mod_isapi.c:312	
AH02111: Could not determine HTTP response code; using %d"	./modules/arch/win32/mod_isapi.c:774	
AH02112: Failed to create completion mutex"	./modules/arch/win32/mod_isapi.c:1575	
AH02113: %s: %s", r->filename, cid->ecb->lpzLogData	./modules/arch/win32/mod_isapi.c:1586	
AH02114: asynch I/O result HSE_STATUS_PENDING "from HttpExtensionProc() is not supported: %s"	./modules/arch/win32/mod_isapi.c:1617	
AH02115: HSE_STATUS_ERROR result from "HttpExtensionProc(): %s", r->filename	./modules/arch/win32/mod_isapi.c:1628	
AH02116: unrecognized result code %d "from HttpExtensionProc(): %s "	./modules/arch/win32/mod_isapi.c:1635	
AH02117: ap_pass_brigade failed to "complete the response: %s ", r->filename	./modules/arch/win32/mod_isapi.c:1657	
AH02118: could not create the isapi cache pool"	./modules/arch/win32/mod_isapi.c:1690	
AH02119: Failed to create module cache"	./modules/arch/win32/mod_isapi.c:1697	
AH02120: make_secure_socket: failed to get a socket for %s"	./modules/arch/netware/mod_nw_ssl.c:261	
AH02121: make_secure_socket: for %s, WSALocId: "(SO_SSL_SET_FLAGS)", addr	./modules/arch/netware/mod_nw_ssl.c:272	
AH02122: make_secure_socket: for %s, WSALocId: "(SO_SSL_SET_SERVER)", addr	./modules/arch/netware/mod_nw_ssl.c:287	
AH02123: make_secure_socket: for %s, WSALocId: "(SO_SSL_SET_FLAGS)", addr	./modules/arch/netware/mod_nw_ssl.c:298	
AH02124: Error: %d with ioctl(socket(flag SO_TLS_ENABLE)", WSAGetLastError()	./modules/arch/netware/mod_nw_ssl.c:334	
AH02125: Error: %d with ioctl (SO_TLS_SET_CLIENT)", WSAGetLastError()	./modules/arch/netware/mod_nw_ssl.c:369	
AH02126: Error: %d with WSALocId(SO_TLS_SET_FLAGS, SO_TLS_ENABLE)", WSAGetLastError()	./modules/arch/netware/mod_nw_ssl.c:391	
AH02127: Error: %d with WSALocId(SO_TLS_SET_FLAGS, SO_TLS_SERVER)", WSAGetLastError()	./modules/arch/netware/mod_nw_ssl.c:402	
AH02128: Error: %d with WSALocId(SO_TLS_SET_SERVER)", WSAGetLastError()	./modules/arch/netware/mod_nw_ssl.c:440	
AH02129: alloc_listener: failed to set up sockaddr for %s:%d", sl->addr, sl->port	./modules/arch/netware/mod_nw_ssl.c:788	
AH02130: No Listen directive found for upgradeable listener %s:%d", slu->addr, slu->port	./modules/arch/netware/mod_nw_ssl.c:811	
AH02131: Unable to get upgradeable socket handle"	./modules/arch/netware/mod_nw_ssl.c:1170	
AH02132: could not send interim 101 Upgrade response"	./modules/arch/netware/mod_nw_ssl.c:1187	
AH02133: Upgradeable socket handle not found"	./modules/arch/netware/mod_nw_ssl.c:1205	
AH02134: Awaiting re-negotiation handshake"	./modules/arch/netware/mod_nw_ssl.c:1210	
AH02135: Could not find a command associated with the %s extension", ext	./modules/arch/netware/mod_netware.c:147	
AH02136: PRIV_ON failed restoring default user/group"	./modules/arch/unix/mod_privileges.c:153	
AH02137: Error restoring default userid"	./modules/arch/unix/mod_privileges.c:157	
AH02138: Error restoring default group"	./modules/arch/unix/mod_privileges.c:161	
AH02139: Error restoring default privileges"	./modules/arch/unix/mod_privileges.c:168	
AH02140: parent waiting for child"	./modules/arch/unix/mod_privileges.c:219	
AH02141: "parent: child %s"	./modules/arch/unix/mod_privileges.c:226	

AH02142: "In child!"	./modules/arch/unix/mod_privileges.c:242	
AH02143: Failed to fork secure child process!"	./modules/arch/unix/mod_privileges.c:245	
AH02144: No privilege to set user/group"	./modules/arch/unix/mod_privileges.c:259	
AH02145: Error setting userid"	./modules/arch/unix/mod_privileges.c:266	
AH02146: Error setting group"	./modules/arch/unix/mod_privileges.c:271	
AH02147: Error setting effective privileges"	./modules/arch/unix/mod_privileges.c:278	
AH02148: Error setting inheritable privileges"	./modules/arch/unix/mod_privileges.c:285	
AH02149: Error setting limit privileges"	./modules/arch/unix/mod_privileges.c:290	
AH02150: Error setting permitted privileges"	./modules/arch/unix/mod_privileges.c:298	
AH02151: \Error dropping privileges"); \	./modules/arch/unix/mod_privileges.c:307	
AH02152: priv_addset"	./modules/arch/unix/mod_privileges.c:383	
AH02153: mod_privileges: unable to determine MPM characteristics." Please ensure you are using a non-threaded MPM "with this module."	./modules/arch/unix/mod_privileges.c:396	
AH02154: mod_privileges is not compatible with a threaded MPM."	./modules/arch/unix/mod_privileges.c:402	
AH02155: getpwuid: couldn't determine user name from uid %ld, "you probably need to modify the User directive"	./modules/arch/unix/mod_unixd.c:99	
AH02156: setgid: unable to set group id to Group %ld"	./modules/arch/unix/mod_unixd.c:118	
AH02157: initgroups: unable to set groups for User %s "and Group %ld", name, (long) ap_unixd_config.group_id	./modules/arch/unix/mod_unixd.c:127	
AH02158: Cannot chroot when not started as root"	./modules/arch/unix/mod_unixd.c:150	
AH02159: Can't chdir to %s", ap_unixd_config.chroot_dir	./modules/arch/unix/mod_unixd.c:157	
AH02160: Can't chroot to %s", ap_unixd_config.chroot_dir	./modules/arch/unix/mod_unixd.c:164	
AH02161: Can't chdir to new root"	./modules/arch/unix/mod_unixd.c:171	
AH02162: setuid: unable to change to uid: %ld"	./modules/arch/unix/mod_unixd.c:184	
AH02163: set dumpable failed - this child will not coredump" after software errors"	./modules/arch/unix/mod_unixd.c:194	
AH02164: Cannot chroot when not started as root"	./modules/arch/unix/mod_unixd.c:330	
AH02165: Can't chdir to %s", ap_unixd_config.chroot_dir	./modules/arch/unix/mod_unixd.c:335	
AH02166: Can't chroot to %s", ap_unixd_config.chroot_dir	./modules/arch/unix/mod_unixd.c:340	
AH02167: Can't chdir to new root"	./modules/arch/unix/mod_unixd.c:345	
AH02168: setuid: unable to change to uid: %ld"	./modules/arch/unix/mod_unixd.c:357	
AH02169: set dumpable failed - this child will not coredump" after software errors"	./modules/arch/unix/mod_unixd.c:366	
AH02170: The debug mode of Apache should only "be started by an unprivileged user!"	./os/bs2000/os.c:88	
AH02171: "ufork: Possible mis-configuration "for user %s - Aborting.", user	./os/bs2000/os.c:118	
AH02172: %s: getrlimit failed", cmd->cmd->name	./os/unix/unixd.c:72	
AH02173: Invalid parameters for %s", cmd->cmd->name	./os/unix/unixd.c:86	
AH02174: Must be uid 0 to raise maximum %s", cmd->cmd->name	./os/unix/unixd.c:99	
AH02175: Platform does not support rlimit for %s", cmd->cmd->name	./os/unix/unixd.c:116	
AH02176: new file descriptor %d is too large; you probably need "to rebuild Apache with a larger FD_SETSIZE "(currently %d)"	./os/unix/unixd.c:307	
AH02177: apr_socket_accept: giving up."	./os/unix/unixd.c:414	
AH02178: apr_socket_accept failed for inactive listener"	./os/unix/unixd.c:425	
AH02179: apr_socket_accept: (client socket)"	./os/unix/unixd.c:429	
AH02180: The debug mode of Apache should only "be started by an unprivileged user!"	./os/unix/unixd.c:496	
AH02181: "ufork: Possible mis-configuration "for user %s - Aborting.", user	./os/unix/unixd.c:526	
AH02182: macro where the argument	./docs/log-message-tags/README:2	
AH02183: "Failed to create subpool for dynamic lock"	./modules/ssl/ssl_util.c:382	
AH02185: "Failed to allocate dynamic lock structure"	./modules/ssl/ssl_util.c:393	
AH02186: Failed to create thread mutex for dynamic lock"	./modules/ssl/ssl_util.c:405	
AH02192: "Failed to destroy mutex for dynamic "lock %s:%d", l->file, l->line	./modules/ssl/ssl_util.c:451	
AH02193: "xlate filter - a built-in restriction was encountered";	./modules/filters/mod_charset_lite.c:482	
AH02194: "xlate filter - an input character was invalid";	./modules/filters/mod_charset_lite.c:486	
AH02195: "xlate filter - bucket read routine failed";	./modules/filters/mod_charset_lite.c:490	
AH02196: "xlate filter - incomplete char at end of input - "	./modules/filters/mod_charset_lite.c:494	
AH02197: "xlate filter - an error occurred in a lower filter";	./modules/filters/mod_charset_lite.c:504	
AH02198: "xlate filter - returning error";	./modules/filters/mod_charset_lite.c:507	
AH02199: SSL not enabled on vhost %s, skipping SSL setup"	./modules/ssl/ssl_engine_pphrase.c:179	
AH02200: Loading certificate & private key of SSL-aware server %s"	./modules/ssl/ssl_engine_pphrase.c:185	

AH02201: Init: Can't open server certificate file %s"	/modules/ssl/ssl_engine_pphrase.c:225		
AH02202: Init: Read server certificate from %s"	/modules/ssl/ssl_engine_pphrase.c:237		
AH02203: "Init: Private key not found"	/modules/ssl/ssl_engine_pphrase.c:448		
AH02204: Init: Pass phrase incorrect for key of %s"	/modules/ssl/ssl_engine_pphrase.c:457		
AH02205: Init: Wiped out the queried pass phrases from memory"	/modules/ssl/ssl_engine_pphrase.c:571		
AH02206: no client certs found for SSL proxy"	/modules/ssl/ssl_engine_init.c:1257		
AH02207: loaded %d client certs for SSL proxy"	/modules/ssl/ssl_engine_init.c:1277		
AH02208: SSL proxy client cert initialization failed"	/modules/ssl/ssl_engine_init.c:1292		
AH02209: CA certificate: %s"	/modules/ssl/ssl_engine_init.c:1520		
AH02210: Failed to load SSLCACertificateFile: %s", ca_file	/modules/ssl/ssl_engine_init.c:1566		
AH02211: Failed to open Certificate Path %s"	/modules/ssl/ssl_engine_init.c:1582		
AH02212: "Can't open %s", pkcs7	/modules/ssl/ssl_util.c:289		
AH02213: Don't understand PKCS7 file %s", pkcs7	/modules/ssl/ssl_util.c:315		
AH02214: No certificates in %s", pkcs7	/modules/ssl/ssl_util.c:321		
AH02215: ssl_stapling_init_cert: certificate already initialized!"	/modules/ssl/ssl_util_stapling.c:119		
AH02216: ssl_stapling_init_cert: error allocating memory!"	/modules/ssl/ssl_util_stapling.c:125		
AH02217: ssl_stapling_init_cert: Can't retrieve issuer certificate!"	/modules/ssl/ssl_util_stapling.c:136		
AH02218: ssl_stapling_init_cert: no responder URL"	/modules/ssl/ssl_util_stapling.c:151		
AH02219: access to %s failed, reason: %s"	/modules/ssl/ssl_engine_kernel.c:334		
AH02220: Reconfigured cipher suite will force renegotiation"	/modules/ssl/ssl_engine_kernel.c:486		
AH02221: Requesting connection re-negotiation"	/modules/ssl/ssl_engine_kernel.c:677		
AH02222: Cannot find peer certificate chain"	/modules/ssl/ssl_engine_kernel.c:703		
AH02223: Cannot find certificate storage"	/modules/ssl/ssl_engine_kernel.c:712		
AH02224: Re-negotiation verification step failed"	/modules/ssl/ssl_engine_kernel.c:734		
AH02225: Re-negotiation request failed"	/modules/ssl/ssl_engine_kernel.c:792		
AH02226: Awaiting re-negotiation handshake"	/modules/ssl/ssl_engine_kernel.c:800		
AH02227: Failed to set r->user to %s", dc->szUserName	/modules/ssl/ssl_engine_kernel.c:895		
AH02228: Failed expression: %s", req->cpExpr	/modules/ssl/ssl_engine_kernel.c:928		
AH02229: access to %s failed, reason: %s"	/modules/ssl/ssl_engine_kernel.c:931		
AH02230: mod_proxy must be loaded for mod_proxy_balancer"	/modules/proxy/mod_proxy_balancer.c:710		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="7ecf6ba4-2928-4593-a400-8eb61221f087"><ac:plain-text-body><![CDATA[	AH02231: No SSL protocols available [hint: SSLProtocol]"	/modules/ssl/ssl_engine_init.c:501	]]></ac:plain-text-body></ac:structured-macro>
AH02232: Configuring %s server certificate", type	/modules/ssl/ssl_engine_init.c:922		
AH02233: Unable to import %s server certificate", type	/modules/ssl/ssl_engine_init.c:927		
AH02234: Unable to configure %s server certificate", type	/modules/ssl/ssl_engine_init.c:934		
AH02235: Unable to configure server certificate for stapling"	/modules/ssl/ssl_engine_init.c:943		
AH02236: Configuring %s server private key", type	/modules/ssl/ssl_engine_init.c:977		
AH02237: Unable to import %s server private key", type	/modules/ssl/ssl_engine_init.c:983		
AH02238: Unable to configure %s server private key", type	/modules/ssl/ssl_engine_init.c:990		
AH02239: Copying DSA parameters from private key to certificate"	/modules/ssl/ssl_engine_init.c:1005		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="cae53e62-7e60-4707-9b47-8c8b6fe68f90"><ac:plain-text-body><![CDATA[	AH02240: Server should be SSL-aware but has no certificate "configured [Hint: SSLCertificateFile] (%s:%d)"	/modules/ssl/ssl_engine_pphrase.c:195	]]></ac:plain-text-body></ac:structured-macro>
AH02241: Init: Unable to read server certificate from" file %s", szPath	/modules/ssl/ssl_engine_pphrase.c:231		
AH02242: Init: Multiple %s server certificates not "allowed", an	/modules/ssl/ssl_engine_pphrase.c:248		
AH02243: Init: Can't open server private key file "%s",szPath	/modules/ssl/ssl_engine_pphrase.c:328		
AH02244: %s reusing existing %s private key on restart"	/modules/ssl/ssl_engine_pphrase.c:360		
AH02245: Init: SSLPassPhraseDialog builtin is not "supported on Win32 (key file %s)", szPath	/modules/ssl/ssl_engine_pphrase.c:424		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="2bad74e2-1dc7-4288-b2b2-525962427534"><ac:plain-text-body><![CDATA[	AH02246: Init: Unable to read pass phrase "[Hint: key introduced or changed "before restart?]"	/modules/ssl/ssl_engine_pphrase.c:440	]]></ac:plain-text-body></ac:structured-macro>
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="1fc912d6-826f-493e-ba2a-cec51b64ed1d"><ac:plain-text-body><![CDATA[	AH02247: Init: Unable to read server private key from "file %s [Hint: Perhaps it is in a separate file? " See SSLCertificateKeyFile]", szPath	/modules/ssl/ssl_engine_pphrase.c:477	]]></ac:plain-text-body></ac:structured-macro>
AH02248: Init: Multiple %s server private keys not "allowed", an	/modules/ssl/ssl_engine_pphrase.c:492		

AH02249: unencrypted %s private key - pass phrase not "required", an	./modules/ssl/ssl_engine_pphrase.c:504		
AH02250: encrypted %s private key - pass phrase "requested", an	./modules/ssl/ssl_engine_pphrase.c:511		
AH02251: encrypted %s private key - pass phrase "reused", an	./modules/ssl/ssl_engine_pphrase.c:517		
AH02252: incomplete client cert configured for SSL proxy "(missing or encrypted private key?)"	./modules/ssl/ssl_engine_init.c:1269		
AH02253: Unable to reconfigure (per-directory) "permitted SSL ciphers"	./modules/ssl/ssl_engine_kernel.c:414		
AH02254: Reduced client verification depth will force "renegotiation"	./modules/ssl/ssl_engine_kernel.c:511		
AH02255: Changed client verification type will force "%srenegotiation"	./modules/ssl/ssl_engine_kernel.c:575		
AH02256: Non-default virtual host with SSLVerify set to "require" and VirtualHost-specific CA certificate "list is only available to clients with TLS server "name indication (SNI) support"	./modules/ssl/ssl_engine_kernel.c:605		
AH02257: could not buffer message body to allow "SSL renegotiation to proceed"	./modules/ssl/ssl_engine_kernel.c:655		
AH02258: Performing quick renegotiation: "just re-verifying the peer"	./modules/ssl/ssl_engine_kernel.c:684		
AH02259: insecure SSL re-negotiation required, but "a pipelined request is present; keepalive "disabled"	./modules/ssl/ssl_engine_kernel.c:761		
AH02260: Performing full renegotiation: complete handshake "protocol (%s support secure renegotiation)"	./modules/ssl/ssl_engine_kernel.c:775		
AH02261: Re-negotiation handshake failed: "Not accepted by client?"	./modules/ssl/ssl_engine_kernel.c:817		
AH02262: Re-negotiation handshake failed: "Client verification failed"	./modules/ssl/ssl_engine_kernel.c:846		
AH02263: Re-negotiation handshake failed: "Client certificate missing"	./modules/ssl/ssl_engine_kernel.c:855		
AH02264: SSL cipher suite not renegotiated: "access to %s denied using cipher %s"	./modules/ssl/ssl_engine_kernel.c:872		
AH02265: access to %s failed, reason: Failed to execute "SSL requirement expression: %s"	./modules/ssl/ssl_engine_kernel.c:911		
AH02266: Access to %s denied for %s "(requirement expression not fulfilled)"	./modules/ssl/ssl_engine_kernel.c:923		
AH02267:	./modules/ssl/ssl_engine_kernel.c:1605		
AH02268:	./modules/ssl/ssl_engine_kernel.c:1610		
AH02269:	./modules/ssl/ssl_engine_kernel.c:1674		
AH02270: "SSL proxy client cert chain "verification failed: %s ."	./modules/ssl/ssl_engine_init.c:1310		
AH02271: loaded %i intermediate CA%s for cert %i: "	./modules/ssl/ssl_engine_init.c:1336		
AH02272: failed to retrieve OCSP response status"	./modules/ssl/ssl_engine_ocsp.c:199		
AH02273: OCSP response outside validity period"	./modules/ssl/ssl_engine_ocsp.c:219		
AH02274: Can't read PKCS7 object %s", pkcs7	./modules/ssl/ssl_util.c:295		
AH02275: Certificate Verification, depth %d, "CRL checking mode: %s", errdepth	./modules/ssl/ssl_engine_kernel.c:1437		
AH02276: Certificate Verification: Error (%d): %s"	./modules/ssl/ssl_engine_kernel.c:1522		
AH02277:	./modules/ssl/ssl_engine_kernel.c:1575		
AH02278: "no acceptable CA list"	./modules/ssl/ssl_engine_kernel.c:1626		
AH02279: found acceptable cert"	./modules/ssl/ssl_engine_kernel.c:1643		
AH02280: found acceptable cert by intermediate CA"	./modules/ssl/ssl_engine_kernel.c:1662		
AH02281: Failed to lookup provider 'shm' for %s'. Maybe you "need to load mod_slotmem_shm?"	./modules/proxy/balancers/mod_lbmethod_heartbeat.c:377		
AH02282: No slotmem from mod_heartmonitor"	./modules/proxy/balancers/mod_lbmethod_heartbeat.c:387		
AH02283: Using slotmem from mod_heartmonitor"	./modules/proxy/balancers/mod_lbmethod_heartbeat.c:390		
AH02284: failed to lookup provider 'shm' for %s', "maybe you need to load mod_slotmem_shm?"	./modules/cluster/mod_heartmonitor.c:687		
AH02285: slotmem_create for status failed"	./modules/cluster/mod_heartmonitor.c:695		
AH02286: Failed to open ticket key file %s: (%d) %pm"	./modules/ssl/ssl_engine_init.c:1192		
AH02287: Failed to read %d bytes from %s: (%d) %pm"	./modules/ssl/ssl_engine_init.c:1201		
AH02288: TLS session ticket key for %s successfully loaded from %s"	./modules/ssl/ssl_engine_init.c:1220		
AH02289: TLS session ticket key for %s successfully set, "creating new session ticket", sc->vhost_id	./modules/ssl/ssl_engine_kernel.c:2139		
AH02290: TLS session ticket key for %s successfully set, "decrypting existing session ticket", sc->vhost_id	./modules/ssl/ssl_engine_kernel.c:2160		
AH02291: Cannot access directory %s' for %s", dir, desc	./server/core.c:4381		
AH02292: Init: Name-based SSL virtual hosts only "work for clients with TLS server name indication "support (RFC 4366)"	./modules/ssl/ssl_engine_init.c:1489		
AH02293: slotmem(%s) grab failed. Num %u/num_free %u"	./modules/slotmem/mod_slotmem_shm.c:575		
<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="e3377aa4-fc2b-45b4-9d00-ad5414614724"><ac:plain-text-body><![CDATA[	AH02294: slotmem(%s) release failed. Num %u/inuse [%u] %d"	./modules /slotmem /mod_slotmem_shm.c:599	]]></ac:plain-text-body></ac:structured-macro>

AH02295: %s in .htaccess forbidden by <a href="#">AllowOverride</a> "	./server/config.c:854	
AH02296: "Unknown directive %s "perhaps misspelled or defined by a module "not included in the server configuration", dir	./server/config.c:1267	
AH02297: Cannot access directory '%s' for log file '%s' "defined at %s:%d", dir, cls->fname	./modules/loggers/mod_log_config.c:1700	