

How to do things in Wicket

- [Adding a sign-in page served over HTTP but authenticating using HTTPS](#)
- [AJAX](#)
 - [Adding Javascript from Wicket](#)
 - [A StatelessAjaxFallbackLink](#)
 - [Autocomplete using a Wicket model](#)
 - [Calling Wicket from Javascript](#)
 - [Generic Busy Indicator \(for both Ajax and non-Ajax submits\)](#)
 - [HOWTO do Javascript call after each Wicket AJAX update](#)
 - [How to handle jQuery.ajax\(..\) JSON request ?](#)
 - [How To Make The Same Form Work With and Without Ajax](#)
 - [How to write JSON response](#)
 - [Identifying the key that was pressed in a serverside key handler](#)
 - [Opera Ajax](#)
 - [Passing HTTP parameters to Ajax callback methods](#)
 - [StatelessAjaxFallbackLink -- Using Ajax with a Stateless Application](#)
 - [Submitting AJAX forms with return](#)
 - [Working With AjaxRequestTarget](#)
- [Application Server Notes](#)
 - [BEA Weblogic 9.2 — Setup weblogic server 9.2 for a wicket based application](#)
 - [JBoss Application Server](#)
 - [Maven jetty6 plugin — Testing with the Maven2 Jetty6 Plugin](#)
 - [Maven Jetty plugin — Running, testing and debugging with the Maven2 Jetty Plugin](#)
 - [Tomcat clustering — How to setup Tomcat to test clustering with Wicket](#)
 - [Websphere — Notes on using Wicket with Websphere](#)
- [Configuration](#)
 - [Control where HTML files are loaded from](#) — How to Control where HTML files are loaded from (or how do I change the strategy for naming HTML files)
 - [Custom resource paths](#) — How to load templates from a location other than the classpath
 - [Error Pages and Feedback Messages](#) — HTTP, Non-HTTP, and Displaying
 - [Java security permissions](#) — Which security permissions are required to run Wicket in a SecurityManager
 - [URL Coding Strategies](#)
 - [Use a different extension for template files](#) — How to use a files with an extension other than ".html" as templates
 - [Use a different extension for template files_1_2](#) — How to use a files with an extension other than ".html" as templates
 - [Wicket behind a front-end proxy](#) — How to run Wicket behind a front end proxy server (e.g. Apache with mod_jk or mod_proxy)
 - [Wicket without web.xml \(embedded Jetty\)](#) — How to start Wicket with embedded Jetty without requiring web.xml
 - [Error Page](#)
- [Database Interaction](#)
 - [Blog Tutorial](#) — Example Spring & JPA-Hibernate Blog application
 - [Databinder](#) — External project combining Wicket and Hibernate.
 - [IBATIS](#) — Mapping Java Objects to the results of SQL Queries
 - [Reading from a Database](#)
 - [Wicket Phonebook](#) — Example Spring & Hibernate/IBATIS CrUD app
- [Excel Spreadsheet](#)
 - [How to work with Excel in Wicket using JExcel API](#)
- [Facebook Integration](#)
 - [Adding Facebook connect](#)
 - [Adding Facebook Connect via Javascript SDK](#)
 - [Misc Tips for FBML App Developers](#)
 - [Simple FBML redirect with Wicket](#)
 - [Wicket form submits, FBML and redirects](#)
- [Forms](#)
 - [Adding Dynamic Field Prompts or Hints](#) — Details how to add prompts which are displayed when a user is in an input field and otherwise hidden.
 - [Automatic styling of form errors](#)
 - [Conditional Validation](#)
 - [Creating a FormComponentAjaxBehavior](#)
 - [Creating Custom FormComponentPanel's to build valid objects using Wicket's Form Validation Logic](#)
 - [DropDownChoice Examples](#)
 - [Another DropDownChoice Example by Adam](#)
 - [Fancy validation using AJAX, alternatives to FeedbackPanel](#)
 - [Form control labels](#)
 - [Forms with dynamic elements](#)
 - [How to use the same Form for editing and new](#)
 - [Listview with checkboxes](#) — How to use checkboxes to select items in a listview
 - [Multiple submit buttons](#) — How to use multiple submit buttons in forms
 - [Nested Forms](#)
 - [Pass form input from Modal Window back to the caller page](#)
 - [Passing parameters to pages](#)
 - [Request Focus on a Specific Form Component](#)
 - [Streaming Files](#)
 - [Using listviews](#) — How to use listviews in forms
 - [Using RadioGroups](#)
 - [Validating Form Components \(After Page Load\)](#)
 - [Validating PasswordTextField \(wicket-1.2\)](#)
 - [Validating related fields](#)
- [General Application](#)

- [AJAX update and file download in one blow](#)
- [Building wizard functionality](#) — How to build a wizard in Wicket
- [Composite Behaviors](#) — How to combine different behaviors into one
- [Custom WebSession \(Storing Objects In Session\)](#)
- [Displaying content \(e.g. PDF, Excel, Word\) in an IFRAME](#)
- [Getting a url for display](#) — Getting the actual URL for a WebPage as a String
- [How to add or update HTML tag attributes](#)
- [How to configure mod_proxy_http for Wicket application](#)
- [How to create a custom component](#)
- [How to display a Flash movie \(from a byte array\)](#)
- [How to load an external image](#)
- [How to make NavigationToolbar hide paging components at limits](#)
- [How to order your feedback messages](#)
- [How-to redirect page from a pop-up](#)
- [How to redirect to an external non-Wicket page](#)
- [How to Stamp an Image Template with Context Specific Details](#)
- [How to switch to SSL mode](#) — An explanation of how to transparently switch from http to https.
- [Including JSP files in HTML templates](#)
 - [JSP file in HTML template, Enhanced version](#)
- [Modal Windows](#)
- [Object Container, adding Flash to a Wicket Application](#) — Hidden Excerpt
- [Page construction strategies](#) — Patterns for building pages that use inheritance
- [Panels and borders](#) — How to create reusable elements using Panels
 - [Border](#)
- [Raw HttpServletRequest](#) — How to get access to the raw HttpServletRequest and HttpServletResponse objects
- [Removing message bundle requirements for validation](#)
- [Render strategies](#) — A note on the rendering strategies available
- [Reusable multi step panel by using a delegate pattern](#)
- [Rss Page](#) — How to create a Rss page in Wicket
- [SEO - Search Engine Optimization](#) — Some Search Engine Optimization tricks with wicket
- [Simple Flash container based on AbstractTransformerBehavior](#)
- [Stateless pages](#)
- [Using custom converters](#)
 - [BigDecimalConverter](#)
- [Using intercept pages](#) — remembering last visited pages and redirection
- [Using JBoss Serialization in Wicket 1.5](#)
- [Wicket application behind mod_proxy_http and https](#)
- [i18n](#)
 - [Creating a custom resource locator](#)
 - [Everything about Wicket internationalization](#)
 - [General i18n in Wicket](#)
 - [I18n and resource bundles](#)
 - [Manually switching locale](#)
- [Models and binding](#)
 - [Filter ListView by criteria from a DropDownChoice](#)
 - [Referencing Models From Inner Classes](#)
 - [Working with Wicket models](#)
- [Page with dynamic components](#)
- [Portals](#)
 - [Portal HowTo](#) — On the principle "anything's better than nothing", a capture of Ate's email to users@wicket"
 - [Portlet 2.0 HowTo](#) — Portlet API 2.0 support for Wicket >= 1.4-RC2
- [Use wicket as template engine](#)
- [View Layer](#)
 - [Adding a markup filter](#)
 - [Wicket and JMeter](#)
 - [Wicket and JMeter with Regular Expressions](#)
 - [Calling JavaScript function on wicket component's onclick](#)
 - [Change anchor tag behaviour](#) — How to change the display of anchor tags
 - [Consistent page layout using borders](#)
 - [Create dynamic markup hierarchies using panels](#)
 - [CSS-enabled feedback panel](#)
 - [Dealing with cookies](#)
 - [Getting Browser Information](#)
 - [Getting user confirmation](#)
 - [How to add tooltips](#)
 - [How to change the character encoding](#) — Out-of-date?
 - [How to create dynamic image overlays](#)
 - [How to modify an attribute on a HTML tag](#)
 - [How to remove wicket markup from output](#)
 - [Including CSS resources](#)
 - [JavaScript Value Injection Using wicket-velocity](#)
 - [ListView and other repeaters](#) — How to add a variable/run-time-determined number of components
 - [Logging Out- Invalidating Session and Redirect](#)
 - [Markup inheritance](#) — How to create consistent layout using Markup Inheritance
 - [Multiple markups per page](#) — How to have one Page reference multiple markup pages
 - [Obfuscating urls](#) — How to obfuscate/encrypt a wicket url
 - [Sourcing External Content](#) — How to inject external content into a panel
 - [Using frames](#)
 - [Using more than one FeedbackPanel per Page](#)

- [Wasp-Swarm \(Security\)](#)
- [Wicket-Extension-related notes](#)