

URIs

URIs

Camel makes extensive use of URIs to allow you to refer to endpoints which are lazily created by a [Component](#) if you refer to them within [Routes](#).

important

Make sure to read [How do I configure endpoints](#) to learn more about configuring endpoints. For example how to refer to beans in the [Registry](#) or how to use raw values for password options, and using [property placeholders](#) etc.

Current Supported URIs

Component / ArtifactId / URI	Description
AHC / camel-ahc <code>ahc:http [s]://hostName[:port][/resourceUri] [?options]</code>	To call external HTTP services using Async Http Client
AHC-WS / camel-ahc-ws <code>ahc-ws [s]://hostName[:port][/resourceUri] [?options]</code>	To exchange data with external Websocket servers using Async Http Client
AMQP / camel-amqp <code>amqp:[queue: topic:] destinationNa me[?options]</code>	For Messaging with AMQP protocol
APNS / camel-apns <code>apns: <notify consu mer>[? options]</code>	For sending notifications to Apple iOS devices

<p>Atmosphere-WebSocket / camel-1-atmosphere-websocket</p> <pre>atmosphere- websocket:///relative_path[?options]</pre>	<p>To exchange data with external Websocket clients using Atmosphere</p>
<p>Atom / camel-atom</p> <pre>atom:atomUri[?options]</pre>	<p>Working with Apache Abdera for atom integration, such as consuming an atom feed.</p>
<p>Avro / camel-avro</p> <pre>avro: [transport]: [host]:[port] [/messageName] [?options]</pre>	<p>Working with Apache Avro for data serialization.</p>
<p>AWS-CW / camel-aws</p> <pre>aws- cw://namespace[?options]</pre>	<p>For working with Amazon's CloudWatch (CW).</p>
<p>AWS-DDB / camel-aws</p> <pre>aws- ddb://tableName[?options]</pre>	<p>For working with Amazon's DynamoDB (DDB).</p>
<p>AWS-DDBSTREAM / camel-aws</p> <pre>aws- ddbstream://tableName[?options]</pre>	<p>For working with Amazon's DynamoDB Streams (DDB Streams).</p>
<p>AWS-EC2 / camel-aws</p> <pre>aws- ec2://label[?options]</pre>	<p>For working with Amazon's Elastic Compute Cloud (EC2).</p>

AWS-SDB / camel-aws	For working with Amazon's SimpleDB (SDB) . <pre>aws- sdb://domainName[?options]</pre>
AWS-SES / camel-aws	For working with Amazon's Simple Email Service (SES) .
AWS-SNS / camel-aws	For Messaging with Amazon's Simple Notification Service (SNS) .
AWS-SQS / camel-aws	For Messaging with Amazon's Simple Queue Service (SQS) .
AWS-SWF / camel-aws	For Messaging with Amazon's Simple Workflow Service (SWF) .
AWS-S3 / camel-aws	For working with Amazon's Simple Storage Service (S3) .
Bean / camel-core	Uses the Bean Binding to bind message exchanges to beans in the Registry . Is also used for exposing and invoking POJO (Plain Old Java Objects). <pre>bean:beanName[?options]</pre>

Beanstalk / camel-beanstalk <pre>beanstalk: hostname:port /tube[? options]</pre>	For working with Amazon's Beanstalk .
Bean Validator / camel-bean-validator <pre>bean- validator: label[? options]</pre>	Validates the payload of a message using the Java Validation API (JSR 303 and JAXP Validation) and its reference implementation Hibernate Validator
Box / camel-box <pre>box://endpoi nt-prefix /endpoint? [options]</pre>	For uploading, downloading and managing files, managing files, folders, groups, collaborations, etc. on Box.com.
Braintree / camel-braintree <pre>braintree://e ndpoint- prefix /endpoint? [options]</pre>	Component for interacting with Braintree Payments via Braintree Java SDK
Browse / camel-core <pre>browse: someName</pre>	Provides a simple BrowsableEndpoint which can be useful for testing, visualisation tools or debugging. The exchanges sent to the endpoint are all available to be browsed.
Cache / camel-cache <pre>cache://cache Name[? options]</pre>	The cache component facilitates creation of caching endpoints and processors using EHCache as the cache implementation.
Cassandra / camel-cassandraql <pre>cql:localhost /keyspace</pre>	For integrating with Apache Cassandra .

Class / camel-core	Uses the Bean Binding to bind message exchanges to beans in the Registry . Is also used for exposing and invoking POJO (Plain Old Java Objects).
Chronicle Engine / camel-chronicle	Chronicle Engine is a high performance, low latency, reactive processing framework.
Chunk / camel-chunk	Generates a response using a Chunk template
CMIS / camel-cmis	Uses the Apache Chemistry client API to interface with CMIS supporting CMS
Cometd / camel-cometd	Used to deliver messages using the jetty cometd implementation of the bayeux protocol
Consul / camel-consul	For interfacing with an Consul .
Context / camel-context	Used to refer to endpoints within a separate CamelContext to provide a simple black box composition approach so that routes can be combined into a CamelContext and then used as a black box component inside other routes in other CamelContexts

<p>ControlBus / camel-core</p> <pre>controlbus: command[? options]</pre>	<p>ControlBus EIP that allows to send messages to Endpoints for managing and monitoring your Camel applications.</p>
<p>CouchDB / camel-couchdb</p> <pre>couchdb: hostName[: port] /database[? options]</pre>	<p>To integrate with Apache CouchDB.</p>
<p>Crypto (Digital Signatures) / camel-crypto</p> <pre>crypto: <sign verify> :name[? options]</pre>	<p>Used to sign and verify exchanges using the Signature Service of the Java Cryptographic Extension.</p>
<p>CXF / camel-cxf</p> <pre>cxfrs:<bean: cxfEndpoint //someAddress >[?options]</pre>	<p>Working with Apache CXF for web services integration</p>
<p>CXF Bean / camel-cxf</p> <pre>cxfbean: serviceBeanRe f[?options]</pre>	<p>Process the exchange using a JAX WS or JAX RS annotated bean from the registry. Requires less configuration than the above CXF Component</p>
<p>CXFRS / camel-cxf</p> <pre>cxfrs:<bean: rsEndpoint //address>[? options]</pre>	<p>Working with Apache CXF for REST services integration</p>
<p>DataFormat / camel-core</p> <pre>dataformat: name: <marshal unma rshal>[? options]</pre>	<p>for working with Data Formats as if it was a regular Component supporting Endpoints and URIs.</p>

DataSet / camel-core	For load & soak testing the DataSet provides a way to create huge numbers of messages for sending to Components or asserting that they are consumed correctly
<code>dataset:name [?options]</code>	
Direct / camel-core	Synchronous call to another endpoint from same CamelContext.
<code>direct: someName[? options]</code>	
Direct-VM / camel-core	Synchronous call to another endpoint in another CamelContext running in the same JVM.
<code>direct-vm: someName[? options]</code>	
DNS / camel-dns	To lookup domain information and run DNS queries using DNSJava
<code>dns:operation [?options]</code>	
Disruptor / camel-disruptor	To provide the implementation of SEDA which is based on disruptor
<code>disruptor: someName[? <option>] disruptor-vm: someName[? <option>]</code>	
Docker / camel-docker	To communicate with Docker
<code>docker:// [operation]? [options]</code>	
Dozer / camel-dozer	To convert message body using the Dozer type converter library.
<code>dozer://name? [options]</code>	

Dropbox / camel-dropbox	The dropbox: component allows you to treat Dropbox remote folders as a producer or consumer of messages.
<code>dropbox:// [operation]? [options]</code>	
EJB / camel-ejb	Uses the Bean Binding to bind message exchanges to EJBs. It works like the Bean component but just for accessing EJBs. Supports EJB 3.0 onwards.
<code>ejb:ejbName[? options]</code>	
Ehcache / camel-ehcache	The cache component facilitates creation of caching endpoints and processors using Ehcache 3 as the cache implementation.
<code>ehcache://cacheName[? options]</code>	
ElasticSearch / camel-elasticsearch	For interfacing with an ElasticSearch server.
<code>elasticsearch://clusterName[?options]</code>	
Etcd / camel-etcd	For interfacing with an Etcd key value store.
<code>etcd: namespace[/path][? options]</code>	
Spring Event / camel-spring	Working with Spring ApplicationEvents
<code>spring-event://default</code>	
EventAdmin / camel-eventadmin	Receiving OSGi EventAdmin events
<code>eventadmin:topic[? options]</code>	
Exec / camel-exec	For executing system commands
<code>exec://executable[? options]</code>	

Facebook / camel-facebook	Providing access to all of the Facebook APIs accessible using Facebook4J
<code>facebook://endpoint[?options]</code>	
File / camel-core	Sending messages to a file or polling a file or directory.
<code>file://nameOfFileOrDirectory[?options]</code>	
Flatpack / camel-flatpack	Processing fixed width or delimited files or messages using the FlatPack library
<code>flatpack:[fixed delim]:configFile[?options]</code>	
Flink / camel-flink	Bridges Camel connectors with Apache Flink tasks.
<code>flink:dataset[?options]</code> <code>flink:DataStream[?options]</code>	
FOP / camel-fop	Renders the message into different output formats using Apache FOP
<code>fop:outputFormat[?options]</code>	
FreeMarker / camel-freemarker	Generates a response using a FreeMarker template
<code>freemarker:templateName[?options]</code>	
FTP / camel-ftp	Sending and receiving files over FTP.
<code>ftp:contextPath[?options]</code>	

FTPS / camel-ftp	Sending and receiving files over FTP Secure (TLS and SSL). <pre>ftps:// [username@] hostName[:port] /directoryName[?options]</pre>
Ganglia / camel-ganglia	Sends values as metrics to the Ganglia performance monitoring system using gmetric4j . Can be used along with JMXetric . <pre>ganglia: destination: port[? options]</pre>
GAuth / camel-gae	Used by web applications to implement an OAuth consumer. See also Camel Components for Google App Engine . <pre>gauth://name[?options]</pre>
GHttp / camel-gae	Provides connectivity to the URL fetch service of Google App Engine but can also be used to receive messages from servlets. See also Camel Components for Google App Engine . <pre>ghttp: contextPath[? options]</pre>
Git / camel-git	Supports interaction with Git repositories <pre>git: localRepositoryPath[? options]</pre>
Github / camel-github	Supports interaction with Github <pre>github: endpoint[? options]</pre>
GLogin / camel-gae	Used by Camel applications outside Google App Engine (GAE) for programmatic login to GAE applications. See also Camel Components for Google App Engine . <pre>glogin://host name[:port][?options]</pre>
GTask / camel-gae	Supports asynchronous message processing on Google App Engine by using the task queueing service as message queue. See also Camel Components for Google App Engine . <pre>gtask://queue -name[? options]</pre>

<p>Google Calendar / camel-google-calendar</p> <pre>google- calendar://en dpoint-prefix /endpoint? [options]</pre>	<p>Supports interaction with Google Calendar's REST API.</p>
<p>Google Drive / camel-google-drive</p> <pre>google- drive://endpo int-prefix /endpoint? [options]</pre>	<p>Supports interaction with Google Drive's REST API.</p>
<p>Google Mail / camel-google-mail</p> <pre>google- mail://endpoi nt-prefix /endpoint? [options]</pre>	<p>Supports interaction with Google Mail's REST API.</p>
<p>GMail / camel-gae</p> <pre>gmail://user@ g[oogle]mail. com[?options]</pre>	<p>Supports sending of emails via the mail service of Google App Engine. See also Camel Components for Google App Engine.</p>
<p>Gora / camel-gora</p> <pre>gora: instanceName [?options]</pre>	<p>Supports to work with NoSQL databases using the Apache Gora framework.</p>
<p>Grape/ camel-grape</p> <pre>grape: defaultMavenC oordinates</pre>	<p>Grape component allows you to fetch, load and manage additional jars when CamelContext is running.</p>
<p>Geocoder / camel-geocoder</p> <pre>geocoder: <address latl ng:latitude, longitude>[? options]</pre>	<p>Supports looking up geocoders for an address, or reverse lookup geocoders from an address.</p>

Google Guava EventBus / camel-guava-eventbus <pre>guava- eventbus: busName[? options]</pre>	The Google Guava EventBus allows publish-subscribe-style communication between components without requiring the components to explicitly register with one another (and thus be aware of each other). This component provides integration bridge between Camel and Google Guava EventBus infrastructure.
Hazelcast / camel-hazelcast <pre>hazelcast:// [type]: cachename[? options]</pre>	Hazelcast is a data grid entirely implemented in Java (single jar). This component supports map, multimap, seda, queue, set, atomic number and simple cluster support.
HBase / camel-hbase <pre>hbase://table [?options]</pre>	For reading/writing from/to an HBase store (Hadoop database)
HDFS / camel-hdfs <pre>hdfs://hostNa me[:port][/path][? options]</pre>	For reading/writing from/to an HDFS filesystem using Hadoop 1.x
HDFS2 / camel-hdfs2 <pre>hdfs2://hostN ame[:port][/path][? options]</pre>	For reading/writing from/to an HDFS filesystem using Hadoop 2.x
Hipchat / camel-hipchat <pre>hipchat:// [host][:port]?options</pre>	For sending/receiving messages to Hipchat using v2 API
HL7 / camel-hl7 <pre>mina2: tcp://hostNam e[:port][? options]</pre>	For working with the HL7 MLLP protocol and the HL7 data format using the HAPI library

Infinispan / camel-infinispan	For reading/writing from/to Infinispan distributed key/value store and data grid
<pre>infinispan:// cacheName[? options]</pre>	
HTTP / camel-http	For calling out to external HTTP servers using Apache HTTP Client 3.x
<pre>http:HostName [:port][/resourceUri] [?options]</pre>	
HTTP4 / camel-http4	For calling out to external HTTP servers using Apache HTTP Client 4.x
<pre>http4: hostName[:port][/resourceUri] [?options]</pre>	
iBATIS / camel-ibatis	Performs a query, poll, insert, update or delete in a relational database using Apache iBATIS
<pre>ibatis://statementName[? options]</pre>	
Ignite / camel-ignite	Apache Ignite In-Memory Data Fabric is a high-performance, integrated and distributed in-memory platform for computing and transacting on large-scale data sets in real-time, orders of magnitude faster than possible with traditional disk-based or flash technologies. It is designed to deliver uncompromised performance for a wide set of in-memory computing use cases from high performance computing, to the industry most advanced data grid, highly available service grid, and streaming.
IMAP / camel-mail	Receiving email using IMAP
<pre>imap:// [username@] hostName[:port][?options]</pre>	

IMAPS / camel-mail	...
	<pre>imaps://[username@]hostName[:port][?options]</pre>
IRC / camel-irc	For IRC communication
	<pre>irc:[login@]hostName[:port]/#room[?options]</pre>
IronMQ / camel-ironmq	For working with IronMQ a elastic and durable hosted message queue as a service.
	<pre>ironmq:queueName[?options]</pre>
JavaSpace / camel-javaspace	Sending and receiving messages through JavaSpace
	<pre>javaspaces:jini://hostName[?options]</pre>
jBPM / camel-jbpm	Sending messages through kie-remote-client API to jBPM.
	<pre>jbpm:hostName[:port][/resourceUri][?options]</pre>
jcache / camel-jcache	The JCache component facilitates creation of caching endpoints and processors using JCache / jsr107 as the cache implementation.
	<pre>jcache:cacheName[?options]</pre>
jclouds / camel-jclouds	For interacting with cloud compute & blobstore service via jclouds
	<pre>jclouds:<blobstore compute>:[provider id][?options]</pre>

JCR / camel-jcr	Storing a message in a JCR compliant repository like Apache Jackrabbit
<pre>jcr://user: password@repo sitory/path /to/node[? options]</pre>	
JDBC / camel-jdbc	For performing JDBC queries and operations
<pre>jdbc: dataSourceNam e[?options]</pre>	
Jetty / camel-jetty	For exposing or consuming services over HTTP
<pre>jetty: hostName[: port][/resourceUri] [?options]</pre>	
JGroups / camel-jgroups	The <code>jgroups:</code> component provides exchange of messages between Camel infrastructure and JGroups clusters.
<pre>jgroups: clusterName[? options]</pre>	
JIRA / camel-jira	For interacting with JIRA
<pre>jira://endpoi nt[?options]</pre>	
JMS / camel-jms	Working with JMS providers
<pre>jms:[queue: topic:] destinationNa me[?options]</pre>	
JMX / camel-jmx	For working with JMX notification listeners
<pre>jmx://platfor m[?options]</pre>	
JPA / camel-jpa	For using a database as a queue via the JPA specification for working with OpenJPA , Hibernate or TopLink
<pre>jpa://entityN ame[?options]</pre>	

<p>JOLT / camel-jolt</p> <pre>jolt:specName[?options]</pre>	The jolt : component allows you to process a JSON messages using an JOLT specification. This can be ideal when doing JSON to JSON transformation.
<p>Jsch / camel-jsch</p> <pre>scp://hostName[:port]/destination[?options]</pre>	Support for the scp protocol
<p>JT/400 / camel-jt400</p> <pre>jt400://user:pwd@system/<path_to_dtaq>[?options]</pre>	For integrating with data queues on an AS/400 (aka System i, IBM i, i5, ...) system
<p>Kafka / camel-kafka</p> <pre>kafka://server:port[?options]</pre>	For producing to or consuming from Apache Kafka message brokers.
<p>Kestrel / camel-kestrel</p> <pre>kestrel:// [addresslist /]queueName[?options]</pre>	For producing to or consuming from Kestrel queues
<p>Krati / camel-krati</p> <pre>krati:// [path to datastore/][?options]</pre>	For producing to or consuming to Krati datastores
<p>Kubernetes / camel-kubernetes</p> <pre>kubernetes:masterUrl[?options]</pre>	For integrating your application with Kubernetes standalone or on top of OpenShift.
<p>Kura / camel-kura</p>	For deploying Camel OSGi routes into the Eclipse Kura M2M container.

Language / camel-core	Executes Languages scripts
<pre>language://languageName[:script][?options]</pre>	
LDAP / camel-ldap	Performing searches on LDAP servers (<scope> must be one of object onelevel subtree)
<pre>ldap:host[:port][?options]</pre>	
LinkedIn / camel-linkedin	Component for retrieving LinkedIn user profiles, connections, companies, groups, posts, etc. using LinkedIn REST API.
<pre>linkedin://endpoint-prefix/endpoint[?options]</pre>	
Log / camel-core	Uses Jakarta Commons Logging to log the message exchange to some underlying logging system like log4j
<pre>log:loggingCategory[?options]</pre>	
Lucene / camel-lucene	Uses Apache Lucene to perform Java-based indexing and full text based searches using advanced analysis/tokenization capabilities
<pre>lucene:searcherName:<insert query>[?options]</pre>	
Lumberjack / camel-lumberjack	Uses the Lumberjack protocol for retrieving logs (from Filebeat for instance)
<pre>lumberjack:host[:port]</pre>	
Metrics / camel-metrics	Uses Metrics to collect application statistics directly from Camel routes.
<pre>metrics:[meter counter histogram timer]:metricname[?options]</pre>	

MINA / camel-mina	Working with Apache MINA 1.x
<pre>mina: [tcp udp vm]: host[:port][? options]</pre>	
MINA2 / camel-mina2	Working with Apache MINA 2.x
<pre>mina2: [tcp udp vm]: host[:port][? options]</pre>	
Mock / camel-core	For testing routes and mediation rules using mocks
<pre>mock:name[? options]</pre>	
MLLP / camel-mllp	The MLLP component is specifically designed to handle the nuances of the MLLP protocol and provide the functionality required by Healthcare providers to communicate with other systems using the MLLP protocol
<pre>mllp:host: port[? options]</pre>	
MongoDB / camel-mongodb	Interacts with MongoDB databases and collections. Offers producer endpoints to perform CRUD-style operations and more against databases and collections, as well as consumer endpoints to listen on collections and dispatch objects to Camel routes
<pre>mongodb: connectionBea n[?options]</pre>	
MongoDB GridFS / camel-mongodb-gridfs	Sending and receiving files via MongoDB's GridFS system. Note: for Camel < 2.19, the URI syntax is gridfs:dbName[?options]
<pre>mongodb- gridfs:dbName [?options]</pre>	
MQTT / camel-mqtt	Component for communicating with MQTT M2M message brokers
<pre>mqtt:name[? options]</pre>	

MSV / camel-msv	Validates the payload of a message using the MSV Library
<pre>msv: someLocalOrRe moteResource [?options]</pre>	
Mustache / camel-mustache	Generates a response using a Mustache template
<pre>mustache: templateName [?options]</pre>	
MVEL / camel-mvel	Generates a response using an MVEL template
<pre>mvel: templateName [?options]</pre>	
MyBatis / camel-mybatis	Performs a query, poll, insert, update or delete in a relational database using MyBatis
<pre>mybatis://sta tementName[? options]</pre>	
Nagios / camel-nagios	Sending passive checks to Nagios using JSendNSCA
<pre>nagios://host Name[:port][? options]</pre>	
NATS / camel-nats	For messaging with the NATS platform.
<pre>nats://serve rs[?options]</pre>	
Netty / camel-netty	Working with TCP and UDP protocols using Java NIO based capabilities offered by the Netty project
<pre>netty: <tcp udp> //host[:port] [?options]</pre>	

Netty4 / camel-netty4	Working with TCP and UDP protocols using Java NIO based capabilities offered by the Netty project
<pre>netty4: <tcp udp> //host[:port] [?options]</pre>	
Netty HTTP / camel-netty-http	Netty HTTP server and client using the Netty project
<pre>netty-http: http:[port] /context-path [?options]</pre>	
Netty4 HTTP / camel-netty4-http	Netty HTTP server and client using the Netty project 4.x
<pre>netty4-http: http:[port] /context-path [?options]</pre>	
Olingo2 / camel-olingo2	Communicates with OData 2.0 services using Apache Olingo 2.0.
<pre>olingo2: endpoint /resource- path[? options]</pre>	
Openshift / camel-openshift	To manage your Openshift applications.
<pre>openshift: clientId[? options]</pre>	
OptaPlanner / camel-optaplanner	Solves the planning problem contained in a message with OptaPlanner .
<pre>optaplanner: solverConfig [?options]</pre>	
Paho / camel-paho	Paho component provides connector for the MQTT messaging protocol using the Paho library.
<pre>paho:topic[? options]</pre>	

Pax-Logging / camel-paxlogging	Receiving Pax-Logging events in OSGi paxlogging: appender
PDF / camel-pdf	Allows to work with Apache PDFBox PDF documents pdf:operation [?options]
PGEvent / camel-pgevent	Allows for Producing/Consuming PostgreSQL events related to the LISTEN/NOTIFY commands added since PostgreSQL 8.3 pgevent: dataSource[? options]
POP3 / camel-mail	Receiving email using POP3 and JavaMail pop3s://[username@] hostName port][?options]
POP3S / camel-mail	... pop3s://[username@] hostName port][?options]
Printer / camel-printer	The printer component facilitates creation of printer endpoints to local, remote and wireless printers. The endpoints provide the ability to print camel directed payloads when utilized on camel routes. lpr://host:port/path/to /printer[?options]
Properties / camel-core	The properties component facilitates using property placeholders directly in endpoint URI definitions. properties://key[?options]
Quartz / camel-quartz	Provides a scheduled delivery of messages using the Quartz 1.x scheduler quartz://groupName /timerName[?options]
Quartz2 / camel-quartz2	Provides a scheduled delivery of messages using the Quartz 2.x scheduler quartz2://groupName /timerName[?options]

Quickfix / camel-quickfix	Implementation of the QuickFix for Java engine which allow to send/receive FIX messages
<code>quickfix:configFile[?options]</code>	
RabbitMQ / camel-rabbitmq	Component for integrating with RabbitMQ
<code>rabbitmq://hostname[:port]/exchangeName[?options]</code>	
Ref / camel-core	Component for lookup of existing endpoints bound in the Registry .
<code>ref:name</code>	
Rest / camel-core	Component for consuming Restful resources supporting the Rest DSL and plugins to other Camel rest components.
<code>rest:verb:path[?options]</code>	
Restlet / camel-restlet	Component for consuming and producing Restful resources using Restlet
<code>restlet:restletUrl[?options]</code>	
REST Swagger / camel-rest-swagger	Component for accessing REST resources using Swagger specification as configuration.
<code>rest-swagger:[specificationUri#]operationId[?options]</code>	
RMI / camel-rmi	Working with RMI
<code>rmi://hostName[:port][?options]</code>	
RNC / camel-jing	Validates the payload of a message using RelaxNG Compact Syntax
<code>rnc:/relativeOrAbsoluteUri[?options]</code>	
RNG / camel-jing	Validates the payload of a message using RelaxNG
<code>rng:/relativeOrAbsoluteUri[?options]</code>	
Routebox / camel-routebox	Facilitates the creation of specialized endpoints that offer encapsulation and a strategy/map based indirection service to a collection of camel routes hosted in an automatically created or user injected camel context
<code>routebox:routeBoxName[?options]</code>	

RSS / camel-rss	Working with ROME for RSS integration, such as consuming an RSS feed.
<code>rss:uri[?options]</code>	
Salesforce / camel-salesforce	To integrate with Salesforce
<code>salesforce:topic[?options]</code>	
SAP NetWeaver / camel-sap-netweaver	To integrate with SAP NetWeaver Gateway
<code>sap-netweaver:hostName[:port][?options]</code>	
Scheduler / camel-core	Used to generate message exchanges when a scheduler fires. The scheduler has more functionality than the timer component.
<code>scheduler://name?[options]</code>	
schematron / camel-schematron	Camel component of Schematron which supports to validate the XML instance documents.
<code>schematron://path?[options]</code>	
SEDA / camel-core	Asynchronous call to another endpoint in the same CamelContext
<code>seda:someName[?options]</code>	
ServiceNow / camel-servicenow	Camel component for ServiceNow
<code>servicenow:instanceName[?options]</code>	
SERVLET / camel-servlet	For exposing services over HTTP through the servlet which is deployed into the Web container.
<code>servlet:relativePath[?options]</code>	
SFTP / camel-ftp	Sending and receiving files over SFTP (FTP over SSH).
<code>sftp://username@hostName[:port]/directoryName[?options]</code>	
Sip / camel-sip	Publish/Subscribe communication capability using the Telecom SIP protocol. RFC3903 - Session Initiation Protocol (SIP) Extension for Event
<code>sip://user@hostName[:port][?options]</code>	

SIPS / camel-sip	...
<pre>sips://user@hostName[:port] [?options]</pre>	
SJMS / camel-sjms	A ground up implementation of a JMS client
<pre>sjms:[queue: topic:] destinationName[?options]</pre>	
SJMS Batch / camel-sjms	A specialized JMS component for highly-performant transactional batch consumption from a queue.
<pre>sjms-batch:[queue:] destinationName[?options]</pre>	
Slack / camel-slack	The slack component allows you to connect to an instance of Slack and delivers a message contained in the message body via a pre established Slack incoming webhook .
<pre>slack:#channel[?options]</pre>	
SMTP / camel-mail	Sending email using SMTP and JavaMail
<pre>smtps://[username@]hostName [:port][?options]</pre>	
SMTP / camel-mail	...
<pre>smtps://[username@]hostName [:port][?options]</pre>	
SMPP / camel-smpp	To send and receive SMS using Short Messaging Service Center using the JSMPP library
<pre>smpp://[username@]hostName [:port][?options]</pre>	
SMPPS / camel-smpp	...
<pre>smpps://[username@]hostName [:port][?options]</pre>	
SNMP / camel-snmp	Polling OID values and receiving traps using SNMP via SNMP4J library
<pre>snmp://hostName[:port][? options]</pre>	

Solr / camel-solr	Uses the Solrj client API to interface with an Apache Lucene Solr server
<pre>solr://hostName[:port]/solr [?options]</pre>	
Apache Spark / camel-spark	Bridges Apache Spark computations with Camel endpoints.
<pre>spark:{rdd dataframe hive} [?options]</pre>	
Spark-rest / camel-spark-rest	For easily defining REST services endpoints using Spark REST Java library.
<pre>spark-rest://verb:path[? options]</pre>	
Splunk / camel-splunk	For working with Splunk
<pre>splunk://[endpoint][? options]</pre>	
SpringBatch / camel-spring-batch	To bridge Camel and Spring Batch
<pre>spring-batch://jobName[? options]</pre>	
SpringIntegration / camel-spring-integration	The bridge component of Camel and Spring Integration
<pre>spring-integration: defaultChannelName[? options]</pre>	
Spring LDAP / camel-spring-ldap	Camel wrapper for Spring LDAP
<pre>spring-ldap: springLdapTemplateBean[? options]</pre>	
Spring Redis / camel-spring-redis	Component for consuming and producing from Redis key-value store Redis
<pre>spring-redis://hostName: port[?options]</pre>	
Spring Web Services / camel-spring-ws	Client-side support for accessing web services, and server-side support for creating your own contract-first web services using Spring Web Services
<pre>spring-ws:[mapping-type:] address[?options]</pre>	

SQL / camel-sql	Performing SQL queries using JDBC
<pre>sql:select * from table where id=#[?options]</pre>	
SQL Stored Procedure / camel-sql	Performing SQL queries using Stored Procedure calls
<pre>sql-stored:template[? options]</pre>	
SSH component / camel-ssh	For sending commands to a SSH server
<pre>ssh:[username[:password]@] hostName[:port][?options]</pre>	
StAX / camel-stax	Process messages through a SAX ContentHandler .
<pre>stax: (contentHandlerClassName #m yHandler)</pre>	
Stream / camel-stream	Read or write to an input/output/error/file stream rather like unix pipes
<pre>stream: [in out err file header url][?options]</pre>	
Stomp / camel-stomp	For communicating with Stomp compliant message brokers, like Apache ActiveMQ or ActiveMQ Apollo
<pre>stomp:queue:destinationName [?options]</pre>	
StringTemplate / camel-stringtemplate	Generates a response using a String Template
<pre>string-template: templateName[?options]</pre>	
Stub / camel-core	Allows you to stub out some physical middleware endpoint for easier testing or debugging
<pre>stub:someOtherCamelUri[? options]</pre>	
Telegram / camel-telegram	Allows to exchange data with the Telegram messaging network
<pre>telegram://bots/authToken[? options]</pre>	

Test / camel-spring	Creates a Mock endpoint which expects to receive all the message bodies that could be polled from the given underlying endpoint
<pre>test: expectedMessagesEndpointUri [?options]</pre>	
Timer / camel-core	Used to generate message exchanges when a timer fires You can only consume events from this endpoint.
<pre>timer:timerName[?options]</pre>	
Twitter / camel-twitter	A twitter endpoint
<pre>twitter://endpoint[? options]</pre>	
Undertow / camel-undertow	HTTP server and client using the light-weight Undertow server.
<pre>undertow://host:port /context-path[?options]</pre>	
Validation / camel-core (camel-spring for Camel 2.8 or older)	Validates the payload of a message using XML Schema and JAXP Validation
<pre>validation: someLocalOrRemoteResource[? options]</pre>	
Velocity / camel-velocity	Generates a response using an Apache Velocity template
<pre>velocity:templateName[? options]</pre>	
Vertx / camel-vertx	Working with the vertx event bus
<pre>vertx:eventBusName</pre>	
VM / camel-core	Asynchronous call to another endpoint in the same JVM
<pre>vm:queueName[?options]</pre>	
Weather / camel-weather	Polls the weather information from Open Weather Map
<pre>wweather://name[?options]</pre>	
Websocket / camel-websocket	Communicating with Websocket clients
<pre>websocket://hostname[:port] [/resourceUri][?options]</pre>	

XML Security / camel-xmlsecurity	Used to sign and verify exchanges using the XML signature specification.
<pre>xmlsecurity:<sign verify>: name[?options]</pre>	
XMPP / camel-xmpp	Working with XMPP and Jabber
<pre>xmpp://[login@]hostname[: port][/participant][? options]</pre>	
XQuery / camel-saxon	Generates a response using an XQuery template
<pre>xquery:someXQueryResource</pre>	
XSLT / camel-core (camel-spring for Camel 2.8 or older)	Generates a response using an XSLT template
<pre>xsslt:templateName[?options]</pre>	
Yammer / camel-yammer	Allows you to interact with the Yammer enterprise social network
<pre>yammer://function[?options]</pre>	
Zookeeper / camel-zookeeper	Working with ZooKeeper cluster(s)
<pre>zookeeper://zookeeperServer [:port][/:path][?options]</pre>	

URI's for external components

Other projects and companies have also created Camel components to integrate additional functionality into Camel. These components may be provided under licenses that are not compatible with the Apache License, use libraries that are not compatible, etc... These components are not supported by the Camel team, but we provide links here to help users find the additional functionality.

Error rendering macro 'include'

org.owasp.validator.html.ScanException: java.util.EmptyStackException