Screen Rendering in Apache OFBiz:
Different Ways to Make it Future-Proof





A PAGE CONE

MELIA SEVILLA SEVILLA, SPAIN – NOVEMBER 16-18, 2016 –

Julien NICOLAS & Nicolas MALIN - Néréide



Summary

- I Julien NICOLAS & Nicolas MALIN
- II The purpose
- III How it works in OFBiz
- IV Feedback
- V A tiny reorganization for best practices
- VI Graphics charter
- VII How to do it?
- VIII Conclusion





Nicolas MALIN & Julien NICOLAS

Standard, enhancement, and community






II - Purpose





II - Purpose - Why this purpose







III - How it works in OFBiz

- Screen is not screen
- FTL
- Model form, make your macro FTL
- Themes



III - How it works in OFBiz - screen is not screen


Marketing Manager Application

Welcome to the Marketing Manager!

```
| ....<screen name="PartyPersonTreeLine">
| .....<section>
| .....<widgets>
| .....<label text="${partyAndPerson.firstName}.${partyAndPerson.lastName}"/>
| .....</widgets>
| .....</section>
| .....</screen>
```



III – How it works in OFBiz – screen is not screen





III - How it works in OFBiz - screen is not screen

Accountin	g Accou	nting - AP	Accounting - A	AR Asset Maint	Catalog	Content	Facility	HR		Manufactur
Main	Employees	Employments	Employee Position	Performance Review	Skills	Qualifications	Recruitment	Training	Employme	ent Applications

Find Party Skills

New Party Skill

Search Options		
Party Id		
Skill Type Id	•	
Years Exper	een . name="CommonTrainingDecorator">	
	<pre><section></section></pre>	
•	<actions></actions>	
	<pre>control = "HumanResUiLabels" map-name="uiLabelMap" global="true"/></pre>	
	<set.field="headeritem".value="training"></set.field="headeritem".value="training">	
Started Using		+
	<widgets></widgets>	
	<decorator-screen_name="main-decorator".location="\${parameters.maindecoratorlocation}"></decorator-screen_name="main-decorator".location="\${parameters.maindecoratorlocation}">	
	<pre><decorator-section.name="pre-body"></decorator-section.name="pre-body"></pre>	
	<pre></pre>	
		Level
. <td>reen></td> <td></td>	reen>	



III - How it works in OFBiz - screen is good enough

- Easy and fast to develop
- Easy to maintain
- Help to build flexible screen



III - Main OFBiz rendering : Forms






III – Freemarker - 1

Orders 57885 Customer Supplier Tag Provider Product Store Group	Sales Invoice			Order Creation Date From To Resquested Date From To PO Status Created Approved Agent IB	Completed On Hold Canceled				
In Progress Approved Canceled Posting Ready Sent Agent ID, firstname, lastname Canceled Posting Ready Sent Agent ID, firstname, lastname									
Orders	Sales Orders Order Status	Invoice status	Payment status	Purchase Order Supplier	Purchases Orders Order Status				
6/16/16	Completed N/A 6/23/16 -6/22/16	334 (3) N/A 33.7 USD	N/A N/A 0	FDC357885	Completed N/A 6/23/16 -6/22/16				
10/12/15	Completed N/A 10/19/15 -10/14/15	4,150 (5) N/A 417.49 USD	N/A N/A 0	FTC257885	Completed N/A 10/19/15 -10/14/15				
12/15/14	Completed N/A 12/22/14 -12/18/14	20,000 (1) 11906.38 CNY	1/18/15 0 CNY	CT157885	Completed N/A 12/22/14 -12/18/14				
2/27/14	Completed N/A 3/6/14 -3/1/14	30 (7) N/A 3.56 USD	N/A N/A 0	FTC57885	Completed N/A 3/6/14 -3/1/14				




III - Freemarker - 2





III - Freemarker - 3





III - Freemarker - 4

```
<#include "component://widget/templates/htmlFormMacroLibrary.ftl"/>
]<form id="filterOrderFollowup" name="filter OrderMgmt" method="post" action="<@ofbizUrl>orderFollowup</@ofbizUrl>?LOAD=1"...>
<div id="blukaction-message-list" class="message-list" style="..."...>
    .<div.class="tbl-specif.nrd-alert-style">
 .....<div.class="tbl-specif-header".id="main-table"...>
 ......<div.class="tbl-specif-body">
 ....<#assign.compteur=0>
<#list orderList as order>
 ....<#assign.compteur.=.compteur+1>
        <div id="row${order.purchaseOrderId}" data-saleorderid="${order.saleOrderId}" data-purchaseOrderid="${order.purchaseOrderId}"</pre>
 </#list>
 .....</div>
 ....</div>
><div.class="batch-bar-container">
    <div.id="batch-bar-offset"></div>
....<div id="batch-bar"...>
</div>
|<div class="modal-screen".id="confirmAction"...>
|<div.class="modal-screen".id="workInProgress"...>
<input id="actionMessageDropShipment" value="${uiLabelMap.EmbisphereConfirmDropShipmentMessage}" type="hidden">
```



III - Finaly Freemarker

Advantages


- Make it like HTML page
- Do want you have in mind (no limit)

Failures

- Difficult to maintain
- Not easy to have re-using code



III - Model Form 1





III - Model Form 2

```
<form name="EditProdCatalogCategories" type="list" target="updateProductCategoryToProdCatalog" title="" list-name="prodCatalogCategories"</pre>
    odd-row-style="alternate-row" default-table-style="basic-table" paginate-target="EditProdCatalogCategories">
    <auto-fields-service service-name="updateProductCategoryToProdCatalog"/>
    <field_name="prodCatalogId"><hidden/></field>
    <field name="productCategoryId" title="${uiLabelMap.ProductCategoryId}">
        <display-entity.entity-name="ProductCategory".description="${description}".also-hidden="true".cache="true">
            <sub-hyperlink link-style="buttontext" target="EditCategory" description="${productCategoryId}">
                <parameter.param-name="productCategoryId"/>
            </sub-hyperlink>
        </display-entity>
    </field>
    <field name="prodCatalogCategoryTypeId".title="${uiLabelMap.ProductCatalogCategoryType}"><display-entity.entity.name="ProdCatalogCategoryType".also-hidden="true".cache="true"/>
    <field name="fromDate" title="${uiLabelMap.CommonFromDateTime}"><display/></field>
    <field name="thruDate" title="${uiLabelMap.CommonThruDateTime}"></field>
    <field.name="sequenceNum".title="${uiLabelMap.CommonSequenceNum}"></field>
    <field name="deleteLink" title=" " widget-style="buttontext">
        <hyperlink target="removeProductCategoryFromProdCatalog" description="${uiLabelMap.CommonDelete}" also-hidden="false">
          <parameter.param-name="prodCatalogId"/>
          <parameter.param-name="productCategoryId"/>
          <parameter param-name="partyId"/>
          <parameter param-name="fromDate"/>
          <parameter.param-name="prodCatalogCategoryTypeId"/>
        </hyperlink>
    <field.name="makeTopLink".title=".".widget-style="buttontext">
        <hyperlink target="EditCategory" description="${uiLabelMap.ProductMakeTop}" also-hidden="false">
            <parameter.param-name="CATALOG TOP CATEGORY".from-field="productCategoryId"/>
            <parameter param-name="productCategoryId"/>
        </hyperlink>
   </field>
    <field .name="submitButton" title="${uiLabelMap.CommonUpdate}".widget-style="smallSubmit"><submit .button-type="button"/></field>
```



III - Model Form 3

Display element HTML rendering

Display element CSV rendering

```
<#macro.renderField.text><#if.text??>"${text?replace("\"",."\"\"")}"</#if></#macro>
```



III - Finaly model Form

Advantages


- Flexibility and easy implementation
- Consistency elements (linked all together)
- Macro FTL us

Failures

- Not as flexible as your mind
- Complex Macro FTL may caused complex issue



III - Theme





III - Finaly theme

Advantages

- Can add a new skin to Apache OFBiz
- Add new technologies without overload the framework

Failures

It miss possibility to overloading some part





IV - Feedback - Freemarker





IV - Feedback - Theme importance 1





IV - Feedback - Theme importance 2

- It could be managed as a component
- It federate all libraries used for the UI
- DevOps settings easier





V – Tiny reorganization for best practices

- A common theme to move UI libraries from framework
- To have specific template for generics screens






VI - Graphics charter

Or how to force developers to follow the Graphics charter





VI - Graphics charter - Why we need it? (1/2)







VII - How to do it? - Flexibility

More flexibility to be inflexible

- Have standard screen templates
- Use it in all applications components



VII - How to do it? - Be inflexible!

Be inflexible for more flexibility

 Each main screen must be linked to a screen template



VII - How to do it? - New structures

- Find
- File
- Entity details
- Assoc
- Etc.

- Actor
- Order



VII - How to do it ? - Make it simple

Make it simple:

- For developers
- To have framework consistency
- Easy to maintain
 - For the community
 - For the user





VIII - Conclusion

Make a UI as smarter as the engine!



