

# Configure change password at next logon in Active Directory

## Version Warning


The content below is for Apache Syncope <= 1.2 - for later versions the [Reference Guide](#) is available.

This page explains how you can configure Apache Syncope to set change password at next logon in Active Directory. For the basic configuration, you can refer to page [Configure an Active Directory resource](#).


To force a user to change their password at next logon, you need to add a new attribute in the resource mapping.

## Configure Active Directory resource

1. Open your browser and access to the Syncope administration console (<http://host:port/syncope-console>).
2. Log into the interface by providing the following credentials:
  1. Login: admin
  2. Password: password.
3. Create a new user schema (Schema)



4. Click on the *Resources* tab.
5. Click on *Schema Mappings* tab.
6. Click on *Add* button to insert attributes mapping.
7. Insert new mapping *pwdLastSet*.



8. Click on *Save* button.

## Test your configuration

Create a new user in Active Directory with Apache Syncope

1. Open your browser and access to the Syncope administration console (<http://host:port/syncope-console>).
2. Log into the interface by providing the following credentials:
  1. Login: admin
  2. Password: password.

3. Create new user syncopetest.

Attribute	Value
sotname	syncopetest
sacname	test
changePwd	<input checked="" type="checkbox"/>

4. Check the profile in Active Directory resource.

syncopetest Properties

Use logon name: syncopetest chassis.net

Use logon name (pre-Windows 2000): syncopetest syncopetest

Logon Hours... Log On To...

Unlock account

Account options:

- User must change password at next logon
- User cannot change password
- Password never expires
- Store password using reversible encryption

Account expires:

- Never
- End of: Saturday, December 13, 2014

OK Cancel Apply Help