

inputtransfersselect

Description

Create a input transfer select component which is basically an text input and <select ...> tag with buttons in the middle of them allowing text to be added to the transfer select. Will auto-select all its elements upon its containing form submission.

NOTE: The id and doubleId need not be supplied as they will generated provided that the inputtransfersselect tag is being used in a form tag. The generated id and doubleId will be <form_id>_<inputtransfersselect_doubleName> and <form_id>_<inputtransfersselect_doubleName> respectively.

Parameters

Dynamic Attributes Allowed:

false

Name	Required	Default	Evaluated	Type	Description
accesskey	false		false	String	Set the html accesskey attribute on rendered html element
addLabel	false		false	String	String the label used for the add button
allowRemoveAll	false		false	String	Determine whether the remove all button will display
allowUpDown	false		false	String	Determine whether items in the list can be reordered
buttonCssClass	false		false	String	the css class used for rendering buttons
buttonCssStyle	false		false	String	the css style used for rendering buttons
class	false		false	String	The css class to use for element - it's an alias of cssClass attribute.
cssClass	false		false	String	The css class to use for element
cssErrorClass	false		false	String	The css error class to use for element
cssErrorStyle	false		false	String	The css error style definitions for element to use
cssStyle	false		false	String	The css style definitions for element to use
disabled	false		false	String	Set the html disabled attribute on rendered html element
downLabel	false		false	String	the label used for the down button
errorPosition	false		false	String	Define error position of form element (top bottom)
headerKey	false		false	String	the header key of the select box
headerValue	false		false	String	the header value of the select box
id	false		false	String	HTML id attribute
javascriptTooltip	false	false	false	Boolean	Use JavaScript to generate tooltips
key	false		false	String	Set the key (name, value, label) for this particular component
label	false		false	String	Label expression used for rendering an element specific label
labelSeparator	false	:	false	String	String that will be appended to the label
labelPosition	false		false	String	Define label position of form element (top/left)
leftTitle	false		false	String	the left hand title
list	true		false	String	Iterable source to populate from. If the list is a Map (key, value), the Map key will become the option 'value' parameter and the Map value will become the option body.
listCssClass	false		false	String	Property of list objects to get css class from
listCssStyle	false		false	String	Property of list objects to get css style from
listKey	false		false	String	Property of list objects to get field value from
listLabelKey	false		false	String	Property of list objects to be used to lookup for localised version of field label
listTitle	false		false	String	Property of list objects to get title from
listValue	false		false	String	Property of list objects to get field content from
listValueKey	false		false	String	Property of list objects to get field value label from
multiple	false		false	String	Determine whether or not multiple entries are shown
name	false		false	String	The name to set for element
onBlur	false		false	String	Set the html onBlur attribute on rendered html element
onChange	false		false	String	Set the html onChange attribute on rendered html element

onclick	false	false	String	Set the html onclick attribute on rendered html element
ondblclick	false	false	String	Set the html ondblclick attribute on rendered html element
onfocus	false	false	String	Set the html onfocus attribute on rendered html element
onkeydown	false	false	String	Set the html onkeydown attribute on rendered html element
onkeypress	false	false	String	Set the html onkeypress attribute on rendered html element
onkeyup	false	false	String	Set the html onkeyup attribute on rendered html element
onmousedown	false	false	String	Set the html onmousedown attribute on rendered html element
onmousemove	false	false	String	Set the html onmousemove attribute on rendered html element
onmouseout	false	false	String	Set the html onmouseout attribute on rendered html element
onmouseover	false	false	String	Set the html onmouseover attribute on rendered html element
onmouseup	false	false	String	Set the html onmouseup attribute on rendered html element
onselect	false	false	String	Set the html onselect attribute on rendered html element
removeAllLabel	false	false	String	the label used for the remove all button
removeLabel	false	false	String	the label used for the remove button
requiredLabel	false	false	Boolean	If set to true, the rendered element will indicate that input is required
requiredPosition	false	false	String	Define required position of required form element (left right)
rightTitle	false	false	String	the right hand title
size	false	false	String	the size of the select box
style	false	false	String	The css style definitions for element to use - it's an alias of cssStyle attribute.
tabindex	false	false	String	Set the html tabindex attribute on rendered html element
template	false	false	String	The template (other than default) to use for rendering the element
templateDir	false	false	String	The template directory.
theme	false	false	String	The theme (other than default) to use for rendering the element
title	false	false	String	Set the html title attribute on rendered html element
tooltip	false	false	String	Set the tooltip of this particular component
tooltipConfig	false	false	String	Deprecated. Use individual tooltip configuration attributes instead.
tooltipCssClass	StrutsTTClassic	false	String	CSS class applied to JavaScript tooltips
tooltipDelay	Classic	false	String	Delay in milliseconds, before showing JavaScript tooltips
tooltipIconPath	false	false	String	Icon path used for image that will have the tooltip
upLabel	false	false	String	the label used for the up button
value	false	false	String	Preset the value of input element.

Example

Error rendering macro 'code': Invalid value specified for parameter 'java.lang.NullPointerException'

```
<-- minimum configuration -->
<s:inputtransferselect
  label="Favourite Cartoons Characters"
  name="cartoons"
  list="{ 'Popeye', 'He-Man', 'Spiderman' }"
/>
```