





















Developer Section

This section describes our coding and contribution guidelines. Please visit the included child pages for more detailed information.

Developer Informations

- [Code Formatting](#)
- [Flume 0.9 Developer FAQ](#)
- [Development Environment](#)
- [How to Commit](#)
- [How to Contribute](#)
- [How to Release](#)

Open Jira's

| T | Key | Summary | Reporter | Status |
|---|----------------------------|---|-----------------|----------------------|
|  | FLUME-3439 | Introduce SynchronousChannel, a fast disk-less channel that doesn't lose events | Eiichi Sato | OPEN |
|  | FLUME-3438 | The transaction close not correctly | PaulZeng | OPEN |
|  | FLUME-3437 | Validate providerUrl | Ralph Goers | OPEN |
|  | FLUME-3436 | Failed to instantiate SLF4J LoggerFactory | jk | OPEN |
|  | FLUME-3435 | Allow KafkaSink to include timestamp and KafkaHeaders | Ralph Goers | OPEN |
|  | FLUME-3431 | Hive sink kerberos issue - No valid credentials provided | Prashanth | OPEN |
|  | FLUME-3430 | How to stop flume 1.10.0 from logging logs to console | Kaushik Dutta | OPEN |
|  | FLUME-3429 | memorychannel optimization | klaus zhou | OPEN |
|  | FLUME-3423 | Taildir source will throw unnecessary exception when restart agent | Jasper D | OPEN |
|  | FLUME-3422 | Integration tests no longer generate logs due to slf4j problems | Tristan Stevens | OPEN |
|  | FLUME-3418 | Add Prometheus metrics endpoint | Tristan Stevens | OPEN |
|  | FLUME-3415 | Provide Docker image for Flume | Tristan Stevens | OPEN |
|  | FLUME-3414 | upgrade jackson due to CVE-2020-36518 | PJ Fanning | OPEN |
|  | FLUME-3408 | jdom dependency has XXE vulnerability | PJ Fanning | OPEN |
|  | FLUME-3406 | Inflight events in file channel should not be using MD5 for integrity purposes | Matt Sicker | OPEN |
|  | FLUME-3392 | kafka channel flume hdfs file close failed cause retry and data losse | Xinyuan Liu | OPEN |
|  | FLUME-3391 | flume kafka sink unable to configure ssl. endpoint.identification.algorithm = | chris | OPEN |
|  | FLUME-3390 | build failed on AArch64, Fedora 33 | Lutz Weischer | OPEN |
|  | FLUME-3388 | Jetty(6.1.26) is vulnerable to vulnerability attack | Confused | OPEN |
|  | FLUME-3387 | flume-ng-core uses vulnerable version of Mina | Lily Warner | OPEN |

Showing 20 out of 991 issues