

# Language

## Language

Available as of Camel 2.5

The language component allows you to send [Exchange](#) to an endpoint which executes a script by any of the supported [Languages](#) in Camel. By having a component to execute language scripts, it allows more dynamic routing capabilities. For example by using the [Routing Slip](#) or [Dynamic Router](#) EIPs you can send messages to `language` endpoints where the script is dynamic defined as well.

This component is provided out of the box in `camel-core` and hence no additional JARs is needed. You only have to include additional Camel components if the language of choice mandates it, such as using [Groovy](#) or [JavaScript](#) languages.

## URI format

```
language://languageName[:script][?options]
```

And from Camel 2.11 onwards you can refer to an external resource for the script using same notation as supported by the other [Languages](#) in Camel

```
language://languageName:resource:scheme:location[?options]
```

## URI Options

The component supports the following options.

Name	Default Value	Type	Description
languageName	null	String	The name of the <a href="#">Language</a> to use, such as <code>simple</code> , <code>groovy</code> , <code>javascript</code> etc. This option is mandatory.
script	null	String	The script to execute.
transform	true	boolean	Whether or not the result of the script should be used as the new message body. By setting to <code>false</code> the script is executed but the result of the script is discarded.
contentCache	true	boolean	<b>Camel 2.9:</b> Whether to cache the script if loaded from a resource. Note: from <b>Camel 2.10.3</b> a cached script can be forced to reload at runtime via JMX using the <code>clearContentCache</code> operation.
cacheScript	false	boolean	<b>Camel 2.13/2.12.2/2.11.3:</b> Whether to cache the compiled script. Turning this option on can gain performance as the script is only compiled/created once, and reuse when processing Camel messages. But this may cause side-effects with data left from previous evaluation spills into the next, and concurrency issues as well. If the script being evaluated is idempotent then this option can be turned on.
binary	false	boolean	<b>Camel 2.14.1:</b> Whether the script is binary content. This is intended to be used for loading resources using the <code>Constant</code> language, such as loading binary files.

## Message Headers

The following message headers can be used to affect the behavior of the component

Header	Description
<code>CamelLanguageScript</code>	The script to execute provided in the header. Takes precedence over script configured on the endpoint.

## Examples

For example you can use the [Simple](#) language to [Message Translator](#) a message:

```
Error formatting macro: snippet: java.lang.NullPointerException
```

as well:

```
Error formatting macro: snippet: java.lang.NullPointerException
```

the input message will be multiplied with 2:

```
Error formatting macro: snippet: java.lang.NullPointerException
```

You can also provide the script as a header as shown below. Here we use [XPath](#) language to extract the text from the `<foo>` tag.

```
Object out = producer.requestBodyAndHeader("language:xpath", "<foo>Hello World</foo>", Exchange.  
LANGUAGE_SCRIPT, "/foo/text()");  
assertEquals("Hello World", out);
```

## Loading scripts from resources

### Available as of Camel 2.9

You can specify a resource uri for a script to load in either the endpoint uri, or in the `Exchange.LANGUAGE_SCRIPT` header. The uri must start with one of the following schemes: `file:`, `classpath:`, or `http:`

For example to load a script from the classpath:

Error formatting macro: snippet: java.lang.NullPointerException

By default the script is loaded once and cached. However you can disable the `contentCache` option and have the script loaded on each evaluation. For example if the file `classpath:script.xml` is used, then the loaded script is used:

Error formatting macro: snippet: java.lang.NullPointerException

Like the other [Languages](#) in Camel by prefixing with `"resource: "` as shown below:

Error formatting macro: snippet: java.lang.NullPointerException

## See Also

- [Configuring Camel](#)
- [Component](#)
- [Endpoint](#)
- [Getting Started](#)
- [Languages](#)
- [Routing Slip](#)
- [Dynamic Router](#)
- [Script](#)