

PublicCvspassFile

A .cvspass file giving access to a whole bunch of open source CVS repos:

```
/1 :pserver:anonymous@cvs.ant-contrib.sourceforge.net:2401/cvsroot/ant-contrib A
/1 :pserver:anonymous@cvs.antworks.sourceforge.net:2401/cvsroot/antworks A
/1 :pserver:anonymous@cvs.barcode4j.sourceforge.net:2401/cvsroot/barcode4j A
/1 :pserver:anonymous@cvs.beanshell.sourceforge.net:2401/cvsroot/beanshell A
/1 :pserver:anonymous@cvs.beepcore.sourceforge.net:2401/cvsroot/beepcore-java A
/1 :pserver:anoncvs@oss.software.ibm.com:2401/usr/cvs/bsf Ay=0=h<Z
/1 :pserver:anoncvs@castor.exolab.org:2401/cvs/castor Ay=0=h<Z
/1 :pserver:anonymous@cvs.checkstyle.sourceforge.net:2401/cvsroot/checkstyle A
/1 :pserver:anonymous@cvs.dom4j.sourceforge.net:2401/cvsroot/dom4j A
/1 :pserver:anonymous@dev.w3.org:2401/sources/public Ay=0=a%0bz
/1 :pserver:guest@cvs.tigris.org:2401/cvs AlbdZ,
/1 :pserver:anonymous@cvs.freemarker.sourceforge.net:2401/cvsroot/freemarker A
/1 :pserver:anonymous@cvs.hsqldb.sourceforge.net:2401/cvsroot/hsqldb A
/1 :pserver:anonymous@cvs.httpunit.sourceforge.net:2401/cvsroot/httpunit A
/1 :pserver:anonymous@cvs.invicta.sourceforge.net:2401/cvsroot/invicta A
/1 :pserver:anonymous@cvs.javagroups.sourceforge.net:2401/cvsroot/javagroups A
/1 :pserver:anonymous@cvs.javasrc.sourceforge.net:2401/cvsroot/javasrc A
/1 :pserver:anonymous@cvs.jboss.sourceforge.net:2401/cvsroot/jboss A
/1 :pserver:anonymous@cvs.codehaus.org:2401/cvsroot/jaxen A
/1 :pserver:anonymous@cvs.jdom.org:2401/home/cvspublic Ay=0=a%0bz
/1 :pserver:anonymous@cvs.jetty.sourceforge.net:2401/cvsroot/jetty A
/1 :pserver:anonymous@cvs.jfor.sourceforge.net:2401/cvsroot/jfor A
/1 :pserver:anonymous@cvs.jgen.sourceforge.net:2401/cvsroot/jgen A
/1 :pserver:anonymous@cvs.JRefactory.sourceforge.net:2401/cvsroot/jrefactory A
/1 :pserver:anonymous@cvs.jtidy.sourceforge.net:2401/cvsroot/jtidy A
/1 :pserver:anonymous@cvs.junit.sourceforge.net:2401/cvsroot/junit A
/1 :pserver:anonymous@cvs.junit-addons.sourceforge.net:2401/cvsroot/junit-addons A
/1 :pserver:anonymous@cvs.jython.sourceforge.net:2401/cvsroot/jython A
/1 :pserver:anonymous@cvs.mx4j.sourceforge.net:2401/cvsroot/mx4j A
/1 :pserver:anonymous@cvs.quartz.sourceforge.net:2401/cvsroot/quartz A
/1 :pserver:anonymous@cvs-mirror.mozilla.org:2401/cvsroot Ay=0=a%0bz
/1 :pserver:anoncvs@cvs.cocoonderv.org:2401/var/cvs/rhino Ay=0=h<Z
/1 :pserver:anonymous@cvs.smartfrog.sourceforge.net:2401/cvsroot/smartfrog A
/1 :pserver:anoncvs@share.whichever.com:2401/home/cvspublic Ay=0=h<Z
/1 :pserver:anoncvs@oss.software.ibm.com:2401/usr/cvs/uddi4j Ay=0=h<Z
/1 :pserver:anonymous@cvs.opensymphony.sourceforge.net:2401/cvsroot/opensymphony A
/1 :pserver:anonymous@cvs.codehaus.org:2401/scm/cvspublic A
/1 :pserver:guest@cvs.dev.java.net:2401/cvs A
/1 :pserver:anoncvs@oss.software.ibm.com:2401/usr/cvs/wsdl4j Ay=0=h<Z
/1 :pserver:anonymous@cvs.wss4j.sourceforge.net:2401/cvsroot/wss4j A
/1 :pserver:anonymous@cvs.xdoclet.sourceforge.net:2401/cvsroot/xdoclet A
/1 :pserver:anonymous@cvs.xmlunit.sourceforge.net:2401/cvsroot/xmlunit A
/1 :pserver:anonymous@cvs.sslext.sourceforge.net:2401/cvsroot/sslext A
/1 :pserver:anonymous@cvs.jicarilla.sourceforge.net:2401/cvsroot/jicarilla A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/antworks A
/1 :pserver:anonymous@cvs.ant-contrib.cvs.sourceforge.net:2401/cvsroot/ant-contrib A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/barcode4j A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/beanshell A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/beepcore-java A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/checkstyle A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/dom4j A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/freemarker A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/hsqldb A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/httpunit A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/invicta A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/javagroups A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/javasrc A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jboss A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jetty A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jfor A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jgen A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jrefactory A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jtidy A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/junit A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/junit-addons A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jython A
```

/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/mx4j A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/quartz A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/smarterfrog A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/sslest A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/opensymphony A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/wss4j A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/xdoclet A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/xmlunit A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/ant-contrib A
/1 :pserver:anonymous@cvs.jaxen.codehaus.org:2401/scm/jaxen A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/ant-contrib A
/1 :pserver:anonymous@cvs.jaxen.codehaus.org:2401/cvsroot/jaxen A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/mockobjects A
/1 :pserver:anoncvs@cvs.apache.org:2401/home/cvspublic/jakarta-bsf Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/xml-im-exporter A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/easymock A
/1 :pserver:anoncvs@cvs.apache.org:2401/home/cvspublic Ay=0=h<z
/1 :pserver:anoncvs@oss.software.ibm.com:2401/usr/cvs/icu4j Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jena A
/1 :pserver:anonymous@cvs.extreme.indiana.edu:2401/l/extreme/cvspub Ah<zy=0= A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/beaver A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/findbugs A
/1 :pserver:anoncvs@cvs.apache.org:2401/home/cvspublic/trunk/ Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/dumpster A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/dumbster A
/1 :pserver:anonymous@cvs.groovy.codehaus.org:2401/home/projects/groovy/scm A
/1 :pserver:anonymous@cvs.forge.objectweb.org:2401/cvsroot/asm A
/1 :pserver:readonly@cvs.kaffe.org:2401/cvs/kaffe A dye0='a
/1 :pserver:anoncvs@anoncvs.internet2.edu:2401/home/cvs/shibboleth A
/1 :pserver:anoncvs@www-124.ibm.com:2401/usr/cvs/jikes Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/nant A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jdbm A
/1 :pserver:anonymous@anoncvs.go-mono.com:2401/mono A
/1 :pserver:anonymous@www.jacorb.org:2401/cvsroot/jacorb/JacORB Ay=0=a%0bz
/1 :pserver:anonymous@www.jacorb.org:2401/cvsroot/jacorb/JacORB Ay=0=a%0bz
/1 :pserver:anonymous@www.jacorb.org:2401/cvsroot/jacorb Ay=0=a%0bz
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/cppunit A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot(wrapper A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/jline A
/1 :pserver:anoncvs@cvs.apache.org:/home/cvspublic Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/dom4j A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/xdoclet A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/mockobjects A
/1 :pserver:anonymous@cvs.forge.objectweb.org:/cvsroot/asm A
/1 :pserver:anoncvs@castor.exolab.org:/cvs/castor Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/beepcore-java A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/httpunit A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jetty A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/nant A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/cppunit A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/junit A
/1 :pserver:anonymous@cvs.extreme.indiana.edu:/l/extreme/cvspub Ah<zy=0= A
/1 :pserver:anonymous@cvs.jdom.org:/home/cvspublic Ay=0=a%0bz
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/beaver A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot(wrapper A
/1 :pserver:anoncvs@oss.software.ibm.com:/usr/cvs/wsdl4j Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/ant-contrib A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jdbm A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/xmlunit A
/1 :pserver:anoncvs@share.whichever.com:/home/cvspublic Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/dumbster A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jline A
/1 :pserver:anonymous@dev.w3.org:/sources/public Ay=0=a%0bz
/1 :pserver:anoncvs@oss.software.ibm.com:/usr/cvs/icu4j Ay=0=h<z
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jboss A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/smarterfrog A
/1 :pserver:anonymous@cvs.jaxen.codehaus.org:/scm/jaxen A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/hsqldb A
/1 :pserver:guest@cvs.dev.java.net:/cvs A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jython A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jfor A

/1 :pserver:guest@cvs.tigris.org:/cvs AlbdZ,
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/checkstyle A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jtidy A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/invicta A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/junit-addons A
/1 :pserver:anoncvs@anoncvs.internet2.edu:/home/cvs/shibboleth A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/mx4j A
/1 :pserver:anoncvs@oss.software.ibm.com:/usr/cvs/uddi4j Ay=0=h<Z
/1 :pserver:anonymous@cvs-mirror.mozilla.org:/cvsroot Ay=0=a%0bz
/1 :pserver:anonymous@cvs.groovy.codehaus.org:/home/projects/groovy/scm A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/beanshell A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/javagroups A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/quartz A
/1 :pserver:anonymous@www.jacob.org:/cvsroot/jacob Ay=0=a%0bz
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/sslext A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/aopalliance A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/aopalliance A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/strutstestcase A
/1 :pserver:anonymous@cvs.sourceforge.net:2401/cvsroot/strutstestcase A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/wsdl4j A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/uddi4j A
/1 :pserver:anon@cvs.castor.codehaus.org:/scm/castor A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/deployment A
/1 :pserver:anon@cvs.castor.codehaus.org:/home/projects/castor/scm A
/1 :pserver:anonymous@cvs.jaxen.codehaus.org:/home/projects/jaxen/scm A
/1 :pserver:anonymous@cvs.jmock.codehaus.org:/home/projects/jmock/scm A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/gsbase/gsbase2 A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/htmlunit A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/gsbase A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/emma A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/jmdns A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/antbook A
/1 :pserver:anonymous@cvs.sourceforge.net:/cvsroot/. A
/1 :pserver:anonymous@antbook.cvs.sourceforge.net:/cvsroot/antbook/. A
/1 :pserver:anonymous@smartfrog.cvs.sourceforge.net:/cvsroot/smartfrog/. A
/1 :pserver:anonymous@junit.cvs.sourceforge.net:/cvsroot/junit/. A
/1 :pserver:anonymous@beepcore-java.cvs.sourceforge.net:/cvsroot/beepcore-java/beepcore-java A
/1 :pserver:anonymous@ant-contrib.cvs.sourceforge.net:/cvsroot/ant-contrib/. A
/1 :pserver:anonymous@aopalliance.cvs.sourceforge.net:/cvsroot/aopalliance/. A
/1 :pserver:anonymous@beaver.cvs.sourceforge.net:/cvsroot/beaver/. A
/1 :pserver:anonymous@deployment.cvs.sourceforge.net:/cvsroot/deployment/. A
/1 :pserver:anonymous@beepcore-java.cvs.sourceforge.net:/cvsroot/beepcore-java/. A
/1 :pserver:anonymous@checkstyle.cvs.sourceforge.net:/cvsroot/checkstyle A
/1 :pserver:anonymous@xdoclet.cvs.sourceforge.net:/cvsroot/xdoclet A
/1 :pserver:anonymous@cppunit.cvs.sourceforge.net:/cvsroot/cppunit A
/1 :pserver:anonymous@mockobjects.cvs.sourceforge.net:/cvsroot/mockobjects A
/1 :pserver:anonymous@nant.cvs.sourceforge.net:/cvsroot/nant A
/1 :pserver:anonymous@gsbase.cvs.sourceforge.net:/cvsroot/gsbase A
/1 :pserver:anonymous@wsdl4j.cvs.sourceforge.net:/cvsroot/wsdl4j A
/1 :pserver:anonymous@emma.cvs.sourceforge.net:/cvsroot/emma A
/1 :pserver:anonymous@jdbm.cvs.sourceforge.net:/cvsroot/jdbm A
/1 :pserver:anonymous@hsqldb.cvs.sourceforge.net:/cvsroot/hsqldb A
/1 :pserver:anonymous@jline.cvs.sourceforge.net:/cvsroot/jline A
/1 :pserver:anonymous@dumbster.cvs.sourceforge.net:/cvsroot/dumbster A
/1 :pserver:anonymous@httpunit.cvs.sourceforge.net:/cvsroot/httpunit A
/1 :pserver:anonymous@javagroups.cvs.sourceforge.net:/cvsroot/javagroups A
/1 :pserver:anonymous@htmlunit.cvs.sourceforge.net:/cvsroot/htmlunit A
/1 :pserver:anonymous@xmlunit.cvs.sourceforge.net:/cvsroot/xmlunit A
/1 :pserver:anonymous@jython.cvs.sourceforge.net:/cvsroot/jython A
/1 :pserver:anonymous@dom4j.cvs.sourceforge.net:/cvsroot/dom4j A
/1 :pserver:anonymous@junit-addons.cvs.sourceforge.net:/cvsroot/junit-addons A
/1 :pserver:anonymous@jmdns.cvs.sourceforge.net:/cvsroot/jmdns A
/1 :pserver:anonymous@jtidy.cvs.sourceforge.net:/cvsroot/jtidy A
/1 :pserver:anonymous@quartz.cvs.sourceforge.net:/cvsroot/quartz A
/1 :pserver:anonymous@invicta.cvs.sourceforge.net:/cvsroot/invicta A
/1 :pserver:anonymous@mx4j.cvs.sourceforge.net:/cvsroot/mx4j A
/1 :pserver:anonymous@sslext.cvs.sourceforge.net:/cvsroot/sslext A
/1 :pserver:anonymous@uddi4j.cvs.sourceforge.net:/cvsroot/uddi4j A
/1 :pserver:anonymous@strutstestcase.cvs.sourceforge.net:/cvsroot/strutstestcase A
/1 :pserver:anonymous@jfor.cvs.sourceforge.net:/cvsroot/jfor A
/1 :pserver:anonymous@wrapper.cvs.sourceforge.net:/cvsroot(wrapper A

```
/1 :pserver:anonymous@htmlparser.cvs.sourceforge.net:/cvsroot/htmlparser A
/1 :pserver:anonymous@cvs.jaxen.codehaus.org:/cvs/jaxen A
/1 :pserver:anonymous@cvs.jmock.codehaus.org:/cvs/jmock/scm A
/1 :pserver:anonymous@cvs.jmock.codehaus.org:/cvs/jmock A
/1 :pserver:anonymous@anoncvs.forge.jboss.com:2401/cvsroot/jboss A
/1 :pserver:anonymous@anoncvs.forge.jboss.com:/cvsroot/jboss A
/1 :pserver:anonymous@cvs.jmock.codehaus.org:/cvs/jmock2 A
```