

ManualWhitelist

Whitelisting a user

Adding a user to your whitelist gives them a -100 score, which has the effect of always marking their mail as non-spam.

To manually whitelist a particular address, say `d.cary@sparkingwire.com`, edit your local user prefs file `~/ .spamassassin/user_prefs` (or global `/etc/mail/spamassassin/local.cf`):

```
# whitelist David Cary:
whitelist_from d.cary@sparkingwire.com
```

Whitelist and blacklist addresses are file-glob-style patterns, so `friend@somewhere.com`, `*@isp.com`, or `*.domain.net` will all work.

```
# whitelist everyone at sparkingwire.com:
whitelist_from *@sparkingwire.com
```

To manually blacklist, use `blacklist_from` to add an address to your blacklist.

If the sender is at all well known (such as a mailing list), you should use `whitelist_from_rcvd` instead so that a spammer can't forge their mail to look like it's from the whitelisted address. More info on `whitelist_from`, `whitelist_from_rcvd`, and `blacklist_from` is on the [web](#) or can be accessed from your local man pages by typing `perldoc Mail::SpamAssassin::Conf`.

Some good, free web-based tools are available to put a friendly user interface on whitelists (and blacklists) and allow users to edit their own. See [WebUser Interfaces](#).

With the [AutoWhitelist](#) and [TxRep](#) plugins, besides their automated function, you can whitelist and blacklist email addresses, or (in the case of [TxRep](#)) also domain names, IP addresses, or NetBIOS/HELO names, with the command line options `--add-addr-to-whitelist` and `--add-addr-to-blacklist` of the main `spamassassin` script. The whitelisting and blacklisting with [TxRep](#) is documented in details on its Wiki and POD pages.

What is AutoWhitelist?

Another feature of [SpamAssassin](#) is "auto-whitelist". But the name is a misnomer. The [AutoWhitelist](#) is designed as an automatic score averaging system, and is just as likely to penalize or blacklist an address as it is to benefit or whitelist it. If you want to whitelist, you should use the directions above.

Alternatively, there is also the [AutoWhiteList](#) successor - the [TxRep](#) Sender Reputation plugin. It whitelists and blacklists automatically and manually not only email addresses, but also senders' domain names, IP addresses, and NetBIOS/HELO names in the combination with IP blocks, DKIM signatures, and SPF passes. [TxRep](#) also allows the whitelisting and blacklisting of senders through the `sa-learn` tool. It happens automatically when training spam/ham to Bayes - depending on your configuration, it can be done by feeding the `sa-learn` tool individual messages, or entire mailboxes and folders manually on the command line, by user input in webmail software, through a cronjob from IMAP folders, or in other similar ways.

Additionally, [TxRep](#), in similar way to the Bayes plugin, can boost the automated whitelisting/blacklisting at the scan time, when the score of the message triggers the auto-learn process. To activate this feature, you need to enable the option `txrep_autolearn`. Do not activate the auto-learn option before [SpamAssassin](#) is well tuned, and before it sorts spam and ham correctly. With poorly trained [SpamAssassin](#), the auto-learn function of [TxRep](#) would boost also all false results. Add the `autolearn` value to the email headers (i.e. `"add_header all Status ... autolearn=AUTOLEARN"` in `local.cf`), and activate the `txrep_autolearn` option only after you verified that SA triggers the autolearn process only in the cases when you clearly want to boost the sender's reputation (in one or the other way).

Automatically whitelisting people you've emailed

When parsing outbound email by [SpamAssassin](#), you can automatically whitelist all recipients of the outgoing messages with the help of the [TxRep](#) plugin. To activate this feature, install the plugin, and enable the option `txrep_whitelist_out`.

When not using [TxRep](#), or not parsing outgoing email by [SpamAssassin](#), you could use the following method to extract a unique list of e-mail addresses from your 'Sent' folder (in mbox format). You can also use both methods simultaneously.

In your `~/ .spamassassin/user_prefs` file, put this in:

```
include sent_whitelist
```

The following script creates the `sent_whitelist` file with 100 addresses per line:

```
SADIR=~/.spamassassin
SENTMAIL=~/.mail/Sent

cat $SENTMAIL |
    grep -Ei '^(To|cc|bcc):' |
    grep -oEi '[a-z0-9_.=/#+-]+@([a-z0-9-]+\.)+[a-z]{2,}' |
    tr "A-Z" "a-z" |
    sort -u |
    xargs -n 100 echo "whitelist_from" > $SADIR/sent_whitelist
```

This can be adapted as necessary, and executed as a cron job.

The script is simple and fast, but not very accurate. It extracts strings looking like e-mail addresses from the lines starting with To: CC: and BCC. However it does not take into account the continuation lines (addresses on continuation lines are not added to the white list), but extracts addresses from message body (if a line in the body starts with To:/CC:/BCC:, which often happens when forwarding e-mails).

To make the script more accurate but much more slow replace the line "grep -Ei '^(To|cc|bcc):'" with a call to formail (part of procmail package):

```
formail -s formail -czx 'To:' -x 'CC:' -x 'BCC:' |
```

Formail extracts lines only from RFC-822 header and concatenates continued fields providing an accurate list of all addresses.

Building an auto-whitelist from LDAP

If you run an LDAP-based addressbook, you can use the following simple cron job to build a whitelist nightly:

```
# Create a SpamAssassin whitelist
0 * * * * /usr/pkg/bin/ldapsearch -LLL -b dc=domain,dc=net,dc=au mail | awk '/^mail:/ {print
"whitelist_from " $2}' > $HOME/.spamassassin/whitelist_from_ldap.cf
```

In your ~/.spamassassin/user_prefs file, put this in:

```
# Whitelist and blacklist addresses are now file-glob-style patterns, so
# "friend@somewhere.com", "*@isp.com", or "*.domain.net" will all work.
# whitelist_from      someone@somewhere.com
whitelist_from      *@blah.com
include whitelist_from_ldap.cf
```

Contributors

- [DavidCary](#)
- Marcus Dressler
- Xavier
- [DanKohn](#)
- [GadiCohen](#)
- [JasonLingohr](#)
- [Ivo Truxa](#)