

SURBL

Introduction: SURBL - Spam URI Realtime Blocklists

For more information: <http://www.surbl.org/>

SURBLs are DNS RBLs (blacklists) of domains. They are very useful for detecting known spammy websites in Spam, while not requiring large rulesets containing list of spammer domains (such as sa-blacklist by [WilliamStearns](#)).

Installing

SURBLs and [SpamAssassin 2.6x](#)

Using SURBLs with [SpamAssassin 2.6x](#) requires a patch to Mail::SpamAssassin::Conf be installed (it's available on CPAN) - the name of the CPAN distribution is Mail::SpamAssassin::SpamCopURI. A new version of Mail::SpamAssassin::SpamCopURI is released for every new release of [SpamAssassin 2.6x](#). Remember to update Mail::SpamAssassin::SpamCopURI everytime you update [SpamAssassin](#).

Once you've got Mail::SpamAssassin::SpamCopURI installed, all you need is a rules file telling [SpamAssassin](#) what SURBL lists to query. Then you're off.

More details instructions are available from the SURBL homepage.

SURBLs and [SpamAssassin 3.x](#)

[SpamAssassin 3.0](#) and higher come with SURBL support.

Rulesets

- [sc.surbl.org](#) - [SpamCop](#) spamvertised sites
- [ws.surbl.org](#) - This is the SURBL of [WilliamStearns](#) sa-blacklist.cf. Using this in favour of the ruleset will significantly reduce your spamd memory usage!
- [ob.surbl.org](#) - [OutBlaze](#) spamvertised sites
- [ab.surbl.org](#) - Top ~425 spamvertised sites from [SpamCop](#) plus [AbuseButler](#) additions
- [jp.surbl.org](#) - jwSpamSpy and Prolocation spam URI data
- [ph.surbl.org](#) - Phishing spam URI data from a variety of sources
- [multi.surbl.org](#) - Preferred combined list of all of the above. Some data sources are only available in multi. Please use multi with urirhssub, as is the default in [SpamAssassin 3.X](#).

Individual lists deprecated, use multi

[SpamAssassin 3.0](#) and newer use [multi.surbl.org](#) instead of individual lists such as [sc.surbl.org](#). This is preferred since a single query to multi will get results for all of the individual lists. As of March 1, 2009, public DNS service for the individual lists is disabled, and only [multi.surbl.org](#) is served. Therefore please use multi, as is the default for [SpamAssassin 3.0](#) and newer versions. Said another way, if you are using [SpamAssassin 3.0](#) or newer with the default SURBL rules, then no changes are needed. However anyone using [SpamAssassin 2.6](#) should upgrade to 3.X.