

WebHCat Reference ResponseTypes

Response Types — GET :version

- [Response Types — GET :version](#)
 - [Description](#)
 - [URL](#)
 - [Parameters](#)
 - [Results](#)
 - [Example](#)
 - [Curl Command](#)
 - [JSON Output](#)
 - [JSON Output \(error\)](#)

Description

Returns a list of the response types supported by WebHCat (Templeton).

URL

`http://www.myserver.com/templeton/:version`

Parameters

Name	Description	Required?	Default
<code>:version</code>	The WebHCat version number. (Currently this must be "v1".)	Required	None

The [standard parameters](#) are also supported.

Results

Name	Description
<code>responseTypes</code>	A list of all supported response types

Example

Curl Command

```
% curl -s 'http://localhost:50111/templeton/v1'
```

JSON Output

```
{
  "responseTypes": [
    "application/json"
  ]
}
```

JSON Output (error)

```
{
  "error": "null for uri: http://localhost:50111/templeton/v2"
}
```

Navigation Links

Previous: [Reference: WebHCat Resources](#)

Next: [GET status](#)

General: [WebHCat Reference](#) – [WebHCat Manual](#) – [HCatalog Manual](#) – [Hive Wiki Home](#) – [Hive Project Site](#)