

WebHCat Reference GetPartition

Describe Partition — GET `ddl/database/:db/table/:table/partition/:partition`

- [Describe Partition — GET `ddl/database/:db/table/:table/partition/:partition`](#)
 - [Description](#)
 - [URL](#)
 - [Parameters](#)
 - [Results](#)
 - [Example](#)
 - [Curl Command](#)
 - [JSON Output](#)

Description

Describe a single partition in an HCatalog table.

URL

`http://www.myserver.com/templeton/v1/ddl/database/:db/table/:table/partition/:partition`

Parameters

Name	Description	Required?	Default
<code>:db</code>	The database name	Required	None
<code>:table</code>	The table name	Required	None
<code>:partition</code>	The partition name, col_name='value' list. Be careful to properly encode the quote for http, for example, country=%27algeria%27.	Required	None

The [standard parameters](#) are also supported.

Results

Name	Description
<code>database</code>	The database name
<code>table</code>	The table name
<code>partition</code>	The partition name
<code>partitioned</code>	True if the table is partitioned
<code>location</code>	Location of table
<code>outputFormat</code>	Output format
<code>columns</code>	List of column names, types, and comments
<code>owner</code>	The owner's user name
<code>partitionColumns</code>	List of the partition columns
<code>inputFormat</code>	Input format

Example

Curl Command

```
% curl -s \
  'http://localhost:50111/templeton/v1/ddl/database/default/table/mytest/partition/country=%27US%27?user=
  name=ctdean'
```

JSON Output

```
{  
    "partitioned": true,  
    "location": "hdfs://ip-10-77-6-151.ec2.internal:8020/apps/hive/warehouse/mytest/loc1",  
    "outputFormat": "org.apache.hadoop.hive.ql.io.RCFileOutputFormat",  
    "columns": [  
        {  
            "name": "i",  
            "type": "int"  
        },  
        {  
            "name": "j",  
            "type": "bigint"  
        },  
        {  
            "name": "ip",  
            "comment": "IP Address of the User",  
            "type": "string"  
        }  
    ],  
    "owner": "rachel",  
    "partitionColumns": [  
        {  
            "name": "country",  
            "type": "string"  
        }  
    ],  
    "inputFormat": "org.apache.hadoop.hive.ql.io.RCFileInputFormat",  
    "database": "default",  
    "table": "mytest",  
    "partition": "country='US'"  
}
```

Navigation Links

Previous: [GET ddl/database/:db/table/:table/partition](#)

Next: [PUT ddl/database/:db/table/:table/partition/:partition](#)

General: [DDL Resources](#) – [WebHCat Reference](#) – [WebHCat Manual](#) – [HCatalog Manual](#) – [Hive Wiki Home](#) – [Hive Project Site](#)