

1.1.1.2.

← 1.1.1.1.

↑ 1.1.1.

Geronimo

1.1.1.1. `deployundeploylist-moduleslist-modules start stop` Geronimo

list-modules

- `--all :`
- `--started :`
- `--stopped :`

target `targetTarget`

ID **HelloWorld**

`<geronimo_home>/bin`

deploy `--user system --password manager list-modules`

```

D:\geronimo-tomcat6-jee5-2.0-M2\bin>deploy --user system --password manager list-modules
Using Geronimo_Base: D:\geronimo-tomcat6-jee5-2.0-M2
Using Geronimo_Home: D:\geronimo-tomcat6-jee5-2.0-M2
Using Geronimo_TmpDir: D:\geronimo-tomcat6-jee5-2.0-M2\var\temp
Using JRE_Home: C:\Java\jdk1.5.0_06\jre
Found 47 modules
+ console.dbpool/LocalDB/1.0/rar
+ console.dbpool/jdbc%2FTradeDataSource/1.0/rar
+ org.apache.geronimo.configs/activemq/2.0-M2/car
+ org.apache.geronimo.configs/activemq-broker/2.0-M2/car
+ org.apache.geronimo.configs/axis/2.0-M2/car
+ org.apache.geronimo.configs/axis-deployer/2.0-M2/car
+ org.apache.geronimo.configs/axis2/2.0-M2/car
+ org.apache.geronimo.configs/axis2-deployer/2.0-M2/car
+ org.apache.geronimo.configs/client-deployer/2.0-M2/car
+ org.apache.geronimo.configs/connector-deployer/2.0-M2/car
+ org.apache.geronimo.configs/cxf/2.0-M2/car
+ org.apache.geronimo.configs/cxf-deployer/2.0-M2/car
+ org.apache.geronimo.configs/dojo-tomcat/2.0-M2/car @ http://hcunico:8080/dojo
+ org.apache.geronimo.configs/geronimo-gbean-deployer/2.0-M2/car
+ org.apache.geronimo.configs/hot-deployer/2.0-M2/car
+ org.apache.geronimo.configs/j2ee-deployer/2.0-M2/car
+ org.apache.geronimo.configs/j2ee-security/2.0-M2/car
+ org.apache.geronimo.configs/j2ee-server/2.0-M2/car
+ org.apache.geronimo.configs/j2ee-system/2.0-M2/car
+ org.apache.geronimo.configs/javamail/2.0-M2/car
+ org.apache.geronimo.configs/jee-specs/2.0-M2/car
+ org.apache.geronimo.configs/openejb/2.0-M2/car
+ org.apache.geronimo.configs/openejb-deployer/2.0-M2/car
+ org.apache.geronimo.configs/persistence-jpa10-deployer/2.0-M2/car
+ org.apache.geronimo.configs/remote-deploy-tomcat/2.0-M2/car @ http://hcunico:8080/remote-deploy
+ org.apache.geronimo.configs/rmi-naming/2.0-M2/car
+ org.apache.geronimo.configs/sharedlib/2.0-M2/car
+ org.apache.geronimo.configs/system-database/2.0-M2/car
+ org.apache.geronimo.configs/tomcat6/2.0-M2/car
+ org.apache.geronimo.configs/tomcat6-deployer/2.0-M2/car
+ org.apache.geronimo.configs/transaction-jta11/2.0-M2/car
+ org.apache.geronimo.configs/webconsole-tomcat/2.0-M2/car
  -> standard.war @ http://hcunico:8080/console-standard
  -> framework.war @ http://hcunico:8080/console
+ org.apache.geronimo.configs/webservices-common/2.0-M2/car
+ org.apache.geronimo.configs/welcome-tomcat/2.0-M2/car @ http://hcunico:8080/
+ sample.applications/HelloWorldApp/2.0/war @ http://hcunico:8080/hello
  org.apache.geronimo.configs/ca-helper-tomcat/2.0-M2/car
  org.apache.geronimo.configs/client/2.0-M2/car
  org.apache.geronimo.configs/client-security/2.0-M2/car
  org.apache.geronimo.configs/client-system/2.0-M2/car
  org.apache.geronimo.configs/client-transaction/2.0-M2/car
  org.apache.geronimo.configs/directory/2.0-M2/car
  org.apache.geronimo.configs/ldap-realm/2.0-M2/car
  org.apache.geronimo.configs/online-deployer/2.0-M2/car
  org.apache.geronimo.configs/openjpa/2.0-M2/car
  org.apache.geronimo.configs/shutdown/2.0-M2/car
  org.apache.geronimo.configs/transformer-agent/2.0-M2/car
  org.apache.geronimo.configs/uddi-tomcat/2.0-M2/car

```

" + sample.applications/HelloWorldApp/2.0/war @ <http://hcunico:8080/hello> " started

deploy --user system --password manager list-modules --started

" sample.applications/HelloWorldApp/2.0/war

deploy --user system --password manager stop sample.applications/HelloWorldApp/2.0/war

```
D:\geronimo-tomcat6-jee5-2.0-M2\bin>deploy --user system --password manager stop sample.applications
/HelloWorldApp/2.0/war
Using GERONIMO_BASE: D:\geronimo-tomcat6-jee5-2.0-M2
Using GERONIMO_HOME: D:\geronimo-tomcat6-jee5-2.0-M2
Using GERONIMO_TMPDIR: D:\geronimo-tomcat6-jee5-2.0-M2\var\temp
Using JRE_HOME: C:\Java\jdk1.5.0_06\jre

Stopped sample.applications/HelloWorldApp/2.0/war
```

sample.applications/HelloWorldApp/2.0/war

```
D:\geronimo-tomcat6-jee5-2.0-M2\bin>deploy --user system --password manager list-modules --stopped
Using GERONIMO_BASE: D:\geronimo-tomcat6-jee5-2.0-M2
Using GERONIMO_HOME: D:\geronimo-tomcat6-jee5-2.0-M2
Using GERONIMO_TMPDIR: D:\geronimo-tomcat6-jee5-2.0-M2\var\temp
Using JRE_HOME: C:\Java\jdk1.5.0_06\jre
Found 15 modules
org.apache.geronimo.configs/axis2/2.0-M2/car
org.apache.geronimo.configs/ca-helper-tomcat/2.0-M2/car
org.apache.geronimo.configs/client/2.0-M2/car
org.apache.geronimo.configs/client-security/2.0-M2/car
org.apache.geronimo.configs/client-system/2.0-M2/car
org.apache.geronimo.configs/client-transaction/2.0-M2/car
org.apache.geronimo.configs/cxf/2.0-M2/car
org.apache.geronimo.configs/directory/2.0-M2/car
org.apache.geronimo.configs/ldap-realm/2.0-M2/car
org.apache.geronimo.configs/online-deployer/2.0-M2/car
org.apache.geronimo.configs/openjpa/2.0-M2/car
org.apache.geronimo.configs/shutdown/2.0-M2/car
org.apache.geronimo.configs/transformer-agent/2.0-M2/car
org.apache.geronimo.configs/uddi-tomcat/2.0-M2/car
sample.applications/HelloWorldApp/2.0/war
```

stop start

deploy --user system --password manager start sample.applications/HelloWorldApp/2.0/war

```
D:\geronimo-tomcat6-jee5-2.0-M2\bin>deploy --user system --password manager start sample.applications
/HelloWorldApp/2.0/war
Using GERONIMO_BASE: D:\geronimo-tomcat6-jee5-2.0-M2
Using GERONIMO_HOME: D:\geronimo-tomcat6-jee5-2.0-M2
Using GERONIMO_TMPDIR: D:\geronimo-tomcat6-jee5-2.0-M2\var\temp
Using JRE_HOME: C:\Java\jdk1.5.0_06\jre

Started sample.applications/HelloWorldApp/2.0/war @
http://hcunico:8080/hello
```

GeronimoGeronimoConsole NavigationApplicationsApplication EARs Web App WARs HelloWorld.war Web App WARs

Installed Web Applications

Component Name	URL	State	Commands	Parent Compon
org.apache.geronimo.configs/ca-helper-tomcat/2.0-M2/car		stopped	Start Uninstall	org.apache.gero
org.apache.geronimo.configs/dojo-tomcat/2.0-M2/car	/dojo	running	Stop Restart Uninstall	org.apache.gero
org.apache.geronimo.configs/remote-deploy-tomcat/2.0-M2/car	/remote-deploy	running	Stop Restart Uninstall	org.apache.gero
org.apache.geronimo.configs/welcome-tomcat/2.0-M2/car	/	running	Stop Restart Uninstall	org.apache.gero
sample.applications/HelloWorldApp/2.0/war	/hello	running	Stop Restart Uninstall	org.apache.gero org.apache.gero

1.1.1.1. Geronimo running Stop Restart stopped Start Uninstall StartStop