

Enterprise Integration Patterns

Enterprise Integration Patterns

Camel supports most of the [Enterprise Integration Patterns](#) from the excellent book by [Gregor Hohpe](#) and [Bobby Woolf](#).

If you are new to Camel you might want to try the [Getting Started](#) in the [User Guide](#) before attempting to implement these patterns.

The EIP icons library is available as a Visio stencil file adapted to render the icons with the Camel color : sand. Download it [here](#) for your presentation, functional and technical analysis documents. The original EIP stencil is also available in [OpenOffice 3.x Draw](#) (thanks to Marco Garbelini) , [Microsoft Visio](#), or [OmniGraffle](#).

Messaging Systems

blocked URL	Message Channel	How does one application communicate with another using messaging?
blocked URL	Message	How can two applications connected by a message channel exchange a piece of information?
blocked URL	Pipes and Filters	How can we perform complex processing on a message while maintaining independence and flexibility?
blocked URL	Message Router	How can you decouple individual processing steps so that messages can be passed to different filters depending on a set of conditions?
blocked URL	Message Translator	How can systems using different data formats communicate with each other using messaging?
blocked URL	Message Endpoint	How does an application connect to a messaging channel to send and receive messages?

Messaging Channels

blocked URL	Point to Point Channel	How can the caller be sure that exactly one receiver will receive the document or perform the call?
blocked URL	Publish Subscribe Channel	How can the sender broadcast an event to all interested receivers?
blocked URL	Dead Letter Channel	What will the messaging system do with a message it cannot deliver?
blocked URL	Guaranteed Delivery	How can the sender make sure that a message will be delivered, even if the messaging system fails?
blocked URL	Message Bus	What is an architecture that enables separate applications to work together, but in a de-coupled fashion such that applications can be easily added or removed without affecting the others?

Message Construction

blocked URL	Event Message	How can messaging be used to transmit events from one application to another?
blocked URL	Request Reply	When an application sends a message, how can it get a response from the receiver?
blocked URL	Correlation Identifier	How does a requestor that has received a reply know which request this is the reply for?
blocked URL	Return Address	How does a replier know where to send the reply?

Message Routing

blocked URL	Content Based Router	How do we handle a situation where the implementation of a single logical function (e.g., inventory check) is spread across multiple physical systems?
blocked URL	Message Filter	How can a component avoid receiving uninteresting messages?
blocked URL	Dynamic Router	How can you avoid the dependency of the router on all possible destinations while maintaining its efficiency?
blocked URL	Recipient List	How do we route a message to a list of (static or dynamically) specified recipients?
blocked URL	Splitter	How can we process a message if it contains multiple elements, each of which may have to be processed in a different way?
blocked URL	Aggregator	How do we combine the results of individual, but related messages so that they can be processed as a whole?

blocked URL	Resequencer	How can we get a stream of related but out-of-sequence messages back into the correct order?
blocked URL	Composed Message Processor	How can you maintain the overall message flow when processing a message consisting of multiple elements, each of which may require different processing?
blocked URL	Scatter-Gather	How do you maintain the overall message flow when a message needs to be sent to multiple recipients, each of which may send a reply?
blocked URL	Routing Slip	How do we route a message consecutively through a series of processing steps when the sequence of steps is not known at design-time and may vary for each message?
blocked URL	Throttler	How can I throttle messages to ensure that a specific endpoint does not get overloaded, or we don't exceed an agreed SLA with some external service?
blocked URL	Sampling	How can I sample one message out of many in a given period to avoid downstream route does not get overloaded?
blocked URL	Delayer	How can I delay the sending of a message?
blocked URL	Load Balancer	How can I balance load across a number of endpoints?
	Hystrix	To use Hystrix Circuit Breaker when calling an external service.
	Service Call	To call a remote service in a distributed system where the service is looked up from a service registry of some sorts.
blocked URL	Multicast	How can I route a message to a number of endpoints at the same time?
blocked URL	Loop	How can I repeat processing a message in a loop?

Message Transformation

blocked URL	Content Enricher	How do we communicate with another system if the message originator does not have all the required data items available?
blocked URL	Content Filter	How do you simplify dealing with a large message, when you are interested only in a few data items?
blocked URL	Claim Check	How can we reduce the data volume of message sent across the system without sacrificing information content?
blocked URL	Normalizer	How do you process messages that are semantically equivalent, but arrive in a different format?
blocked URL	Sort	How can I sort the body of a message?
	Script	How do I execute a script which may not change the message?
blocked URL	Validate	How can I validate a message?

Messaging Endpoints

blocked URL	Messaging Mapper	How do you move data between domain objects and the messaging infrastructure while keeping the two independent of each other?
blocked URL	Event Driven Consumer	How can an application automatically consume messages as they become available?
blocked URL	Polling Consumer	How can an application consume a message when the application is ready?
blocked URL	Competing Consumers	How can a messaging client process multiple messages concurrently?
blocked URL	Message Dispatcher	How can multiple consumers on a single channel coordinate their message processing?
blocked URL	Selective Consumer	How can a message consumer select which messages it wishes to receive?
blocked URL	Durable Subscriber	How can a subscriber avoid missing messages while it's not listening for them?
blocked URL	Idempotent Consumer	How can a message receiver deal with duplicate messages?
blocked URL	Transactional Client	How can a client control its transactions with the messaging system?
blocked URL	Messaging Gateway	How do you encapsulate access to the messaging system from the rest of the application?
blocked URL	Service Activator	How can an application design a service to be invoked both via various messaging technologies and via non-messaging techniques?

System Management

blocked URL	ControlBus	How can we effectively administer a messaging system that is distributed across multiple platforms and a wide geographic area?
blocked URL	Detour	How can you route a message through intermediate steps to perform validation, testing or debugging functions?
blocked URL	Wire Tap	How do you inspect messages that travel on a point-to-point channel?
blocked URL	Message History	How can we effectively analyze and debug the flow of messages in a loosely coupled system?
blocked URL	Log	How can I log processing a message?