

Log4j 2 Release Process

Before beginning your first release, take the following preparatory steps:

1. Make sure you have Java 8 as the default JDK.
2. Run `mvn clean install` on the project to make sure it will build cleanly.
3. Login to <https://repository.apache.org> using your ASF credentials. Click on your username in the upper-right-hand corner and click Profile. Make sure your email address is correct. If not, contact Infra to get it corrected. You will be unable to get the necessary notifications until it's corrected.
4. Make sure you have a 4096-bit RSA PGP key pair for code signing. The public key should be published in a public repository, preferably <http://keyserver.ubuntu.com>. Also make sure the public key is published to <https://www.apache.org/dist/logging/KEYS>.
5. Configure this key as your git signing key for release tags: `git config user.signingkey 0x1234567812345678`
 - a. Make sure your `user.name` and `user.email` git config values match the name and email of this GPG key.
6. Edit `~/m2/settings.xml` to add the corresponding private key and its passphrase to your settings. Also add the Apache Subversion server credentials and Sonatype repository credentials to your settings (this is your ASF credentials). You'll want to blank out the passphrase after each release and fill it back in prior to each release so that it isn't compromised. Alternatively, you can [encrypt your passwords with a master password](#).

```
<profiles>
  <profile>
    <id>apache-release</id>
    <properties>
      <gpg.keyname>ABC123FC</gpg.keyname>
      <gpg.passphrase>thisIsMyPassphrase</gpg.passphrase>
      <gpg.executable>gpg2</gpg.executable><!-- Use this if executable differs from "gpg" -->
    </properties>
  </profile>
</profiles>

<activeProfiles>
  <activeProfile>apache-release</activeProfile>
</activeProfiles>

...

<servers>
  <server>
    <id>svn.apache.org</id>
    <username>myUsername</username>
    <password>myPassword</password>
  </server>
  <server>
    <id>apache.releases.https</id>
    <username>myUsername</username>
    <password>myPassword</password>
  </server>
  <server>
    <id>apache.snapshots.https</id>
    <username>myUsername</username>
    <password>myPassword</password>
  </server>
</servers>
```

Once you've done this, take the following steps to perform a release:

1. Edit `pom.xml` and change the `Log4jReleaseVersion` property to the version you are releasing.
2. Make a fresh Git clone of the master branch of <https://github.com/apache/logging-log4j2.git>.
3. Update `src/changelog/.changelog.adoc.ftl` with the appropriate release text.
4. Ensure that `log4jReleaseVersion` property is set in the root `pom.xml` to the release number to be created
5. Run

```
mvn -P changelog-release validate
```

to generate the changelog for the release. After running delete directory `src/changelog/2.x.x`. (This will need to be recreated later).

6. Run

```
mvn clean site
```

to build the web site.

7. Copy `target/site/release-notes/${log4jReleaseVersion}.html` into <https://codebeautify.org/html-to-markdown> or a similar site and then edit the generated Markdown as appropriate, ensuring the appropriate license header is included and the headings are correct.
8. Save the edited text to `RELEASE-NOTES.md`.
9. Run `git add`, `git commit`, and `git push` to commit the `RELEASE-NOTES.md` file that was just generated along with the other files that were modified.
10. Copy the site:

```
mvn site:stage -DstagingDirectory=$HOME/log4j
```

where `$HOME` is your home directory and verify that the site looks good. Repeat steps 6-10 as necessary.

11. Run

```
mvn -P apache-release -DskipTests -Darguments="-DskipTests" release:prepare release:perform -DreleaseVersion=n.n.n -DdevelopmentVersion=n.n.n-SNAPSHOT -Dtag=log4j-n.n.n-rcn
```

to start the release. Enter the password to your signing key when prompted.

12. Login to <http://repository.apache.org> using your ASF credentials. Select "Staging Repositories" then check the `org.apache.logging` repository and close it.
13. Check out the release tag that was created via the Maven release plugin using `git checkout tags/tagname`.
14. Run `mvn site` in the tag directory. When that completes run `mvn site:stage -DstagingDirectory=$HOME/log4j` where `$HOME` is your home directory.
15. Zip the contents of `$HOME/log4j` with `zip -r log4j.zip log4j`.
16. Create the preview web site:
 - a. Clone the Log4j web site from <https://github.com/apache/logging-log4j-site.git>. Checkout the `asf-staging` branch.
 - b. Create a directory matching the target release version. Unzip the site zip file into that directory. Unlink the `2.x` symlink and link it to the newly created directory.
 - c. Commit and push the web site preview.
17. Copy the distribution archive files from `log4j-distribution/target` to where <https://dist.apache.org/repos/dist/dev/logging/log4j/> is checked out on your machine.
18. Generate the release vote email:
 - a. Create the email addressed to dev@logging.apache.org. Sending the email to the PMC is not necessary.
 - b. Copy the changes in the release from `RELEASE-NOTES.txt` into the email.
 - c. Provide a link to the tag, web site on <http://people.apache.org>, and the artifacts in the Nexus repository.
 - d. Provide the command to download all the artifacts:

```
wget -e robots=off --cut-dirs=7 -nH -r -p -np --no-check-certificate $LINK
```

where `$LINK` is the URL to the repository you just closed (plus the `org/apache/logging/log4j/` path appended).

19. If the release vote fails proceed as described in the section below, otherwise if it passes:
 - a. Create a new (immutable) tag named `rel/n.n` from the `log4j-n.n.n-rcn` tag by changing to the directory containing the source for the release and performing

```
git tag [--local-user userId] -s rel/n.n.n -m "Release n.n.n of Log4j"
```

where `--local-user` is optional, followed by

```
git push --tags
```

20. The following steps must be performed by a PMC member:
 - a. Checkout <https://dist.apache.org/repos/dist/release/logging/log4j>.
 - b. Create the release directory under the `log4j` directory.
 - c. Move all the distribution artifacts from the distribution dev location to that directory.
 - i. Example:

```
# create directory for release
svn mkdir https://dist.apache.org/repos/dist/release/logging/log4j/n.n.n
svn commit
# move files from dev to release (fully server-side; no more uploads!); this action is its
own commit
svn mv $(svn ls '^/dev/logging/log4j' | grep apache-log4j-n.n.n | xargs printf '^/dev
/logging/log4j/%s ') '^/release/logging/log4j/n.n.n'
# remove previous release
svn rm https://dist.apache.org/repos/dist/release/logging/log4j/n.n.n-1
svn commit
```

- d. Login to reporter.apache.org and add the release version and date.
- e. Login to Jira and mark the version as released today.
21. The following steps can then be taken by whomever started the release:
 - a. Release the artifacts in the Nexus Repository.
 - b. Add directory 2.x.x to src/changelog.
22. Wait 12-24 hours (or after the distribution artifacts have been propagated to the mirrors and the Maven artifacts have been propagated to the Central Repository), and then the following steps must be performed by a PMC member:
 - a. Perform `svn delete` on the **previous** release directory for the same version under the log4j directory (<https://dist.apache.org/repos/dist/release/logging/log4j>).
 - b. Commit the delete to Subversion.
 - c. See [ManagingTheWebSite](#) regarding sub-projects.
 - d. In your log4j web site repo checkout the asf-site branch. Perform `git checkout asf-site` then `git rebase asf-staging` and finally `git push`. Wait 5 to 10 minutes and verify the web site is live.
23. After the website is updated, send the release announcement email. This should be sent out to dev@logging.apache.org and log4j-user@logging.apache.org.
24. Send the release announcement to announce@apache.org using your apache.org email address. This can be combined with the previous step as a Cc field as long as the To field is the dev@ list and you send the email from your ASF email.

If the release fails before sending the vote email:

1. Login to <https://repository.apache.org> using your ASF credentials. Select "Staging Repositories" then check the org.apache.logging repository and drop it.
2. Revert any changes that have not been committed.
3. Restart the release process as the same release candidate.

If the release fails after sending the vote email:

1. Login to <https://repository.apache.org> using your ASF credentials. Select "Staging Repositories" then check the org.apache.logging repository and drop it.
2. Rename the release tag in Git to add rcn to the end of the tag.
3. Restart the release process as a new release candidate.