

Deployment descriptor changes for going from G 1.1 to G 2.1

The following is a guide for converting the deployment descriptors for an application built for Geronimo 1.1 to the appropriate descriptors for Geronimo 2.1. Other changes might be required to either the deployment plans or the application itself depending on the application.

- [EAR Project Definition](#)
- [EJB Project Definition](#)
- [WebApp Project Definition](#)

EAR Project Definition

application.xml

No Changes Required

geronimo-application.xml

Attribute	Geronimo 1.1	Geronimo 2.1
xmlns	http://geronimo.apache.org/xml/ns/j2ee/application-1.1	http://geronimo.apache.org/xml/ns/j2ee/application-2.0

EJB Project Definition

ejb-jar.xml

No Changes Required

openejb-jar.xml

Attribute	Geronimo 1.1	Geronimo 2.1
xmlns	http://openejb.org/xml/ns/openejb-jar-2.1	http://openejb.apache.org/xml/ns/openejb-jar-2.2
xmlns:nam	http://geronimo.apache.org/xml/ns/naming-1.1	http://geronimo.apache.org/xml/ns/naming-1.2
xmlns:pkggen	http://www.openejb.org/xml/ns/pkggen-2.0	http://openejb.apache.org/xml/ns/pkggen-2.1
xmlns:sec	http://geronimo.apache.org/xml/ns/security-1.1	http://geronimo.apache.org/xml/ns/security-2.0
xmlns:sys	http://geronimo.apache.org/xml/ns/deployment-1.1	http://geronimo.apache.org/xml/ns/deployment-1.2

WebApp Project Definition

web.xml

No Changes Required

geronimo-web.xml

Attribute	Geronimo 1.1	Geronimo 2.1
xmlns	http://geronimo.apache.org/xml/ns/j2ee/web-1.1	http://geronimo.apache.org/xml/ns/j2ee/web-2.0.1