KIP-216: IQ should throw different exceptions for different errors

- Status
- Motivation
- Proposed Changes
- · Compatibility, Deprecation, and Migration Plan
- Rejected Alternatives

Status

Current state: Accepted(vote)

Discussion thread: here

JIRA: KAFKA-5876 - Getting issue details... STATUS

Please keep the discussion on the mailing list rather than commenting on the wiki (wiki discussions get unwieldy fast).

Motivation

Currently, IQ throws InvalidStateStoreException for any types of error, that means a user cannot handle different types of error.

Because of that, we should throw different exceptions for each type.

Proposed Changes

To distinguish different types of error, we need to handle all *InvalidStateStoreException* better during these public methods invoked. The main change is to introduce new exceptions that extend from *InvalidStateStoreException*. *InvalidStateStoreException* is not thrown at all anymore, but only new subclasses.

```
public class StreamsNotStartedException extends InvalidStateStoreException
public class StreamsRebalancingException extends InvalidStateStoreException
public class StateStoreMigratedException extends InvalidStateStoreException
public class StateStoreNotAvailableException extends InvalidStateStoreException
public class UnknownStateStoreException extends InvalidStateStoreException
public class InvalidStateStorePartitionException extends InvalidStateStoreException
```

- StreamsNotStartedException: will be thrown when stream thread state is CREATED, the user can retry until to RUNNING.
- StreamsRebalancingException: will be thrown when stream thread is not running and stream state is REBALANCING, the user just retry and wait until rebalance finished (RUNNING).
- StateStoreMigratedException: will be thrown when state store already closed and stream state is RUNNING. The user need to rediscover the
 store and cannot blindly retry as the store handle is invalid and a new store handle must be retrived.
- StateStoreNotAvailableException: will be thrown when state store closed and stream state is PENDING_SHUTDOWN / NOT_RUNNING / ERR OR. The user cannot retry when this exception is thrown.
- UnknownStateStoreException: will be thrown when passing an unknown state store. The user cannot retry when this exception is thrown.
- InvalidStateStorePartitionException: will be thrown when user requested partition is not available on the stream instance.

The following is the public methods that users will call to get state store instance:

- KafkaStreams
 - @Deprecated store(storeName, queryableStoreType)
 - store(storeQureyParams)



All the above methods could be throw exceptions:

StreamsNotStartedException, StreamsRebalancingException, StateStoreMigratedException, StateStoreNotAvailableException, UnknownStateStoreException, InvalidStateStorePartitionException

The following is the public methods that users will call to get store values:

- interface ReadOnlyKeyValueStore(class CompositeReadOnlyKeyValueStore)
 - o get(key)
 - o range(from, to)
 - all()
 - approximateNumEntries()
- interface ReadOnlySessionStore(class CompositeReadOnlySessionStore)
 - o fetch(key)
 - fetch(from, to)
- interface ReadOnlyWindowStore(class CompositeReadOnlyWindowStore)
 - o fetch(key, time)
 - o fetch(key, from, to)
 - fetch(from, to, fromTime, toTime)
 - o all()
 - o fetchAll(from, to)
 - @Deprecated fetch(key, timeFrom, timeTo)
 - @Deprecated fetch(from, to, timeFrom, timeTo)
 - @Deprecated fetchAll(timeFrom, timeTo)
- interface KeyValueIterator(class DelegatingPeekingKeyValueIterator)
 - o next()
 - hasÑext()
 - o peekNextKey()
- **(1)**

All the above methods could be throw following exceptions:

 $Streams Rebalancing Exception, \ State Store Migrated Exception, \ State Store Not Available Exception, \\ Invalid State Store Partition Exception$

Compatibility, Deprecation, and Migration Plan

• All new exceptions extend from InvalidStateStoreException, this change will be fully backward compatible.

Rejected Alternatives

None.